YOUR PERSONAL COMMAND MEMORY FOR THE TERMINAL

recall

Stop Googling the same commands.
Save once, find instantly, run directly.

Zero dependencies · 100% local · MIT licensed

```
<> npm install -g recall-dev
```

Node.js v18+ · macOS · Linux · Windows

THE PROBLEM

Sound familiar?

😤

Googling the same command again

That kubectl one-liner you've looked up 10 times. Now on the 11th. Every. Single. Time.

📜

Shell history is useless

3,000 lines. ctrl+R only finds exact matches. You can't search by tag, project, or description.

💸

Notes apps aren't built for this

Paying for Notion just to paste CLI commands is massive overkill for a simple problem.

🤦

"What was that docker command?"

Asking teammates breaks their flow and yours. The same question, for the fifth time this month.

THE SOLUTION

Meet recall

A zero-dependency CLI snippet manager — built entirely for the terminal.

Save

Store any command with tags, a description, and automatic git context — repo, branch, remote all captured.

Find

Fuzzy search with frecency ranking. Filter by tag, repo, or time window using a simple DSL.

Run

Execute directly — no copy-paste. Detects {placeholder} variables and prompts for each value before running.

```
<> npm install -g recall-dev        ~/.recall/snippets.json · 100% local · no cloud
```

GETTING STARTED

Up and running in 10 seconds

01

Install globally

`npm install -g recall-dev`

Node.js v18 or later required.

02

Save a snippet

`recall save "cmd" -t tag -d "desc"`

Tags, descriptions and git context all optional but useful.

03

Find & run it

`recall run docker clean`

Fuzzy-matches your snippet and runs it directly.

```
# save once
recall save "docker system prune -af" -t docker -d "Nuclear clean"

# find & run later
recall run docker clean
```

DYNAMIC TEMPLATES

Save templates, not just commands

Wrap variable parts in `{curly braces}` — recall detects them and prompts for each value at run time.

```
# save a template once
recall save "kubectl logs {pod} -n {namespace}" -t

# run — recall prompts for each variable
recall run k8s logs
  Command: kubectl logs {pod} -n {namespace}
  {pod}: api-7d9f-xk2p
  {namespace}: production
  Running: kubectl logs api-7d9f-xk2p -n production
```

1. Write any command with {variable} tokens
2. recall detects placeholders automatically
3. Prompts for each value, then executes

SAFETY

Built-in safety net

Destructive commands are detected automatically — no flags needed. recall warns you and requires explicit confirmation before running anything dangerous.

`rm -rf` `kubectl delete` `terraform destroy` `DROP TABLE` `git push --force` `docker system prune`

Auto-detected

Pattern matching across 15+ destructive command categories

Always warned

Red warning + confirmation prompt before any dangerous execution

Default: abort

Must type 'y' to proceed — Enter alone does nothing

SHELL HISTORY IMPORT

Already have great commands?

Run `recall import-history` — reads your shell history, sorts by frequency, and opens an interactive picker to save the keepers.

- Reads ~/.zsh_history or ~/.bash_history automatically
- Commands sorted by frequency — most-used at the top
- Space to select, Enter to save — fully keyboard-driven
- Go from zero snippets to fully stocked in under 2 minutes

```
recall import-history


▸ [✔] kubectl rollout restart deployment/
  [ ] docker compose up -d --build
  [ ] terraform plan -out=tfplan
  [ ] psql -U admin -d proddb -h localhos


3 selected · Space · Enter save · Esc car
```

SMART SEARCH

Find anything instantly

Fuzzy search + filter DSL + frecency ranking — results ranked by usage, not just keyword match.

`fuzzy`

recall find docker restart

Matches snippets containing those words in any order, in command or description.

`tag:`

recall find tag:aws deploy

Filter to snippets tagged with "aws", then fuzzy-match "deploy" within those.

`repo:`

recall find repo:payments error

Only snippets saved while working inside the "payments" git repository.

`after:`

recall find after:7d

Snippets from the last 7 days. Also supports 1h, 30d, and ISO date strings.

💡 Filters stack: `recall find tag:k8s repo:payments after:7d deploy`

WHO IS THIS FOR

Built for terminal people

DevOps / SRE

kubectl, terraform, cloud CLIs — one place for your entire runbook. Stop re-typing deployment one-liners across environments.

Backend Devs

DB connections, migrations, port-forward scripts — saved per git repo, found in seconds with fuzzy search.

Git Power Users

Rebase recipes, log formats, stash workflows, bisect scripts — tagged, searchable, always at hand.

Team Leads

Export your snippet library as JSON, share with the whole team. Turn your runbook into onboarding docs in one command.

recall

Your personal command memory for the terminal.

```
<> npm install -g recall-dev
```

📦 npm npmjs.com/package/recall-dev 🐙 GitHub github.com/ramanakellampalli/recall

Zero dependencies | 100% local | MIT licensed | ⭐ Star on GitHub