NPM INSTALL -G RECALL-DEV

recall

Your personal command memory for the terminal

Stop Googling the same commands.
Save once, find instantly, run directly.

```
npm install -g recall-dev
```

Zero dependencies · 100% local · MIT licensed

THE PROBLEM

Sound familiar?

- 😤 Googling the same `kubectl` one-liner for the 10th time
- 📜 Scrolling through **3,000 lines** of shell history
- 💸 Paying for a notes app just to store CLI commands
- 🤦 Asking a teammate *"what was that docker cleanup command again?"*

SOLUTION

Meet recall

A zero-dependency CLI snippet manager

Save

Store any command with tags & descriptions. Captures git context automatically.

Find

Fuzzy search with frecency ranking. Filter by tag, repo, or time window.

Run

Execute directly — no copy, no paste. Prompts for placeholders automatically.

~/.recall/snippets.json · 100% local · no cloud

GETTING STARTED

Get started in 10 seconds

```
# 1. Install globally
npm install -g recall-dev

# 2. Save your first snippet
recall save "docker system prune -af" -t docker -d "Nuclear clean"

# 3. Find & run it
recall run docker clean
```

- Node.js v18 or later required

`recall save` `recall find` `recall run` `recall list`

DYNAMIC TEMPLATES

Save templates, not just commands

Use {placeholders} for dynamic values

```
# Save a template once
recall save "kubectl logs {pod} -n {namespace}" -t k8s

# Run it — recall prompts for each variable
recall run k8s logs
  Command: kubectl logs {pod} -n {namespace}

  {pod}: api-7d9f-xk2p
  {namespace}: production

  Running: kubectl logs api-7d9f-xk2p -n production
```

SAFETY

Built-in safety net

Destructive commands auto-trigger confirmation

```
recall run docker cleanup

  Command: docker system prune -af --volumes
  Nuclear clean Docker

  ⚠  Dangerous command detected. Execute? [y/N]:
```

Detects `rm -rf` `kubectl delete` `terraform destroy` `DROP TABLE` `git push --force` and more

SHELL HISTORY IMPORT

Already have great commands?

Import your best ones from shell history

```
recall import-history

▸ [✔] kubectl rollout restart deployment/api  ×14
  [ ] docker compose up -d --build            ×11
  [ ] terraform plan -out=tfplan              ×9
  [ ] psql -U admin -d proddb -h localhost    ×8

3 selected • Space select • Enter save • Esc cancel
```

Reads from ~/.zsh_history or ~/.bash_history — sorted by frequency. Pick the keepers.

SMART SEARCH

Find anything instantly

Fuzzy search + filter DSL + frecency ranking

```
recall find docker restart        # fuzzy search
recall find tag:aws deploy           # filter by tag
recall find repo:payments error      # filter by git repo
recall find after:1h                   # recent commands
```

Results ranked by what you use most, not just keyword match.

`tag:<name>` `repo:<name>` `after:1h / 7d` `before:<date>`

WHO IS THIS FOR

Built for terminal people

🚀

DevOps / SRE

kubectl, terraform, cloud CLIs — one place for your entire runbook

🔧

Backend Devs

DB connections, migrations, port scripts — stop re-typing them

🌿

Git Power Users

Rebase recipes, log formats, stash workflows — always at hand

👥

Team Leads

Export playbooks as JSON, share with the whole team instantly

GET IT NOW

Try it now

```
npm install -g recall-dev
```

📦 npm: npmjs.com/package/recall-dev

🐙 GitHub: github.com/ramanakellampalli/recall

⭐ **Star the repo if you find it useful!**

Zero dependencies. 100% local. MIT licensed.