## DB Schema

**transactions**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| store_id | UUID | No | Foreign Key → stores.id |
| reference_refund_id | UUID | Yes | Foreign Key → refunds.id |
| type | ENUM STRING (“CREDIT” / “DEBIT”) | No | |
| currency | ENUM STRING | No | |
| net_amount | DECIMAL (10, 2) | No | |
| amount_adjustment | DECIMAL (10, 2) | Yes | |
| category | ENUM STRING (“SALE” / “PURCHASE“ / “REFUND“) | No | |
| customer_phone | STRING | No | |
| customer_name | STRING | Yes | |
| created_at | DATETIME | No | |

**transaction_items**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| store_id | UUID | No | Foreign Key → stores.id |

| | | | |
|---|---|---|---|
| transaction_id | UUID | No | Foreign Key → transactions.id |
| product_id | UUID | No | Foreign Key → products.id |
| quantity | INT | No | |
| unit_price | DECIMAL (8, 2) | No | |
| discount | DECIMAL (8, 2) | Yes | |
| created_at | DATETIME | No | |
| updated_at | DATETIME | No | |

**refunds**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| original_transaction_id | UUID | No | Foreign Key → transactions.id |
| store_id | UUID | No | Foreign Key → stores.id |
| refund_amount | DECIMAL (10, 2) | No | |
| currency | ENUM STRING | No | |
| description | STRING | Yes | |
| created_at | DATETIME | No | |

**stores**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| owner_id | UUID | No | Foreign Key → users.id |

| | | | |
|---|---|---|---|
| name | STRING | No | |
| address | STRING | No | |
| phone_no | STRING | Yes | UNIQUE |
| is_active | BOOLEAN | No | |
| created_at | DATETIME | No | |
| updated_at | DATETIME | No | |

**products**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| name | STRING | No | |
| brand | STRING | Yes | |
| category | ENUM STRING | No | |
| mrp | DECIMAL (8, 2) | Yes | |
| created_at | DATETIME | No | |
| updated_at | DATETIME | No | |

**inventory**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| store_id | UUID | No | Foreign Key → stores.id |
| product_id | UUID | No | Foreign Key → products.id |
| quantity | INT | No | |
| selling_price | DECIMAL (8, 2) | No | |

| | | | |
|---|---|---|---|
| created_at | DATETIME | No | |
| updated_at | DATETIME | No | |

**users**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| email | STRING | No | UNIQUE |
| name | STRING | No | |
| date_of_birth | DATE | No | |
| phone_no | STRING | No | UNIQUE |
| password_hash | STRING | No | |
| is_platform_admin | BOOLEAN | No | FALSE |
| created_at | DATETIME | No | |
| updated_at | DATETIME | No | |

**store_roles**

| Column Name | Type | NULL possible? | Key |
|---|---|---|---|
| id | UUID | No | Primary Key |
| user_id | UUID | No | Foreign Key → users.id |
| store_id | UUID | No | Foreign Key → stores.id |
| role | ENUM STRING (“ADMIN” / “MANAGER” / “CASHIER”) | No | |
| created_at | DATETIME | No | |

| | | | |
|---|---|---|---|
| updated_at | DATETIME | No | |