Deployment environments

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

Check the target. Check the authority. Then rehearse.

Explain why fictional test data and an environment badge cannot repair production-capable authority.

Keep one habit: Environment manifest → actual-target ledger → room-Z picture → mismatch probes → symbolic audit → independent development case.

MAIN LESSON · SECTION 1

Inspect where a rehearsal really points

> Check data, credential authority and configuration together.

Learning goals

I can explain the **mechanism** and terminology of deployment **environment**s.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve trusted scope and access checks

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Queues and asynchronous work. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Data retention and deletion. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from External side effects and recovery. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Queues and asynchronous work. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

End goal

Explain deployment **environment**s using the deciding step in this fictional service.

▼ **Earlier wording, alternatives and picture transcripts**

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of deployment **environment**s

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week’s end goal

MAIN LESSON · SECTION 2

Separate the badge from the configured target and authority

> Inspect the connection and credential scope before touching data.

Begin with practice tickets and a real scanner

Think of rehearsing a school play with practice tickets. Calling the session “practice” does not help if its scanner changes the real ticket list. Development is for building, staging for rehearsal and production for approved service. Inspect the actual configured store and credential authority before a run. A fictional record does not neutralize a credential that can reach a live system.

Define environment separation

Development, staging and production are distinct **environment**s with explicit data and credential boundaries. Test configuration must not silently target production.

Complete fictional environment manifest

Symbolic environment	Store / secret namespace / credential ID	Fictional room
development	dev-fixtures / dev-mock / dev-reader	D
staging	stage-fixtures / stage-mock / stage-reader	Z

Symbolic environment	Store / secret namespace / credential ID	Fictional room
production	approved-school / prod-mock / prod-reader	A
Allowed operation	Read only, in the environment and store declared by trusted credential metadata	No writes
Configuration validation	Exact field names; known environment; matching store, namespace and credential authority	Block before fixture lookup on mismatch
Credential IDs	Harmless symbolic labels, not usable keys or secret values	No real secret access
Isolation limit	Dictionary checks model policy decisions, not actual IAM or network enforcement	No live systems used

Name supplied and missing evidence

List the given facts and one fact that is not supplied.

▼ **Earlier wording, alternatives and picture transcripts**

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Trace the actual store and authority before the fixture lookup

> A display label cannot repair a cross-environment target.

Original environment selection rule

For the classroom mock ENV selects a separate fixture store and secret namespace. Validate allowed **environment** names. A staging run cannot use production write credentials.

Complete mismatch and valid-rehearsal ledger

Staging request variant	Expected decision	Local read trace
Label staging, store approved-school	Blocked: store crosses environment	Empty
Correct stage-fixtures / stage-mock / stage-reader, read	Allowed fictional rehearsal; returns room Z	stage-fixtures once
Correct staging store but prod-reader	Blocked: wrong credential authority	No added read
Correct staging store but prod-mock namespace	Blocked: wrong secret namespace	No added read
Correct staging fields but write operation	Blocked: read-only authority	No added read
Unknown environment name stage	Blocked; no implicit fallback	No added read

State the configured boundary before judging

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ **Earlier wording, alternatives and picture transcripts**

Deployment environments — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Staging configuration points to production storage while the interface displays staging.	For the classroom mock ENV selects a separate fixture store and secret namespace. Validate allowed environment names. A staging run cannot use production write credentials.	The label is misleading; block the run through configuration validation. A display badge is not an isolation boundary.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

MAIN LESSON · SECTION 4

Predict a production credential in a staging rehearsal

> Keep the correct fictional data fixed while changing authority.

Current task and response

- Staging configuration points to production storage while the interface displays staging. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict the changed credential

- Change: Point staging at the production credential.

▼ **Check after predicting**

Prediction: Stop the rehearsal because its separation boundary is breached.

Reason: Actual access matters more than the **environment** label.

▼ **Earlier wording, alternatives and picture transcripts**

Compare a familiar case with a changed case

Change one thing in the pictured case

MAIN LESSON · SECTION 6

Compare a wrong store with a wrong credential

> Both can violate the boundary even when the screen still says staging.

Main production-target mismatch and checked repair

Staging configuration points to production storage while the interface displays staging.

The label is misleading; block the run through configuration validation. A display badge is not an **isolation** boundary.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Separate room-Z rehearsal and scope


Separate rehearsal and live service. Staging rehearses a new answer version with fictional records; production serves approved school records.

Staging card names trial room Z; production card names room A. Credentials and stores are separate.

The picture's approved rehearsal reads fictional room Z with staging-only authority. Its contrasting production card names room A; in our program both are harmless dictionaries. The main bad configuration points staging at the production-labelled store and must stop before any lookup.

The pictured change instead keeps the staging store but substitutes a production credential; this also blocks, for an independent authority mismatch. A successful room-Z rehearsal supports review of that fixture only. It does not promote code, verify every live edge case or prove actual storage/credential isolation.

Trace staging data, actual connection and review



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Use staging data	The rehearsal reads fictional room Z.
2. Check actual connection	Staging credentials must not reach production storage.
3. Review evidence	A passing rehearsal supports release review, not automatic promotion.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

An **environment** includes code, configuration, permissions and data. A staging label alone cannot create separation.

Predict the production-credential change

- Change one thing: Point staging at the production credential. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain representativeness and authority limits

- Fictional fixtures can miss live edge cases; use approved privacy-safe representative test conditions too.

- Read the labelled picture: Identify the staging data and credential boundary. Why must the rehearsal stop if its credential reaches production even though the **process** is labelled staging?

▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Deployment environments

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

MAIN LESSON · SECTION 7

Audit both target and authority before trusting the rehearsal

> A matching label is a description, not proof of isolation.

Core environment qualification and failure analysis

Passing staging tests does not prove production limits or operational conditions are identical.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete configuration and authority probes

Probe	Expected interpretation
Staging badge but production target	Block; label is not an isolation boundary
Fake records but production-capable credential	Authority crosses environments; fake data does not repair it
Staging store and correct credential, wrong namespace	Block; do not silently borrow production secrets
Unknown environment or missing field	Reject rather than default to production
Read-only credential asked to write	Block operation mismatch
Successful fictional rehearsal	Evidence for supplied fixtures; no automatic promotion
Actual network route/IAM privileges	Not exercised by this symbolic model

Probe	Expected interpretation
Real representative test conditions	Require approved privacy-safe cases, not copied private production data

Guided repair and explanation

- A report omits this qualification: Passing staging tests does not prove production limits or operational conditions are identical.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

Practise identifying the violated boundary

> Name the actual store, namespace or authority that must change.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

> **Explain your prediction to a partner before comparing results.**

Supported W2 trace

Use workbook W2 for the connected example “Deployment **environment**s”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Deployment **environment**s. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Identify the staging data and credential boundary. Why must the rehearsal stop if its credential reaches production even though the **process** is labelled staging?

> **My explanation using a pictured step and the given facts**

Reserve the selected development case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

Run a complete symbolic separation investigation

> Check both decisions and the lookup trace.

Current misleading-badge investigation

Staging configuration points to production storage while the interface displays staging. Show the intermediate steps and give the conclusion with its scope.

Runnable local environment audit

```
"""Audit symbolic environment configuration; no real endpoint, token or deployment."""
from copy import deepcopy
ENVIRONMENTS={
 'development':{'store':'dev-fixtures','namespace':'dev-mock','credential':'dev-
reader','room':'D'},
 'staging':{'store':'stage-fixtures','namespace':'stage-mock','credential':'stage-
reader','room':'Z'},
 'production':{'store':'approved-school','namespace':'prod-mock','credential':'prod-
reader','room':'A'}}
# Symbolic authority metadata comes from the trusted harness, not a client claim.
CREDENTIALS={v['credential']:{'environment':e,'store':v['store'],'operation':'read'}
             for e,v in ENVIRONMENTS.items()}
STORES={v['store']:{'room':v['room'],'fictional':True} for v in ENVIRONMENTS.values()}
FIELDS={'environment','store','namespace','credential','operation'}
def audit(config):
 if type(config) is not dict or set(config)!=FIELDS:raise ValueError('exact config fields
required')
 if any(type(v) is not str or not v for v in config.values()):raise ValueError('nonempty
string fields required')
 env=config['environment']
 if env not in ENVIRONMENTS:return {'status':'blocked','reason':'unknown environment'}
 expected=ENVIRONMENTS[env];authority=CREDENTIALS.get(config['credential'])
 if config['store']!=expected['store']:return {'status':'blocked','reason':'store crosses
environment'}
 if config['namespace']!=expected['namespace']:return
{'status':'blocked','reason':'namespace crosses environment'}
 if config['credential']!=expected['credential'] or authority is None:
  return {'status':'blocked','reason':'credential crosses environment or is unknown'}
 if authority['environment']!=env or authority['store']!=config['store'] or
authority['operation']!=config['operation']:
  return {'status':'blocked','reason':'credential authority does not match
operation/context'}
```

```
 return {'status':'allowed_fixture_read','environment':env}
def read_fixture(config,calls):
 verdict=audit(config)
 if verdict['status']!='allowed_fixture_read':return verdict
 calls.append(config['store'])
 return {**verdict,'record':deepcopy(STORES[config['store']])}
def config_for(env):
 rule=ENVIRONMENTS[env]
 return {'environment':env,'store':rule['store'],'namespace':rule['namespace'],
         'credential':rule['credential'],'operation':'read'}

before=deepcopy(STORES);calls=[];stage=config_for('staging')
main_bad={**stage,'store':ENVIRONMENTS['production']['store']}
main=read_fixture(main_bad,calls)
assert main['status']=='blocked' and calls==[]
picture=read_fixture(stage,calls)
assert picture['record']['room']=='Z' and calls==['stage-fixtures']
changed=read_fixture({**stage,'credential':'prod-reader'},calls)
assert changed['status']=='blocked' and calls==['stage-fixtures']
assert audit({**stage,'namespace':'prod-mock'})['status']=='blocked'
assert audit({**stage,'operation':'write'})['status']=='blocked'
assert audit({**stage,'environment':'stage'})['status']=='blocked'
assert STORES==before
print('Main staging badge with production store:',main)
print('Picture valid rehearsal:',picture,'changed production credential:',changed)
print('Only successful local fixture read:',calls,'all source stores
unchanged:',STORES==before)
print('All environments, records and credential IDs are fictional; production here is
another dictionary.')
print('A label or symbolic allowlist is not network/IAM isolation. No real credentials,
endpoints, secrets, promotion or deployment are accessed.')
```

Expected outcomes and scope limits

1. Predict which configurations reach the local lookup. The main wrong-store case blocks with an empty call list. Correct staging reads room Z once. A production credential, wrong namespace, write request and unknown environment each block with no additional read. All source dictionaries stay unchanged.

   The credential IDs and authority manifest are supplied trusted fixtures, not credentials that the program discovers or verifies remotely. It reads no environment variables, secrets or external endpoints, and it deploys or promotes nothing. Record an actual local run separately from a paper trace.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ **Earlier wording, alternatives and picture transcripts**

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: fake development records with production authority

> Inspect the credential boundary even when the data looks harmless.

Complete selected independent task

Development uses fake records but a production token. What boundary is violated?

First attempt and support record

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ Earlier wording, alternatives and picture transcripts

Independent case: Apply a new case independently

Attempt this without hints

Development uses fake records but a production token. What boundary is violated?

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

MAIN LESSON · SECTION 11

Save the reviewed manifest and mismatch evidence

> Use symbolic credential identifiers without secret values.

Project task and artifact

Add a labelled deployment **environment**s **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of deployment **environment**s.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual run or trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ Earlier wording, alternatives and picture transcripts

Evidence for your project

MAIN LESSON · SECTION 16

Explain what the environment badge cannot establish

> Support a separation claim with target and authority evidence.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of deployment **environment**s

> **My deciding step, evidence and one remaining question**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Environment	A declared deployment/configuration context
Isolation	Preventing unintended cross-context access
Configuration mapping	The relationship between environment and allowed resources

Use two terms to explain a step in this week's example.

▼ Extra challenge · Explain a stronger case

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: Passing staging tests does not prove production limits or operational conditions are identical.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Deployment environments — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Staging configuration points to production storage while the interface displays staging.	For the classroom mock ENV selects a separate fixture store and secret namespace. Validate allowed environment names. A staging run cannot use production write credentials.	The label is misleading; block the run through configuration validation. A display badge is not an isolation boundary.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: Separate rehearsal and live service. Staging rehearses a new answer version with fictional records; production serves approved school records.

By the end, I can	How I will show it
Explain the mechanism and terminology of deployment environments	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- Separate rehearsal and live service. Staging rehearses a new answer version with fictional records; production serves approved school records.
- Which labelled step matches this detail? A passing rehearsal supports release review, not automatic promotion.
- 1. Use staging data
- 2. Check actual connection
- 3. Review **evidence**
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Review **evidence** A passing rehearsal supports release review, not automatic promotion. An **environment** includes code, configuration, permissions and data.

A staging label alone cannot create separation.

Changed-case question and optional hint

- Changed-case practice: Point staging at the production credential. Which conclusion is supported by the supplied facts?
- 1. This one example guarantees correct results for every future **input**.
- 2. We can decide the result without examining the changed **input** or the procedure.
- 3. Stop the rehearsal because its separation boundary is breached.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: Stop the rehearsal because its separation boundary is breached. Actual access matters more than the **environment** label.

Repair and retain the record

Review Queues and asynchronous work (ai-6/22). Goal: Explain the **mechanism** and terminology of queues and asynchronous work. Short practice: Explain what the queued J12 submission response proves and what it does not.

Which event permits succeeded status, and what status is honest after a worker crash?. Return to this week and explain what you changed.

Review Data retention and deletion (ai-6/20). Goal: Explain the **mechanism** and terminology of data retention and deletion. Short practice: Apply the seven-day boundary to T1 and T2.

How many T2 locations need verification, and may deletion be called complete if its backup remains?. Return to this week and explain what you changed.

Review External side effects and recovery (ai-6/17). Goal: Explain the **mechanism** and terminology of external side effects and recovery. Short practice: Distinguish a missing printer acknowledgement from confirmed failure.

What should happen if J6 is complete, and what **evidence** changes when J6 is reliably reported absent?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work


▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Deployment environments: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Separate rehearsal and live service. Staging rehearses a new answer version with fictional records; production serves approved school records. Supplied facts: Staging card names trial room Z; production card names room A.

Credentials and stores are separate.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Use staging data: The rehearsal reads fictional room Z. → Check actual connection: Staging credentials must not reach production storage. → Review **evidence**: A passing rehearsal supports release review, not automatic promotion.

Point to each numbered stage and explain which recorded **input** it uses.

03. Deployment environments — evidence trace




Follow the labelled picture with the matching explanation. Open the vector diagram

Deployment **environment**s — **evidence** trace. Staging configuration points to production storage while the interface displays staging. | For the classroom mock ENV selects a separate fixture store and secret namespace.

Validate allowed **environment** names. A staging run cannot use production write credentials. | The label is misleading; block the run through configuration validation. A display badge is not an **isolation** boundary.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: A passing rehearsal supports release review, not automatic promotion.
Changed condition: Point staging at the production credential.

Expected result: Stop the rehearsal because its separation boundary is breached. Reason: Actual access matters more than the **environment** label.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

An **environment** includes code, configuration, permissions and data. A staging label alone cannot create separation.

Limit: Fictional fixtures can miss live edge cases; use approved privacy-safe representative test conditions too.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Identify the staging data and credential boundary.

Why must the rehearsal stop if its credential reaches production even though the **process** is labelled staging?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Deployment environments: the case

02. Follow the deciding steps

03. Deployment environments — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.