Monitoring quality drift

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

Count the cases. Compare the rates. Investigate the change.

Explain complete-window alerts and slice differences without inventing empty-slice rates or causes.

Keep one habit: Measurement protocol → main rate ledger → clear/ambiguous picture → coverage probes → exact-count model → independent changed denominator.

MAIN LESSON · SECTION 1

Compare rates and question types before explaining a change

> An alert identifies a result to investigate; it does not identify the cause.

Learning goals

I can explain the **mechanism** and terminology of monitoring quality **drift**.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve case denominators and versioned evidence

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Release and rollback. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Queues and asynchronous work. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Sandboxing and resource limits. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Release and rollback. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**
>
> _____
>
> _____
>
> _____
>
> _____

End goal

Explain monitoring quality **drift** using the deciding step in this fictional service.

▼ **Earlier wording, alternatives and picture transcripts**

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of monitoring quality **drift**

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week’s end goal

MAIN LESSON · SECTION 2

Define the denominator, missing-outcome rule and alert boundary

> Write the measurement protocol before interpreting the numbers.

Begin with correct answers and eligible questions

Imagine checking how often a school helper answers correctly each week. Fourteen correct answers sounds meaningful only when you know how many eligible questions were asked and whether outcomes are missing. Compare the same scoring rubric and report the question types separately.

If a rate crosses a declared threshold, investigate case difficulty, source versions and recording errors before deciding that the AI itself changed.

Define monitoring and alternative explanations

Monitoring compares current outcomes with a declared reference and sampling protocol. A change in observed quality may reflect case mix or instrumentation.

Complete supplied-count measurement protocol

Measurement item	Complete fictional classroom protocol
Eligible cases	Supplied count in each window; passes + failures + missing must equal it
Observed success rate	Passes / (passes + observed failures); label this denominator explicitly
Main complete windows	Reference 18 passes / 20; current 14 / 20; no missing outcomes
Main alert threshold	Alert strictly below fictional 80%; exactly 80% does not alert
Missing outcomes in added code probe	Report missing count and coverage alert; suspend full-window quality alert until complete
Empty question slice	No observations: rate unavailable, not 0% or 100%; report coverage gap
Question types	Picture separates clear and ambiguous questions, same supplied rubric
Comparison record	Keep rubric, sampling protocol, source/model versions and condition mix
Interpretation limit	Descriptive supplied counts; no established stable trend, cause or statistical significance

Name supplied and missing evidence

List the given facts and one fact that is not supplied.

▼ Earlier wording, alternatives and picture transcripts

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

MAIN LESSON · SECTION 3

Trace the reference and current rates before attributing drift

> A 20-percentage-point drop is a descriptive result on these cases.

Original monitoring rule and toy threshold

For each window report eligible counts, passes, missing outcomes and condition mix. Alert when success falls below the toy **80%** threshold; investigate before attributing cause.

Complete rate and boundary ledger

Main window	Passes / eligible	Missing	Success and 80% rule
Reference	18 / 20	0	90%; no below-threshold alert
Current	14 / 20	0	70%; below-threshold alert
Change	Same denominator; four fewer passes	0	70 − 90 = −20 percentage points
Meaning of alert	Investigate supplied outcome change	No causal evidence added	Check case mix, versions, rubric and instrumentation
Boundary probe	8 / 10	0	80%; equality does not trigger strictly-below alert

State denominator and comparison conditions

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ Earlier wording, alternatives and picture transcripts

Monitoring quality drift — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Reference window passes 18/20; new window 14/20.	For each window report eligible counts, passes, missing outcomes and condition mix. Alert when success falls below the toy 80% threshold; investigate before attributing cause.	90% versus 70%, drop 20 percentage points; new window breaches 80%. Check case mix, data versions and logs before asserting model drift as the cause.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

Predict a question slice with no observations

> An absent denominator cannot support a success-rate claim.

Current task and response

- Reference window passes 18/20; new window 14/20. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict the zero-ambiguous-question change

- Change: Week B has no ambiguous questions.

▼ Check after predicting

Prediction: That slice is unmeasured, not perfectly correct.

Reason: No **observation**s means no rate can be calculated for it.

▼ Earlier wording, alternatives and picture transcripts

Compare a familiar case with a changed case

Change one thing in the pictured case

Read separate clear and ambiguous rates before the total

> Keep both denominators visible and report empty slices honestly.

Main complete-window comparison and checked conclusion

Reference window passes 18/20; new window 14/20.

90% versus **70%**, drop 20 percentage points; new window breaches **80%**. Check case mix, data versions and logs before asserting model **drift** as the cause.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Separate pictured counts and full calculations

Monitor separate question slices. A service uses the same rubric on clear and ambiguous questions in two recorded weeks.

A: clear 18/20, ambiguous 8/10. B: clear 19/20, ambiguous 4/10.


The picture is a separate two-slice case. Clear questions improve from 18/20 = 90% to 19/20 = 95%, up 5 percentage points. Ambiguous questions fall from 8/10 = 80% to 4/10 = 40%, down 40 percentage points. Totals are 26/30 ≈ 86.7% and 23/30 ≈ 76.7%, down 10 percentage points, with these complete counts and fixed slice sizes. The main example's 18/20 and 14/20 are different windows.

If pictured week B instead has no ambiguous questions, that slice has 0 eligible observations and an unavailable rate, not 0% success. Its observed total becomes 19/20 = 95%, but changed case mix prevents interpreting that aggregate rise as improved ambiguous-question performance.

Picture slice	Recorded week A	Recorded week B	Change in percentage points
Clear	18/20 = 90%	19/20 = 95%	+5

Picture slice	Recorded week A	Recorded week B	Change in percentage points
Ambiguous	8/10 = 80%	4/10 = 40%	−40
All supplied cases	26/30 ≈ 86.7%	23/30 ≈ 76.7%	−10
Changed B: no ambiguous observations	A stays unchanged	Clear 19/20; ambiguous 0/0 unavailable	Aggregate 95% now has different case mix

Trace slices, totals and investigation



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Compute slice rates	Clear rises 90%→95%; ambiguous falls 80%→40%.
2. Compute totals	A is 26/30; B is 23/30 correct.
3. Investigate ambiguity	Inspect that slice's failures before selecting a repair.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Slice monitoring exposes changes hidden by common easy questions. Retain each denominator and compare the measurement conditions.

Predict no ambiguous questions in B

- Change one thing: Week B has no ambiguous questions. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain uncertainty and empty-slice reporting

- Small samples do not establish a stable trend or cause; retain uncertainty and compare conditions.

- Read the labelled picture: Compute both clear and ambiguous slice rates for A and B. Which slice weakens, and how should that slice be reported when no ambiguous questions are observed?


▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Monitoring quality drift

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-6/25

Monitoring quality drift

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Compute slice rates

Clear rises 90% -> 95%; ambiguous falls 80% -> 40%.



2. Compute totals

A is 26/30; B is 23/30 correct.



3. Investigate ambiguity

Inspect that slice's failures before selecting a repair.

CHANGE ONE THING

Week B has no ambiguous questions.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

Audit sampling, coverage and causal overclaims

> Keep an alert separate from its still-unverified explanation.

Core monitoring qualification and failure analysis

An alert identifies a condition for investigation, not a complete causal explanation.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete denominator, slice and uncertainty probes

Monitoring probe	Expected interpretation
Rate below the declared threshold	Alert and investigate; cause remains unproven
Rate exactly at the declared threshold	No strictly-below alert
More passes with more total questions	Compute rates; raw pass totals alone do not compare quality
Missing outcomes	Report count and observed denominator; do not silently relabel them
Zero eligible observations	Unavailable rate and coverage gap
One slice weakens while another improves	Report both; aggregate alone hides the different directions
Case mix or rubric changes	Comparability needs review
Counts do not sum to eligible total	Reject inconsistent measurement fixture

Monitoring probe	Expected interpretation
Small sample change	Does not establish stable trend, significance or model-caused drift

Guided repair and explanation

- A report omits this qualification: An alert identifies a condition for investigation, not a complete causal explanation. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

Practise a complete monitoring statement

> Include counts, rate, comparison rule and what still needs investigation.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

> **Explain your prediction to a partner before comparing results.**

Supported W2 trace

Use workbook W2 for the connected example “Monitoring quality **drift**”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Monitoring quality **drift**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Compute both clear and ambiguous slice rates for A and B. Which slice weakens, and how should that slice be reported when no ambiguous questions are observed?

> **My explanation using a pictured step and the given facts**
>
> _____
>
> _____
>
> _____
>
> _____

Reserve the selected changed-denominator case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

Run the complete rate, slice and coverage model

> Inspect exact counts and denominators before the alert flags.

Current complete-window investigation

Reference window passes 18/20; new window 14/20. Show the intermediate steps and give the conclusion with its scope.

Runnable fictional monitoring model

```
"""Supplied fictional monitoring counts; no live telemetry or causal inference."""
from fractions import Fraction

def window(eligible,passes,failures,missing,threshold=80):
 values=[eligible,passes,failures,missing]
 if any(type(v) is not int or v<0 for v in values) or passes+failures+missing!=eligible:
  raise ValueError('nonnegative exact counts must cover all eligible cases')
 if type(threshold) is not int or not 0<=threshold<=100:raise ValueError('integer percent
threshold required')
 observed=passes+failures
 observed_rate=Fraction(passes,observed) if observed else None
 complete=eligible>0 and missing==0
 quality_alert=(100*observed_rate<threshold) if complete else None
 return {'eligible':eligible,'passes':passes,'failures':failures,'missing':missing,
         'observed_rate':observed_rate,'complete':complete,'quality_alert':quality_alert,
         'coverage_alert':missing>0 or eligible==0}
def pct(rate):return None if rate is None else float(100*rate)
reference=window(20,18,2,0);current=window(20,14,6,0)
drop_pp=100*(reference['observed_rate']-current['observed_rate'])
assert pct(reference['observed_rate'])==90 and pct(current['observed_rate'])==70 and
drop_pp==20
assert not reference['quality_alert'] and current['quality_alert']
# Same rubric, supplied slice denominators, fully observed outcomes in each recorded week.
slices_a={'clear':window(20,18,2,0),'ambiguous':window(10,8,2,0)}
slices_b={'clear':window(20,19,1,0),'ambiguous':window(10,4,6,0)}
total_a=window(30,26,4,0);total_b=window(30,23,7,0)
assert [pct(slices_a[k]['observed_rate']) for k in ['clear','ambiguous']]==[90,80]
assert [pct(slices_b[k]['observed_rate']) for k in ['clear','ambiguous']]==[95,40]
no_ambiguous=window(0,0,0,0)
assert no_ambiguous['observed_rate'] is None and no_ambiguous['quality_alert'] is None
# Missing outcomes are reported, never silently counted as passes or failures.
incomplete=window(20,14,4,2)
```

```
assert incomplete['observed_rate']==Fraction(14,18) and incomplete['quality_alert'] is
None and incomplete['coverage_alert']
exact_boundary=window(10,8,2,0)
assert exact_boundary['quality_alert'] is False
print('Main
reference/current:',pct(reference['observed_rate']),pct(current['observed_rate']),'drop in
percentage points:',float(drop_pp))
print('Picture clear/ambiguous A:',[pct(slices_a[k]['observed_rate']) for k in
['clear','ambiguous']])
print('Picture clear/ambiguous B:',[pct(slices_b[k]['observed_rate']) for k in
['clear','ambiguous']])
print('Picture totals A/B:',pct(total_a['observed_rate']),pct(total_b['observed_rate']))
print('Zero ambiguous slice:',no_ambiguous,'incomplete example:',incomplete)
print('Same rubric and constructed complete counts do not establish a stable trend,
comparable case difficulty or cause. Check case mix, versions and instrumentation.')
```

Expected outcomes and protocol limits

1. Predict main reference/current percentages and alert states, then compute both picture slices and totals. The code uses exact fractions internally and displays decimal percentages. It separately probes an empty slice, exact threshold equality and missing outcomes.

   Missing outcomes trigger a coverage alert and suspend the full-window quality decision under this declared classroom protocol; observed-only rate is still clearly labelled. Constructed counts are not live telemetry, model runs or causal experiments. Save actual output only after a local run; otherwise retain a paper trace marked “not run”.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ **Earlier wording, alternatives and picture transcripts**

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: more raw passes with a different denominator

> Use the newly supplied threshold and compare rates.

Complete selected independent task

Window A passes 8/10; B passes 12/20. Threshold **70%**. Compare.

First attempt and support record

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ **Earlier wording, alternatives and picture transcripts**

Independent case: Apply a new case independently

Attempt this without hints

Window A passes 8/10; B passes 12/20. Threshold **70%**. Compare.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

MAIN LESSON · SECTION 11

Save one monitoring record with sampling and version context

> Keep eligible counts, missing outcomes and slice definitions together.

Project task and artifact

Add a labelled monitoring quality **drift evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of monitoring quality **drift**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual run or trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ **Earlier wording, alternatives and picture transcripts**

Evidence for your project

MAIN LESSON · SECTION 16

Explain the observed change and one unverified possible cause

> Report coverage gaps without inventing performance.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of monitoring quality **drift**

My deciding step, evidence and one remaining question

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Monitoring window	The declared interval or batch for measurement
Drift	A change in data or behaviour relative to a reference
Alert threshold	A condition triggering investigation

Use two terms to explain a step in this week's example.

▼ Extra challenge · Explain a stronger case

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: An alert identifies a condition for investigation, not a complete causal explanation. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Monitoring quality drift — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Reference window passes 18/20; new window 14/20.	For each window report eligible counts, passes, missing outcomes and condition mix. Alert when success falls below the toy 80% threshold; investigate before attributing cause.	90% versus 70%, drop 20 percentage points; new window breaches 80%. Check case mix, data versions and logs before asserting model drift as the cause.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: Monitor separate question slices. A service uses the same rubric on clear and ambiguous questions in two recorded weeks.

By the end, I can	How I will show it
Explain the mechanism and terminology of monitoring quality drift	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- Monitor separate question slices. A service uses the same rubric on clear and ambiguous questions in two recorded weeks.
- Which labelled step matches this detail? Inspect that slice’s failures before selecting a repair.
- 1. Compute totals
- 2. Investigate ambiguity
- 3. Compute slice rates
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Investigate ambiguity Inspect that slice’s failures before selecting a repair. Slice monitoring exposes changes hidden by common easy questions.

Retain each denominator and compare the measurement conditions.

Changed-case question and optional hint

- Changed-case practice: Week B has no ambiguous questions. Which conclusion is supported by the supplied facts?
- 1. That slice is unmeasured, not perfectly correct.
- 2. We can decide the result without examining the changed **input** or the procedure.
- 3. This one example guarantees correct results for every future **input**.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: That slice is unmeasured, not perfectly correct. No **observation**s means no rate can be calculated for it.

Repair and retain the record

Review Release and rollback (ai-6/24). Goal: Explain the **mechanism** and terminology of release and rollback. Short practice: Compute A's and B's correctness percentages.

Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?. Return to this week and explain what you changed.

Review Queues and asynchronous work (ai-6/22). Goal: Explain the **mechanism** and terminology of queues and asynchronous work. Short practice: Explain what the queued J12 submission response proves and what it does not.

Which event permits succeeded status, and what status is honest after a worker crash?. Return to this week and explain what you changed.

Review Sandboxing and resource limits (ai-6/19). Goal: Explain the **mechanism** and terminology of sandboxing and resource limits. Short practice: Check A against both resource limits and B against network isolation.

Why must A stop after three seconds even if its **output** remains only 2 MB?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work


▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Monitoring quality drift: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Monitor separate question slices. A service uses the same rubric on clear and ambiguous questions in two recorded weeks. Supplied facts: A: clear 18/20, ambiguous 8/10. B: clear 19/20, ambiguous 4/10.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Compute slice rates: Clear rises 90%→95%; ambiguous falls **80%**→40%. → Compute totals: A is 26/30; B is 23/30 correct. → Investigate ambiguity: Inspect that slice's failures before selecting a repair.

Point to each numbered stage and explain which recorded **input** it uses.

03. Quality slices: retain denominators




Follow the labelled picture with the matching explanation. Open the vector diagram

Quality slices: retain denominators. Week A: Clear correct = 18, Clear total = 20, Ambiguous correct = 8, Ambiguous total = 10. Week B: Clear correct = 19, Clear total = 20, Ambiguous correct = 4, Ambiguous total = 10.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Inspect that slice's failures before selecting a repair. Changed condition: Week B has no ambiguous questions. Expected result: That slice is unmeasured, not perfectly correct.

Reason: No **observation**s means no rate can be calculated for it.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Slice monitoring exposes changes hidden by common easy questions. Retain each denominator and compare the measurement conditions.

Limit: Small samples do not establish a stable trend or cause; retain uncertainty and compare conditions.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Compute both clear and ambiguous slice rates for A and B.

Which slice weakens, and how should that slice be reported when no ambiguous questions are observed?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Monitoring quality drift: the case

02. Follow the deciding steps

03. Quality slices: retain denominators

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.