AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 27 · STUDENT LESSON

Human escalation workflows

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

Name the owner. Preserve the facts. Keep unresolved decisions visible.

Prepare complete fictional handoffs without inventing authority, contact or approval.

Keep one habit: Handoff contract → conflict-state ledger → supervisor picture → timeout probes → local packet model → independent 16:00 policy.

MAIN LESSON · SECTION 1

Prepare a useful handoff and preserve unresolved status

> An assigned reviewer and a deadline do not themselves provide approval.

Learning goals

I can explain the **mechanism** and terminology of human escalation workflows.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve authority and evidence limits

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Incident investigation. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Release and rollback. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Incident investigation. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

End goal

Explain human escalation workflows using the deciding step in this fictional service.

▼ **Earlier wording, alternatives and picture transcripts**

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of human escalation workflows

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week’s end goal

MAIN LESSON · SECTION 2

Specify owner, evidence, requested decision and fallback

> A vague instruction to “ask someone” leaves the workflow incomplete.

Begin with conflicting room cards

Imagine two school room cards disagree. The assistant cannot make the conflict disappear by choosing the first card. It should prepare the exact question for the person authorized to decide: which room is approved, which source cards disagree, who owns the review, when it is due and what happens while waiting. Preparing a handoff is not proof that anyone received it.

Until a permitted decision arrives, preserve needs_review and do not book a room.

Define an authorized escalation route

Escalation routes unresolved decisions to an authorised person with sufficient context. It must define owner, deadline and fallback.

Complete fictional handoff contract

Handoff element	Complete fictional classroom rule
Case and conflict	ROOM-C1: fictional source S1 says B12; S2 says D4

Handoff element	Complete fictional classroom rule
Requested decision	Resolve which room is approved; no assistant-selected booking
Responsible reviewer	Trusted coordinator role handles room_conflict
Evidence packet	Fictional case/source IDs, reported facts and unresolved question; minimum necessary context
Added local deadline	Virtual minute 30; exact equality is due, but never automatic approval
Fallback	Keep needs_review; no booking or certification
Picture route	Lesson-notes-only service routes reported equipment concern to assigned adult supervisor
Communication scope	Local packet/route only; no message sent and no human review claimed
Real-world scope	Fictional workflow; institutions define actual authorized responses and channels

Name supplied and missing evidence

> **List the given facts and one fact that is not supplied.**

▼ Earlier wording, alternatives and picture transcripts

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

MAIN LESSON · SECTION 3

Trace an unresolved conflict without inventing authorization

> Do not confuse assigning a reviewer with receiving a decision.

Original coordinator/no-booking workflow

Toy workflow routes conflicting room approval to coordinator with source IDs and requested decision. While awaiting review the assistant returns needs_review and performs no booking.

Complete state and action ledger

Main conflict state	Required handoff interpretation	Allowed action in model
No reviewer assigned	Escalation incomplete; choosing first room is unauthorized	Needs review; no booking
Coordinator assigned with S1/S2 packet	Packet and route specified	Still needs review; no booking
Coordinator unreachable	Delivery/review not established	Keep unresolved; use only separately authorized fallback if configured
Local deadline reached without decision	Overdue, not approved	Needs review; no booking
Wrong reviewer role	Assignment does not match required authority	Keep unresolved
Handoff ready in code	Packet plus assigned/reachable symbolic route	No actual sending, receipt, decision or execution

State authority and fallback before judging

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ Earlier wording, alternatives and picture transcripts

Human escalation workflows — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Conflict is detected, but no reviewer is assigned and the system silently books the first room.	Toy workflow routes conflicting room approval to coordinator with source IDs and requested decision. While awaiting review the assistant returns needs_review and performs no booking.	Escalation is incomplete and booking unauthorised. Assign responsible coordinator, provide conflict packet and preserve review status.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

Predict an unreachable reviewer without granting new authority

> The service boundary persists when the assigned person is unavailable.

Current task and response

- Conflict is detected, but no reviewer is assigned and the system silently books the first room. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict the unreachable-supervisor change

- Change: No supervisor is currently reachable.

▼ Check after predicting

Prediction: State unresolved status and use the institution’s approved waiting procedure.

Reason: Lack of a human reply does not expand the bot’s authority.

▼ Earlier wording, alternatives and picture transcripts

Compare a familiar case with a changed case

Change one thing in the pictured case

Read the reported concern and the supervisor’s distinct authority

> Keep a report, a physical finding and a decision separate.

Main unauthorized first-room choice and repair

Conflict is detected, but no reviewer is assigned and the system silently books the first room.

Escalation is incomplete and booking unauthorised. Assign responsible coordinator, provide conflict packet and preserve review status.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s. The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain only authorized, minimized **evidence** without unnecessary private content so a later revision can be compared honestly.

Separate lesson-notes boundary and accurate report


A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only.

The contract excludes equipment certification. An assigned adult supervisor handles equipment concerns.

The picture uses a different service boundary: a lesson-notes bot is asked to certify a reported damaged laboratory bottle. The packet must say “learner reports damage; physical condition not verified, ” rather than inventing a diagnosis or a safe/unsafe certificate. Route the concern to the designated adult supervisor under the fictional contract.

If nobody is reachable, the concern remains unresolved and the bot gains no inspection authority. A separately configured authorized fallback may be named, but neither contact nor approval should be invented. This example teaches authority and accurate handoff records, not a real laboratory response procedure.

Trace boundary, route and reported facts



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Recognise boundary	The requested judgement is outside this service's authority.
2. Route the question	Give the designated supervisor route without inventing a verdict.
3. Preserve reported facts	Record the concern as reported, not as a confirmed diagnosis.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Escalation needs an appropriate person and accurate context. Model confidence cannot replace required authority or physical inspection.

Predict no reachable supervisor

- Change one thing: No supervisor is currently reachable. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain institutional scope and unresolved status

- This is a fictional workflow, not a real laboratory safety procedure; institutions define authorised responses.

- Read the labelled picture: Identify the exact service boundary in the bottle question. What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?


▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Human escalation workflows

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

MAIN LESSON · SECTION 7

Audit missing owners, timeouts and invented handoff success

> An unresolved case should remain visible rather than silently turn into approval.

Core escalation qualification and failure analysis

Escalation without a responsible actor and declared fallback cannot guarantee resolution.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete authority, deadline and communication probes

Escalation probe	Expected interpretation
Conflicting cards, no assigned reviewer	Incomplete route; do not pick first room
Assigned person lacks the relevant scope	Still no valid decision route
Packet contains only “please help”	Add case, source IDs, precise unresolved decision, owner and deadline
Reported concern recorded as confirmed diagnosis	Misstates evidence; preserve reported status
Reviewer not reachable	Keep unresolved; no invented contact or verdict
Deadline expires without reply	Pending/review persists under the declared no-autoapproval policy
Notification channel is absent or unauthorized	Do not claim or send a notification

Escalation probe	Expected interpretation
Packet ready in a mock	Not proof of delivery, receipt, review or approval
Model highly confident	Confidence does not replace required authority

Guided repair and explanation

- A report omits this qualification: Escalation without a responsible actor and declared fallback cannot guarantee resolution. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

Practise writing the requested decision and fallback

> Use accurate reported facts and the relevant reviewer scope.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

> **Explain your prediction to a partner before comparing results.**

Supported W2 trace

Use workbook W2 for the connected example “Human escalation workflows”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Human escalation workflows. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Identify the exact service boundary in the bottle question. What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?

My explanation using a pictured step and the given facts

Reserve the selected clock-deadline case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

Run the complete local handoff-state investigation

> Inspect the packet, owner scope, deadline and empty effect trace.

Current unassigned-conflict investigation

Conflict is detected, but no reviewer is assigned and the system silently books the first room. Show the intermediate steps and give the conclusion with its scope.

Runnable fictional handoff model

```
"""Local handoff packets and review-state decisions; no messaging or bookings."""
from copy import deepcopy
TRUSTED_REVIEWERS={'coordinator':{'room_conflict'},'adult_supervisor':
{'equipment_concern'}}
def packet(case_id,kind,reported,source_ids,owner,deadline):
 if any(type(v) is not str or not v for v in [case_id,kind,reported]):raise
ValueError('nonempty case fields required')
 if type(source_ids) is not list or not source_ids or any(type(v) is not str or not v for
v in source_ids):
  raise ValueError('nonempty fictional evidence IDs required')
 if type(deadline) is not int or deadline<0:raise ValueError('nonnegative virtual minute
deadline required')
 if owner is not None and type(owner) is not str:raise ValueError('owner must be a
symbolic reviewer ID or None')
 assigned=owner in TRUSTED_REVIEWERS and kind in TRUSTED_REVIEWERS[owner]
 return {'case_id':case_id,'kind':kind,'reported':reported,'source_ids':list(source_ids),
         'owner':owner,'assigned':assigned,'deadline':deadline,'status':'needs_review',
         'fallback':'keep unresolved; perform no booking or certification'}
def progress(item,now,*,reachable):
 if type(now) is not int or now<0 or type(reachable) is not bool:raise ValueError('valid
virtual time and reachability required')
 return {'status':'needs_review','overdue':now>=item['deadline'],
         'handoff_ready':item['assigned'] and reachable,'effects':[],'notifications_sent':
[]}

effects=[];notifications=[]
unassigned=packet('ROOM-C1','room_conflict','Fictional cards disagree: B12 versus D4',
['S1','S2'],None,30)
assigned=packet('ROOM-C1','room_conflict',unassigned['reported'],
['S1','S2'],'coordinator',30)
before=deepcopy(assigned)
assert not unassigned['assigned'] and assigned['assigned']
```

```
ready=progress(assigned,10,reachable=True)
over=progress(assigned,30,reachable=True)
assert ready['handoff_ready'] and not ready['overdue']
assert over['overdue'] and over['status']=='needs_review' and over['effects']==[]
wrong_owner=packet('ROOM-C1','room_conflict',unassigned['reported'],
['S1','S2'],'adult_supervisor',30)
assert not wrong_owner['assigned']
picture=packet('REPORT-P1','equipment_concern','Learner reports a damaged bottle; no
physical condition verified',
               ['fictional-report-P1'],'adult_supervisor',30)
unreachable=progress(picture,31,reachable=False)
assert not unreachable['handoff_ready'] and unreachable['status']=='needs_review'
assert assigned==before and effects==notifications==[]
print('Main unassigned/assigned:',unassigned['assigned'],assigned['assigned'],'handoff
state:',ready)
print('Deadline reached without a decision:',over)
print('Picture supplied report and route:',picture,'unreachable supervisor:',unreachable)
print('Handoff-ready means a packet and route are specified; it is not evidence of
delivery, receipt, review or approval.')
print('No emails, messages, notifications, bookings, certifications or real-world safety
decisions are made. Institutional procedures are outside this fictional model.')
```

Expected outcomes and communication limits

1. Predict whether the unassigned room packet, coordinator packet and wrong-role packet have a valid owner. Compare virtual minute 10 with deadline minute 30: overdue changes at equality, but needs_review does not become approval. The separate pictured report remains unresolved when its supervisor is unreachable. All effect and notification lists remain empty.

   The code only constructs copied fictional packets and checks trusted role metadata. It sends no message, makes no booking, supplies no equipment verdict and verifies no real person’s availability. Record actual local output only after a run; otherwise keep “not run”.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	

Record	Your evidence
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ Earlier wording, alternatives and picture transcripts

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: no reply at the stated 16:00 deadline

> Apply the supplied pending policy rather than assuming consent.

Complete selected independent task

Reviewer deadline is 16:00; no reply by 16:00. Policy says remain pending, not auto-approve. Decide.

First attempt and support record

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ **Earlier wording, alternatives and picture transcripts**

Independent case: Apply a new case independently

Attempt this without hints

Reviewer deadline is 16:00; no reply by 16:00. Policy says remain pending, not auto-approve. Decide.

> **My independent procedure, result and limitation**

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

MAIN LESSON · SECTION 11

Save one actionable handoff record without claiming it was sent

> Keep reported facts and unresolved status visible.

Project task and artifact

Add a labelled human escalation workflows **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of human escalation workflows.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual run or trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ Earlier wording, alternatives and picture transcripts

Evidence for your project

MAIN LESSON · SECTION 16

Explain who can decide and what happens while waiting

> A deadline organizes work; it does not create missing approval.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of human escalation workflows

> **My deciding step, evidence and one remaining question**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Escalation owner	The actor responsible for a reviewed decision
Decision packet	Evidence and exact action awaiting review
Fallback policy	Declared behaviour when review cannot complete

Use two terms to explain a step in this week's example.

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: Escalation without a responsible actor and declared fallback cannot guarantee resolution. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Human escalation workflows — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Conflict is detected, but no reviewer is assigned and the system silently books the first room.	Toy workflow routes conflicting room approval to coordinator with source IDs and requested decision. While awaiting review the assistant returns needs_review and performs no booking.	Escalation is incomplete and booking unauthorised. Assign responsible coordinator, provide conflict packet and preserve review status.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only.

By the end, I can	How I will show it
Explain the mechanism and terminology of human escalation workflows	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only.
- Which labelled step matches this detail? Record the concern as reported, not as a confirmed diagnosis.
- 1. Recognise boundary
- 2. Route the question
- 3. Preserve reported facts
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Preserve reported facts Record the concern as reported, not as a confirmed diagnosis. Escalation needs an appropriate person and accurate context.

Model confidence cannot replace required authority or physical inspection.

Changed-case question and optional hint

- Changed-case practice: No supervisor is currently reachable. Which conclusion is supported by the supplied facts?
- 1. State unresolved status and use the institution’s approved waiting procedure.
- 2. We can decide the result without examining the changed **input** or the procedure.
- 3. This one example guarantees correct results for every future **input**.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: State unresolved status and use the institution’s approved waiting procedure. Lack of a human reply does not expand the bot’s authority.

Repair and retain the record

Review Incident investigation (ai-6/26). Goal: Explain the **mechanism** and terminology of incident investigation. Short practice: Order the three incident records and locate the old **evidence** version.

How does the investigation change if the trace instead retrieves version 6 but drafts room C?. Return to this week and explain what you changed.

Review Release and rollback (ai-6/24). Goal: Explain the **mechanism** and terminology of release and rollback. Short practice: Compute A's and B's correctness percentages.

Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?. Return to this week and explain what you changed.

Review Caching and stale information (ai-6/21). Goal: Explain the **mechanism** and terminology of caching and stale information. Short practice: Identify the version mismatch in the cached 09:00 answer.

What should the first version -5 request return, and what permits a later version -5 cache hit?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work


▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Human escalation workflows: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only. Supplied facts: The contract excludes equipment certification.

An assigned adult supervisor handles equipment concerns.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Recognise boundary: The requested judgement is outside this service's authority. → Route the question: Give the designated supervisor route without inventing a verdict. → Preserve reported facts: Record the concern as reported, not as a confirmed diagnosis.

Point to each numbered stage and explain which recorded **input** it uses.

03. Human escalation workflows — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Human escalation workflows — **evidence** trace.

Conflict is detected, but no reviewer is assigned and the system silently books the first room. | Toy workflow routes conflicting room approval to coordinator with source IDs and requested decision.

While awaiting review the assistant returns needs_review and performs no booking. | Escalation is incomplete and booking unauthorised. Assign responsible coordinator, provide conflict packet and preserve review status.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Record the concern as reported, not as a confirmed diagnosis. Changed condition: No supervisor is currently reachable.

Expected result: State unresolved status and use the institution’s approved waiting procedure. Reason: Lack of a human reply does not expand the bot’s authority.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Escalation needs an appropriate person and accurate context. Model confidence cannot replace required authority or physical inspection.

Limit: This is a fictional workflow, not a real laboratory safety procedure; institutions define authorised responses.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Identify the exact service boundary in the bottle question.

What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Human escalation workflows: the case

02. Follow the deciding steps

03. Human escalation workflows — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.