AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 28 · STUDENT LESSON

Accessibility and user feedback

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

Make the meaning clear. Make the next action usable. Check the whole task.

Explain accessible feedback repairs and distinguish a paper design from observed interface behavior.

Keep one habit: Form contract → barrier/repair ledger → answer-feedback picture → interaction probes → complete inspection protocol → independent timeout case.

MAIN LESSON · SECTION 1

Make the meaning and next action available to more learners

> Inspect text, labels, keyboard actions and programmatic relationships together.

Learning goals

I can explain the **mechanism** and terminology of accessibility and user feedback.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve clear feedback and unresolved decisions

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Human escalation workflows. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Monitoring quality drift. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Queues and asynchronous work. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Human escalation workflows. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**
>
> _____
>
> _____
>
> _____
>
> _____

End goal

Explain accessibility and user feedback using the deciding step in this fictional service.

▼ **Earlier wording, alternatives and picture transcripts**

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of accessibility and user feedback

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week's end goal

MAIN LESSON · SECTION 2

Connect the field, error and recovery action

> A status mark is useful only when its meaning and next step are available.

Begin with an unexplained red border

Imagine a room form draws a red border around a box and says nothing else. A learner may see that something changed yet still not know the problem or how to fix it. Give the field a visible label, describe the error in words, connect that description to the field and provide a usable next action.

Check the whole task with a keyboard and relevant assistive technology rather than assuming that a colourful redesign solved it.

Define accessible feedback

Accessibility makes information and controls usable across stated needs. Feedback should describe the problem and recovery action without exposing sensitive details.

Complete fictional Room ID form contract

Complete fictional form requirement	Concrete supplied example or check
Field label	Visible “Room ID”, programmatically associated with its input

Complete fictional form requirement	Concrete supplied example or check
Exact classroom input contract	One ASCII uppercase letter followed by one ASCII digit; A1 is valid, a1 and A11 are not
Error text	“Room ID must be one uppercase letter and one digit, such as A1.”
Error association	Connect field to its error text; expose invalid state when a validation error exists
Colour-independent meaning	Text explains the same error conveyed by the optional border colour
Keyboard action	Reach and operate the named native submit button; visible focus and logical order
Recovery	Return to the error field with its message available; retain only permitted non-sensitive input
Status honesty	Valid input means format accepted, not authorization, room existence or a successful booking
Evaluation limit	Automated checks and a keyboard trial are useful evidence, not complete usability or assistive-technology coverage

Name supplied and missing evidence

List the given facts and one fact that is not supplied.

▼ Earlier wording, alternatives and picture transcripts

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

MAIN LESSON · SECTION 3

Trace the barrier, repair and evidence needed to check it

> A proposed accessibility improvement is not yet an observed user outcome.

Original form requirements and audit limit

A form provides visible labels, keyboard access, associated error text and a non-colour status indicator. Test at zoom and with keyboard. Do not treat automated checks as a complete user evaluation.

Complete barrier-to-repair ledger

Main form barrier	Concrete repair	Evidence to collect rather than assume
Red border only	Add exact text error; retain colour as optional reinforcement	Read meaning without relying on colour
No associated field label	Visible Room ID label associated with input	Inspect accessible name and label activation
Error text detached from input	Associate error description and invalid state with field	Inspect relationship and check relevant assistive technology
Recovery action unclear	State the accepted format and an example	Learner can explain what to change
Keyboard path unknown	Use native control; check focus order, activation and visible focus	Record actual tested path, browser and remaining gaps

State what has and has not been tested

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ Earlier wording, alternatives and picture transcripts

Accessibility and user feedback — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
An invalid room is marked only by a red border; no text error or associated label is provided.	A form provides visible labels, keyboard access, associated error text and a non-colour status indicator. Test at zoom and with keyboard. Do not treat automated checks as a complete user evaluation.	Colour alone does not communicate the failure to all users. Add labelled error text and an actionable correction; retain keyboard navigation.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

MAIN LESSON · SECTION 4

Predict a colour change without added meaning

> A new hue still leaves the missing text and relationships unresolved.

Current task and response

- An invalid room is marked only by a red border; no text error or associated label is provided. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict the orange-circle change

- Change: Change the circle to orange without labels.

▼ **Check after predicting**

Prediction: The colour-only communication barrier remains.

Reason: A different hue supplies no textual or programmatic equivalent.

▼ Earlier wording, alternatives and picture transcripts

Compare a familiar case with a changed case

Change one thing in the pictured case

MAIN LESSON · SECTION 6

Read meaning, keyboard action and programmatic status separately

> Do not count a colour-only change as a complete repair.

Main room-form barrier and checked repair

An invalid room is marked only by a red border; no text error or associated label is provided.

Colour alone does not communicate the failure to all users. Add labelled error text and an actionable correction; retain keyboard navigation.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s. The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain only authorized, minimized **evidence** without unnecessary private content so a later revision can be compared honestly.

Separate answer-feedback inputs and actionable wording

Make feedback accessible. An app marks an incomplete answer with a red circle only; a revision adds equivalent text and keyboard access.


New text: "More explanation needed". The next-action link is labelled and focusable; status is exposed to assistive technology.

The picture is a separate answer-feedback example. The original red circle gains the text “More explanation needed”, a labelled focusable next-action link and programmatic status information. These additions address different barriers: words communicate meaning, a

usable link offers an action and programmatic information supports assistive-technology access.

The message can be made more actionable by identifying the missing reasoning, for example “Explain which source supports your answer.” Changing red to orange alone supplies none of these missing meanings or actions. A keyboard-reachable link still needs activation, focus visibility and relevant assistive-technology checks; no actual learner trial is documented by the picture.

Trace barrier, meaning and next action



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Find the barrier	Colour alone may not communicate the status to every learner.
2. Provide meaning	Text and programmatic status explain the same result.
3. Test next action	A keyboard user can reach the labelled explanation link.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Accessibility offers the same meaning and actions through usable channels. Feedback should say what to improve, not merely show a mark.

Predict orange without labels

- Change one thing: Change the circle to orange without labels. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain evaluation scope and communication barriers

- One keyboard check is not a complete accessibility audit; test relevant assistive technologies and gather user feedback.

- Read the labelled picture: Explain what each text, keyboard and assistive-technology change adds to the feedback. Why does changing the red circle to orange alone not solve the communication barrier?


▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Accessibility and user feedback

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

MAIN LESSON · SECTION 7

Audit the complete task rather than one visual property

> Record conditions and unresolved checks honestly.

Core accessibility qualification and failure analysis

Accessibility requirements need real interaction checks and appropriate user feedback; a checklist alone is incomplete.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete communication and interaction probes

Accessibility probe	Expected interpretation
Colour removed or not perceived	Text still communicates the problem
Field focused	Name, current state and relevant error relationship are available for checking
Tab and reverse Tab used	Logical order, visible focus and no trap on the tested path
Button reached but cannot activate	Keyboard task still fails
Generic “Error” with no correction	Meaning and recovery remain inadequate
Programmatic attribute added	Inspect actual relationships; do not infer user experience from markup alone
Zoom and narrow view	Check reading, controls and task completion; record the tested conditions

Accessibility probe	Expected interpretation
Non-sensitive input retained after recoverable error	Avoid unnecessary re-entry under the stated policy
Automated checker passes	Scoped technical evidence, not complete accessibility or real-user evaluation

Guided repair and explanation

- A report omits this qualification: Accessibility requirements need real interaction checks and appropriate user feedback; a checklist alone is incomplete.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

MAIN LESSON · SECTION 8

Practise feedback that names a problem and a next step

> Tie each proposed change to a barrier and a verification task.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Supported W2 trace

Use workbook W2 for the connected example “Accessibility and user feedback”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Accessibility and user feedback. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Explain what each text, keyboard and assistive-technology change adds to the feedback. Why does changing the red circle to orange alone not solve the communication barrier?

> **My explanation using a pictured step and the given facts**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Reserve the selected mouse-only timeout case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

MAIN LESSON · SECTION 9

Inspect a complete form task from invalid input to recovery

> Use paper annotations honestly when no actual interface is available.

Current red-only room-form investigation

An invalid room is marked only by a red border; no text error or associated label is provided. Show the intermediate steps and give the conclusion with its scope.

Complete supplied inputs and inspection protocol

Investigation step	Complete task and expected evidence
Prepare a paper or approved local mock	One Room ID field, exact format rule, named native submit button; no live booking
Before the repair	Describe the red-only/no-label barrier; do not ask a learner to infer colour meaning
Design the repair	Show visible label, exact error text, field/error association and a keyboard-operable correction path
Trace a1	Format invalid; show associated correction, expose invalid state, preserve permitted input
Trace A1	Format accepted; clear old format error and invalid state; do not claim room exists or is booked
Check interaction if a real mock is available	Keyboard forward/back, activation, visible focus, zoom/reflow and relevant assistive-technology behavior
Paper-only route	Annotate intended names/states/focus and label actual browser/assistive tests not run
Save evidence	Tested setup, observation, barrier, repair, unresolved checks; no sensitive learner records

Expected evidence and paper/mock distinction

This is a complete design-and-inspection investigation, not a Python execution exercise. Use the supplied A1/a1 room-format inputs and create an annotated paper mock or an approved local form. Explain which visible and programmatic parts communicate the error and how a keyboard user can correct it. If you do not run an actual interface, record keyboard, zoom and assistive-technology observations as “not run”.

Do not turn expected behavior into a test result or claim user evaluation from a diagram. No private content or live booking service is needed.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ Earlier wording, alternatives and picture transcripts

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: keyboard submission and recoverable timeout

> Propose two concrete improvements and how you would check each.

Complete selected independent task

Submit is mouse-only; timeout replaces the entire form and loses **input**. Propose two concrete improvements.

First attempt and support record

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ Earlier wording, alternatives and picture transcripts

Independent case: Apply a new case independently

Attempt this without hints

Submit is mouse-only; timeout replaces the entire form and loses **input**. Propose two concrete improvements.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

MAIN LESSON · SECTION 11

Save barriers, concrete repairs and observed test conditions

> Keep proposed behavior separate from completed interface or user checks.

Project task and artifact

Add a labelled accessibility and user feedback **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of accessibility and user feedback.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual inspection or paper trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ **Earlier wording, alternatives and picture transcripts**

Evidence for your project

MAIN LESSON · SECTION 16

Explain the meaning, action and evidence behind your repair

> State which checks remain unperformed.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of accessibility and user feedback

My deciding step, evidence and one remaining question

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Accessible label	Text identifying a control's purpose
Focus order	The sequence of keyboard navigation
Actionable error	A message explaining how to recover

Use two terms to explain a step in this week’s example.

▼ Extra challenge · Explain a stronger case

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: Accessibility requirements need real interaction checks and appropriate user feedback; a checklist alone is incomplete.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Accessibility and user feedback — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
An invalid room is marked only by a red border; no text error or associated label is provided.	A form provides visible labels, keyboard access, associated error text and a non-colour status indicator. Test at zoom and with keyboard. Do not treat automated checks as a complete user evaluation.	Colour alone does not communicate the failure to all users. Add labelled error text and an actionable correction; retain keyboard navigation.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: Make feedback accessible. An app marks an incomplete answer with a red circle only; a revision adds equivalent text and keyboard access.

By the end, I can	How I will show it
Explain the mechanism and terminology of accessibility and user feedback	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- Make feedback accessible. An app marks an incomplete answer with a red circle only; a revision adds equivalent text and keyboard access.
- Which labelled step matches this detail? A keyboard user can reach the labelled explanation link.
- 1. Provide meaning
- 2. Find the barrier
- 3. Test next action
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Test next action A keyboard user can reach the labelled explanation link. Accessibility offers the same meaning and actions through usable channels.

Feedback should say what to improve, not merely show a mark.

Changed-case question and optional hint

- Changed-case practice: Change the circle to orange without labels. Which conclusion is supported by the supplied facts?
- 1. This one example guarantees correct results for every future **input**.
- 2. The colour-only communication barrier remains.
- 3. We can decide the result without examining the changed **input** or the procedure.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: The colour-only communication barrier remains. A different hue supplies no textual or programmatic equivalent.

Repair and retain the record

Review Human escalation workflows (ai-6/27). Goal: Explain the **mechanism** and terminology of human escalation workflows. Short practice: Identify the exact service boundary in the bottle question.

What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?. Return to this week and explain what you changed.

Review Monitoring quality drift (ai-6/25). Goal: Explain the **mechanism** and terminology of monitoring quality drift. Short practice: Compute both clear and ambiguous slice rates for A and B.

Which slice weakens, and how should that slice be reported when no ambiguous questions are observed?. Return to this week and explain what you changed.

Review Queues and asynchronous work (ai-6/22). Goal: Explain the **mechanism** and terminology of queues and asynchronous work. Short practice: Explain what the queued J12 submission response proves and what it does not.

Which event permits succeeded status, and what status is honest after a worker crash?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work


▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Accessibility and user feedback: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Make feedback accessible. An app marks an incomplete answer with a red circle only; a revision adds equivalent text and keyboard access. Supplied facts: New text: "More explanation needed".

The next-action link is labelled and focusable; status is exposed to assistive technology.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Find the barrier: Colour alone may not communicate the status to every learner. → Provide meaning: Text and programmatic status explain the same result. → Test next action: A keyboard user can reach the labelled explanation link.

Point to each numbered stage and explain which recorded **input** it uses.

03. Accessibility and user feedback — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

Accessibility and user feedback — **evidence** trace.


An invalid room is marked only by a red border; no text error or associated label is provided. | A form provides visible labels, keyboard access, associated error text and a non-colour status indicator.

Test at zoom and with keyboard. Do not treat automated checks as a complete user evaluation. | Colour alone does not communicate the failure to all users.

Add labelled error text and an actionable correction; retain keyboard navigation.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: A keyboard user can reach the labelled explanation link. Changed condition: Change the circle to orange without labels. Expected result: The colour-only communication barrier remains.

Reason: A different hue supplies no textual or programmatic equivalent.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Accessibility offers the same meaning and actions through usable channels. Feedback should say what to improve, not merely show a mark.

Limit: One keyboard check is not a complete accessibility audit; test relevant assistive technologies and gather user feedback.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Explain what each text, keyboard and assistive-technology change adds to the feedback.

Why does changing the red circle to orange alone not solve the communication barrier?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Accessibility and user feedback: the case

02. Follow the deciding steps

03. Accessibility and user feedback — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.