Documentation and operational readiness

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

Name the versions. Show the checks. Rehearse the fallback.

Write a complete fictional runbook and distinguish instructions from performed operational evidence.

Keep one habit: Runbook reference → missing-step ledger → unavailable-source picture → readiness probes → F1 rehearsal → independent operation gaps.

MAIN LESSON · SECTION 1

Write a runbook another person can rehearse honestly

> Setup, verification, ownership and compatible recovery belong in one record.

Learning goals

I can explain the **mechanism** and terminology of documentation and operational readiness.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve versions, incidents and reviewer ownership

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Red team exercises. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Performance and cost experiments. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Incident investigation. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Red team exercises. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

End goal

Explain documentation and operational readiness using the deciding step in this fictional service.

▼ Earlier wording, alternatives and picture transcripts

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of documentation and operational readiness

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week’s end goal

MAIN LESSON · SECTION 2

Define exact inputs, expected checks and operational limits

> Do not publish secrets to make an incomplete guide appear reproducible.

Begin with the incomplete “start the service” note

Imagine handing a school helper a note that says only “start the service.” Which version, which records and which result should they expect? What if the source is unavailable? A runbook should let another person reproduce the permitted checks, recognize a problem and follow a bounded fallback. Writing clear steps is preparation; only a recorded rehearsal shows what another operator actually managed to do.

Define operational documentation

Operational documentation tells another person how to run, verify, observe and recover the service. A successful developer demo is not readiness.

Complete fictional runbook reference

Runbook element	Complete fictional rehearsal reference
Reviewed combination	Service code toy-r2, config cfg 2, corpus c1, procedure p2, schema 1, fixture F1
Non-secret config	ENV=classroom-mock; DATA_VERSION=c1; read-only source card F1
Secret names, never values	SESSION_KEY is a name-only documentation example; paper mock requires no secret
Preparation	Copy supplied F1 card below; record versions; make no external connection
Healthy F1 card	Approved room B12; corpus c1; source_available=true
Verification	Check versions and card availability; expected supported fixture answer B12 with source F1/c1
Unavailable variant	source_available=false; expected SOURCE_UNAVAILABLE and needs_review, no invented room
Owner and route	Symbolic maintainer role; prepare incident packet for approved internal route, not an actual message
Fallback	Keep unsupported request unresolved; do not broaden credentials or use an unapproved source
Recovery dependencies	Reviewed toy-r1 reads schema 1/c1 only; check current schema/version before a proposed rollback
Rehearsal status	Not run unless an actual partner follows the instructions; paper self-trace is labelled separately

Name supplied and missing evidence

List the given facts and one fact that is not supplied.

▼ **Earlier wording, alternatives and picture transcripts**

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

MAIN LESSON · SECTION 3

Trace each documentation gap to an operational decision

> A component list does not explain what to check or what to do next.

Original runbook coverage rule

A **runbook** names versions, required non-secret configuration, secret key names, **health check**s, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

Complete setup-gap and repair ledger

Missing from the main setup-only note	Why another operator needs it	Concrete supplied repair
Code/config/data versions	Otherwise two operators may use different evidence	toy-r2 / cfg 2 / c1 / p2 / schema 1 / F1

Missing from the main setup-only note	Why another operator needs it	Concrete supplied repair
Fixture and expected result	Cannot distinguish start-up from supported service behavior	F1 approved B12; record source F1/c1
Unavailable-source check	Cannot know honest failure behavior	SOURCE_UNAVAILABLE → needs_review, no unsupported room
Owner and permitted route	Readable diagnostics alone leave unresolved responsibility	Named symbolic maintainer and prepared incident packet
Compatible recovery conditions	Old code may not read current data	Check toy-r1 supports current schema 1/c1; schema 2 would block
Actual rehearsal record	A developer demo is not another operator’s successful use	Record performed/not run, first confusion, evidence and revision

State what a fresh operator still needs

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week’s visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ Earlier wording, alternatives and picture transcripts

Documentation and operational readiness — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.	A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.	Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

MAIN LESSON · SECTION 4

Predict a readable diagnostic with no owner

> Removing the route breaks responsibility without changing the symptom.

Current task and response

- **Runbook** says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict the missing-maintainer change

- Change: Remove the maintainer and escalation route.

▼ Check after predicting

Prediction: The diagnostic remains, but responsibility for an unresolved fault becomes unclear.

Reason: Readiness includes who acts when routine checks do not solve the problem.

▼ Earlier wording, alternatives and picture transcripts

Compare a familiar case with a changed case

Change one thing in the pictured case

Read symptom, bounded check, owner and recovery evidence together

> A clear error message without a responsible route leaves the workflow incomplete.

Main setup-only runbook and checked repair

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.

Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s. The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain only authorized, minimized operational **evidence** without secret values or unnecessary private content so a later revision can be compared honestly.

Separate unavailable-source inputs and scope


A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.

The **runbook** names a maintainer and a read-only source-connection diagnostic. The code means no supported answer can be produced.

The picture focuses on SOURCE_UNAVAILABLE. Under this fictional contract the unavailable source means no supported answer can be produced; keep needs_review rather than guess. The documented read-only check inspects only the approved source connection/configuration, without granting broader permissions.

The named maintainer and authorized route give the unresolved incident an owner; actual contact must be separately performed and recorded. Removing them leaves readable diagnostic steps but no complete responsibility/escalation path. It does not authorize the operator to invent a new owner, secret or answer. A later recovery still needs its own verification against the recorded versions.

Trace symptom, permitted check and named owner



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Match symptom	Identify the documented unavailable-source condition.
2. Run safe check	Inspect the approved connection without broadening permissions.
3. Escalate clearly	Contact the named maintainer and retain unresolved status.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

Predict removal of owner and route

- Change one thing: Remove the maintainer and escalation route. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain rehearsal limits and lost responsibility

- Rehearse and revise **runbook**s; readable instructions alone cannot establish readiness for every incident.

- Read the labelled picture: Match SOURCE_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?


▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Documentation and operational readiness

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

MAIN LESSON · SECTION 7

Audit reproducibility and operation beyond the happy-path demo

> Keep document completeness separate from performed rehearsal evidence.

Core readiness qualification and failure analysis

Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete version, fallback and rehearsal probes

Readiness probe	Expected interpretation
Service starts but data version absent	Reproducibility incomplete
Secret values pasted into guide	Remove values; document names and approved acquisition process separately
Healthy card gives B12 with F1/c1 evidence	Passes that fictional check only
Unavailable source yields guessed room	Fails supported-answer fallback
Diagnostic readable but owner absent	Escalation responsibility missing
Old recovery reader cannot read current schema	Block incompatible proposal; use separately tested compatible plan
Developer says it worked	Not evidence another operator completed the runbook

Readiness probe	Expected interpretation
Partner unavailable	Record self-trace or not run; do not invent rehearsal sign-off
Runbook rehearsed on F1	Scoped evidence, not readiness for every incident

Guided repair and explanation

- A report omits this qualification: Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

Practise turning a symptom into a bounded operator step

> Name expected evidence, owner and fallback.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

> **Explain your prediction to a partner before comparing results.**

Supported W2 trace

Use workbook W2 for the connected example “Documentation and operational readiness”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Documentation and operational readiness. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Match SOURCE_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

> **My explanation using a pictured step and the given facts**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Reserve the selected setup-only readiness case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

MAIN LESSON · SECTION 9

Rehearse the complete fictional runbook from verification to recovery review

> Use the supplied F1 card and keep expected outcomes separate from observations.

Current incomplete-runbook investigation

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

Complete preparation and rehearsal protocol

Complete classroom rehearsal step	Expected result and evidence record
1. Identify the supplied combination	Copy toy-r2/cfg 2/c1/p2/schema 1/F1; record paper mock rather than live deployment
2. Prepare F1	Write approved B12, c1, source_available=true on a fictional card; no secrets needed
3. Follow healthy verification	Expected B12 supported by F1/c1; record actual partner explanation or paper trace
4. Flip source_available=false	Expected SOURCE_UNAVAILABLE + needs_review; no guessed room
5. Follow bounded diagnostic	Check only supplied source/version/availability fields; prepare minimized incident packet
6. Identify maintainer and route	Record symbolic owner; do not claim message delivery or a human decision
7. Inspect proposed toy-r1 recovery	Only compatible with current schema 1/c1; schema 2 variant blocks; no actual rollback executed
8. Record rehearsal status honestly	Partner rehearsal performed / self-trace / not run, first confusing instruction, revision and remaining checks

Evidence status and no-live-operation scope

This is a complete paper/mock runbook rehearsal, not a command to launch or deploy a service. Give the supplied card and steps to a partner if one is available, without silently filling gaps for them. Record their actual first confusion and outcome; if working alone, label a self-trace and leave fresh-operator rehearsal not run.

The healthy/unavailable and schema-compatibility outcomes are expected fixture results, not observed production status. No secrets, real source connections, messages or rollback are needed.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ Earlier wording, alternatives and picture transcripts

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: setup complete, operation and recovery incomplete

> Identify what another operator still cannot decide safely.

Complete selected independent task

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

First attempt and support record

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ Earlier wording, alternatives and picture transcripts

Independent case: Apply a new case independently

Attempt this without hints

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

MAIN LESSON · SECTION 11

Save the runbook revision and actual rehearsal evidence

> Keep missing checks and unresolved owner/recovery gaps visible.

Project task and artifact

Add a labelled documentation and operational readiness **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of documentation and operational readiness.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual partner rehearsal or self-trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ **Earlier wording, alternatives and picture transcripts**

Evidence for your project

MAIN LESSON · SECTION 16

Explain what the runbook enables and what was actually rehearsed

> A clear document is preparation rather than universal readiness evidence.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of documentation and operational readiness

My deciding step, evidence and one remaining question

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Runbook	Instructions for operating and recovering a service
Health check	A defined observation of service state
Operational owner	The actor responsible for ongoing decisions

Use two terms to explain a step in this week's example.

▼ Extra challenge · Explain a stronger case

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Documentation and operational readiness — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.	A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.	Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.

By the end, I can	How I will show it
Explain the mechanism and terminology of documentation and operational readiness	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.
- Which labelled step matches this detail? Contact the named maintainer and retain unresolved status.
- 1. Match symptom
- 2. Escalate clearly
- 3. Run safe check
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Escalate clearly Contact the named maintainer and retain unresolved status.

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

Changed-case question and optional hint

- Changed-case practice: Remove the maintainer and escalation route. Which conclusion is supported by the supplied facts?
- 1. The diagnostic remains, but responsibility for an unresolved fault becomes unclear.
- 2. We can decide the result without examining the changed **input** or the procedure.
- 3. This one example guarantees correct results for every future **input**.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: The diagnostic remains, but responsibility for an unresolved fault becomes unclear. Readiness includes who acts when routine checks do not solve the problem.

Repair and retain the record

Review Red team exercises (ai-6/31). Goal: Explain the **mechanism** and terminology of red team exercises. Short practice: Distinguish the exhibit fact from the embedded edit instruction.

Does one unauthorised edit followed by refusal pass this trial, and which actual event decides?. Return to this week and explain what you changed.

Review Performance and cost experiments (ai-6/29). Goal: Explain the **mechanism** and terminology of performance and cost experiments. Short practice: Calculate per-case seconds and cost units for A and B.

Which meets a budget of at most 2 cost units per case, and what speed trade-off does that choice make?. Return to this week and explain what you changed.

Review Incident investigation (ai-6/26). Goal: Explain the **mechanism** and terminology of incident investigation. Short practice: Order the three incident records and locate the old **evidence** version.

How does the investigation change if the trace instead retrieves version 6 but drafts room C?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work


▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Documentation and operational readiness: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer. Supplied facts: The **runbook** names a maintainer and a read-only source-connection diagnostic.

The code means no supported answer can be produced.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Match symptom: Identify the documented unavailable-source condition. → Run safe check: Inspect the approved connection without broadening permissions. → Escalate clearly: Contact the named maintainer and retain unresolved status.

Point to each numbered stage and explain which recorded **input** it uses.

03. Documentation and operational readiness — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Documentation and operational readiness — **evidence** trace. **Runbook** says start server, but omits data version and recovery steps.

Another operator cannot reproduce a result. | A **runbook** names versions, required non-secret configuration, secret key names, **health check**s, release/rollback dependencies, alerts and owners.

Test it with a fresh operator and fictional fixtures. | Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Contact the named maintainer and retain unresolved status. Changed condition: Remove the maintainer and escalation route.

Expected result: The diagnostic remains, but responsibility for an unresolved fault becomes unclear. Reason: Readiness includes who acts when routine checks do not solve the problem.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

Limit: Rehearse and revise **runbook**s; readable instructions alone cannot establish readiness for every incident.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Match SOURCE_UNAVAILABLE to its safe check and escalation owner.

What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Documentation and operational readiness: the case

02. Follow the deciding steps

03. Documentation and operational readiness — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.