AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 35 · STUDENT LESSON

Capstone release review

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

THE CONNECTED WEEK

List every gate. Match the candidate. Preserve every review.

Evaluate versioned release evidence without treating missing checks, old passes or majority votes as readiness.

Keep one habit: Gate contract → main untested-recovery ledger → backup-deletion picture → evidence/version probes → review/history model → independent access failure.

MAIN LESSON · SECTION 1

Review every mandatory gate for the candidate being assessed

> Missing, failed and wrong-version evidence cannot count as a pass.

Learning goals

I can explain the **mechanism** and terminology of capstone **release review**.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Retrieve capstone matrices and compatible recovery

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Capstone failure testing. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Documentation and operational readiness. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Performance and cost experiments. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Prerequisite and starting response

- Recall Capstone failure testing. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**
>
> _____
>
> _____
>
> _____
>
> _____

End goal

Explain capstone **release review** using the deciding step in this fictional service.

▼ **Earlier wording, alternatives and picture transcripts**

Your learning target

Remember before reading

This week you will practise:

Explain the **mechanism** and terminology of capstone **release review**

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

This week’s end goal

MAIN LESSON · SECTION 2

Define the candidate, required gates and evidence states

> Do not turn absence of a failure report into a passed rehearsal.

Begin with a missing required trip check

Imagine a school trip meets its learning goals but nobody has checked the return transport. Three reassuring results do not fill the missing required check. A release review works similarly: list every mandatory condition, attach versioned evidence and keep pass, fail and not run distinct. A rate can meet its threshold while recovery is still untested.

The review must name the candidate and the evidence scope, rather than vote on the majority of green boxes.

Define capstone release review

Release review combines correctness, access, failure recovery and operational readiness. **Critical gate**s can block release independently of an average score.

Complete fictional gate and evidence contract

Review contract	Complete fictional rule
Main candidate	r2; evidence records must match the reviewed candidate

Review contract	Complete fictional rule
Ordinary cases	At least 90%; main 18/20 exactly meets the threshold
Access	All declared access tests must pass
Effects	No unauthorized effects in the declared trace checks
Recovery	Compatible rollback rehearsal must have passing evidence; not run blocks
Evidence record	Gate state pass/fail/not_run, candidate version and reference for any supplied pass/fail
Separate picture	p2 requires factual, access and deletion gates; factual/access pass, listed backup residual makes deletion fail
Repair review	New p3 evidence must cover the current candidate; stale p2 passes cannot silently count for p3
Decision scope	Eligibility under supplied fictional gates, not actual deployment or human approval
Limits	Constructed evidence IDs/states are not executed checks; listed-copy verification is not unknown-copy deletion proof

Name supplied and missing evidence

> **List the given facts and one fact that is not supplied.**

▼ **Earlier wording, alternatives and picture transcripts**

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

MAIN LESSON · SECTION 3

Trace a met score threshold with untested recovery

> Report each gate separately before the overall decision.

Original mandatory release conditions

Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible **rollback rehearsal**. Record each gate separately with versioned **evidence**.

Complete main gate ledger

Main r2 gate	Supplied evidence	Gate judgment
Ordinary cases	18/20 = 90%	Pass at inclusive 90% threshold
All access tests	Supplied passing fixture record	Pass within declared cases
No unauthorized effects	Supplied clean fixture trace	Pass within declared trace
Compatible rollback rehearsal	Not run	Missing required evidence; blocks eligibility
Overall main review	Three supplied passes cannot fill rehearsal gap	Not ready under all-mandatory rule

State missing evidence and candidate version

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Explain the visual

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

▼ **Earlier wording, alternatives and picture transcripts**

Capstone release review — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested.	Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal.	90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Connect the picture and the explanation

Predict newly verified deletion without erasing history

> Recheck the candidate’s applicable gates rather than overwriting an old failure.

Current task and response

- Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Predict new listed-location verification

- Change: Every listed deletion location passes new verification.

▼ Check after predicting

Prediction: That gate can pass; review the complete current **evidence** before approving release.

Reason: One repaired gate does not automatically refresh **evidence** for every other gate.

▼ Earlier wording, alternatives and picture transcripts

Compare a familiar case with a changed case

Change one thing in the pictured case

Read the residual backup failure and current-candidate repair evidence

> Keep main rollback requirements separate from the picture's three-gate example.

Main untested-rollback review and checked conclusion

Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested.

90% ordinary threshold met but rollback **evidence** missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s. The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain only authorized, minimized versioned review **evidence** without secret values or unnecessary private content so a later revision can be compared honestly.

Separate three-gate picture and versioned repair scope

Review every mandatory gate. A capstone release needs factual, access and deletion gates to pass.


Factual and access checks pass. Deletion fails because a listed backup remains. All three gates are mandatory.

The picture has a separate three-gate contract: factual, access and deletion. Candidate p2 passes factual/access but fails deletion because a listed backup copy remains. Two passes cannot outweigh that mandatory failure.

A repaired p3 candidate needs new verification for every listed deletion location and applicable current factual/access evidence; the local code illustrates stale p2 records blocking p3, then separately supplied matching p3 passes. All states are hypothetical fixture inputs, not real checks or deleted backups. Preserve the original failure and each later review.

If all three current pictured gates pass, that satisfies only the declared fictional gate set; it does not automatically deploy, grant human approval or guarantee zero future faults.

Trace evidence, mandatory rule and required verification



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. List evidence	Record two passes and the specific deletion failure.
2. Apply decision rule	Block release; a majority of passes is insufficient.
3. Specify repair	Remove the listed copy and verify it before a fresh review.


Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Release review applies explicit conditions to a specific candidate version. Completed coding is not **evidence** that all operational obligations are satisfied.

Predict all listed deletion locations newly verified

- Change one thing: Every listed deletion location passes new verification. Predict the result before checking the explanation. What remains the same?

▼ Check after predicting



Follow the labelled picture with the matching explanation. Open the vector diagram

Explain future-fault limits and repair evidence

- Approval cannot guarantee zero future faults; retain ownership, monitoring and recovery arrangements.

- Read the labelled picture: Apply the three mandatory release gates to the recorded results. Why do two passes not outweigh the deletion failure, and what **evidence** must follow its repair?

▼ Earlier wording, alternatives and picture transcripts

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Capstone release review

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

MAIN LESSON · SECTION 7

Audit missing evidence, stale versions and majority-vote reasoning

> Keep gate eligibility distinct from deployment and assurance claims.

Core release-review qualification and failure analysis

Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Complete evidence-state and version probes

Release-review probe	Expected interpretation
Ordinary rate exactly 90%	Meets the at-least threshold
All other gates pass but rollback not run	Not eligible; missing rehearsal evidence
Two passes and mandatory deletion failure	Blocked; no majority vote
Pass/fail state has no evidence reference	Reject incomplete supplied evidence record
Old candidate’s pass reused after candidate changes	Wrong-version evidence blocks current review until applicability is established
All listed locations newly pass	Scoped verification; unknown stores still outside claim
All declared current gates pass	Eligible under that fictional gate set, not automatic deployment or human sign-off

Release-review probe	Expected interpretation
Repair succeeds on a new review	Preserve original failed case and earlier decision
Approval granted in a real process	Still no guarantee of zero future faults; retain ownership, monitoring and recovery

Guided repair and explanation

- A report omits this qualification: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

State one repair and the checks you would rerun.

▼ Earlier wording, alternatives and picture transcripts

Locate the earliest unsupported step

MAIN LESSON · SECTION 8

Practise explaining the specific blocker

> Use the recorded gate condition rather than a reassuring average.

Current explanation and guided check

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Supported W2 trace

Use workbook W2 for the connected example "Capstone **release review**". First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Individual scope check

- Use the worked case for Capstone **release review**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

  Point to the step or supplied fact that decides; explain your repair if needed.

- Answer on your own before discussion. If you are unsure, say which step you need help with.

Picture response

- Apply the three mandatory release gates to the recorded results. Why do two passes not outweigh the deletion failure, and what **evidence** must follow its repair?

My explanation using a pictured step and the given facts

Reserve the selected 27/30 access-failure case

This is supported practice. Keep the separately named independent case for an attempt before feedback.

▼ **Earlier wording, alternatives and picture transcripts**

Practise with less help: Trace the worked case

Check your reasoning

Explain the picture

MAIN LESSON · SECTION 9

Run the complete versioned evidence-state review

> Inspect blockers, candidate matching and preserved decision history.

Current ordinary-pass/untested-rollback investigation

Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. Show the intermediate steps and give the conclusion with its scope.

Runnable fictional gate review

```
"""Versioned fictional gate records; no approvals, deletion or deployment."""
from copy import deepcopy
from fractions import Fraction

def ordinary_gate(passed,total):
 if type(passed) is not int or type(total) is not int or total<=0 or not 0<=passed<=total:
  raise ValueError('valid exact counts required')
 return Fraction(passed,total)>=Fraction(9,10)

def gate(state,candidate,evidence_id=None):
 return {'state':state,'candidate':candidate,'evidence_id':evidence_id}

def review(candidate,required,evidence):
 if type(candidate) is not str or not candidate:raise ValueError('candidate version
required')
 if type(required) is not set or not required or any(type(k) is not str or not k for k in
required):
  raise ValueError('nonempty declared gate-name set required')
 if type(evidence) is not dict or set(evidence)-required:raise ValueError('only declared
gate records accepted')
 blockers=[]
 for name in sorted(required):
  record=evidence.get(name)
  if record is None:blockers.append((name,'missing'));continue
  if type(record) is not dict or set(record)!={'state','candidate','evidence_id'}:raise
ValueError('exact evidence record fields required')
  if record['state'] not in ('pass','fail','not_run'):raise ValueError('explicit gate
state required')
  if record['state']!='not_run' and (type(record['evidence_id']) is not str or not
```

```
record['evidence_id']):
   raise ValueError('pass/fail needs a supplied evidence reference')
  if record['candidate']!=candidate:blockers.append((name,'wrong candidate version'))
  elif record['state']!='pass':blockers.append((name,record['state']))
 return {'candidate':candidate,'eligible_under_declared_fixture_gates':not
blockers,'blockers':blockers}

main_required={'ordinary','access','no_unauthorized_effects','compatible_rollback'}
main_records={'ordinary':gate('pass' if ordinary_gate(18,20) else 'fail','r2','ORD-18-
20'),
              'access':gate('pass','r2','ACCESS-MAIN'),
              'no_unauthorized_effects':gate('pass','r2','TRACE-MAIN'),
              'compatible_rollback':gate('not_run','r2')}
main=review('r2',main_required,main_records)
assert ordinary_gate(18,20) and main['blockers']==[('compatible_rollback','not_run')]
# Separate picture declares three gates, not the main example's four-gate set.
picture_required={'factual','access','deletion'}
failed_records={'factual':gate('pass','p2','FACT-P2'),'access':gate('pass','p2','ACCESS-
P2'),
                'deletion':gate('fail','p2','BACKUP-RESIDUAL-P2')}
failed_before=deepcopy(failed_records);initial=review('p2',picture_required,failed_records)
assert initial['blockers']==[('deletion','fail')]
# Constructed repaired candidate evidence; no real copy is deleted or check performed.
stale_repair={**failed_records,'deletion':gate('pass','p3','ALL-LISTED-LOCATIONS-P3')}
stale=review('p3',picture_required,stale_repair)
assert not stale['eligible_under_declared_fixture_gates']
fresh_records={name:gate('pass','p3','FIXTURE-'+name.upper()+'-P3') for name in
picture_required}
fresh=review('p3',picture_required,fresh_records)
history=[deepcopy(initial),deepcopy(stale),deepcopy(fresh)]
assert fresh['eligible_under_declared_fixture_gates'] and failed_records==failed_before
assert history[0]['blockers']==[('deletion','fail')]
print('Main 18/20 = 90 percent; ordinary threshold met; review:',main)
print('Picture initial deletion failure:',initial)
print('Repaired deletion but stale other-version evidence:',stale)
print('All pictured gates freshly supplied for candidate p3:',fresh)
print('Original failure preserved:',failed_records==failed_before,'history:',history)
print('These evidence IDs/states are constructed inputs, not test execution or human sign-
off. Eligibility under a declared toy gate set does not deploy/approve anything, prove
unknown-copy deletion or guarantee zero future faults.')
```

Expected decisions and evidence limits

1. Predict which main gate blocks r2 despite 18/20 meeting 90%. In the separate picture, p2 blocks on deletion. A hypothetical p3 deletion pass with old p2 factual/access evidence still blocks; separately supplied matching p3 gate passes yield eligibility under that three-gate contract. The history retains the initial failure and intermediate stale-evidence decision.

   The code evaluates constructed records; it performs no actual access test, rollback rehearsal, deletion, approval or deployment. Do not describe its fixture evidence IDs as human sign-off or newly measured real results. Mark a paper-only trace “not run”.

Evidence ledger and reflection

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

▼ Earlier wording, alternatives and picture transcripts

Predict, investigate and preserve the evidence

Plan → try → check

MAIN LESSON · SECTION 14

Try alone: ordinary threshold met but access fails

> Apply every mandatory condition before deciding.

Complete selected independent task

Ordinary 27/30 pass; access 1/5 fails; rollback passes; no effects. Decide.

First attempt and support record

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Feedback after trying

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

▼ Earlier wording, alternatives and picture transcripts

Independent case: Apply a new case independently

Attempt this without hints

Ordinary 27/30 pass; access 1/5 fails; rollback passes; no effects. Decide.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

MAIN LESSON · SECTION 11

Save the candidate manifest, gate references and original failures

> Keep review eligibility separate from any later authorized release action.

Project task and artifact

For Grounded Learning Service, use this week's independent task as a rehearsal for the final **evidence** pack: Ordinary 27/30 pass; access 1/5 fails; rollback passes; no effects. Decide.

Keep actual **observation**s separate from expected results, preserve failures, compare a baseline and explain the limits.

Project evidence	Record
Component and version	

Project evidence	Record
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Actual local audit run or paper trace and limitations

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

▼ **Earlier wording, alternatives and picture transcripts**

Evidence for your project

MAIN LESSON · SECTION 16

Explain the current blocker and evidence needed for a fresh review

> A missing test is not a passed test.

Retrieve and explain

- Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of capstone **release review**

My deciding step, evidence and one remaining question

Plan a changed-case return

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Use service vocabulary precisely**

REFERENCE · SECTION 5

Reference · Use service vocabulary precisely

> Connect each term to an input, operation, evidence source or outcome.

Vocabulary and your explanation

Word	Meaning
Release review	A decision using versioned gate evidence
Critical gate	A requirement that cannot be averaged away
Rollback rehearsal	A tested recovery of a compatible version set

Use two terms to explain a step in this week's example.

▼ Extra challenge · Explain a stronger case

REFERENCE · SECTION 10

Extra challenge · Explain a stronger case

> Choose the next challenge after the main route.

Explain,repair and extend

- Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

- A report omits this qualification: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

  Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Explain → apply → challenge

> **Explain which evidence supports your conclusion and which claim remains unproved.**

▼ Reference · Check the service reasoning and its limits

REFERENCE · SECTION 12

Reference · Check the service reasoning and its limits

> Use after practice; keep the selected independent case for its first attempt.

Current explanation and response

- Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

  For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

- For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

  Do not reuse W4 as a new final test after receiving feedback.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

My limited claim and a useful next check

▼ **Extra practice · Revisit the complete trace**

REFERENCE · SECTION 13

Extra practice · Revisit the complete trace

> Predict before reading the supplied steps.

Complete trace and evidence

Complete evidence record

Capstone release review — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested.	Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal.	90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

▼ Reference · The earlier route checklist

REFERENCE · SECTION 15

Reference · The earlier route checklist

> Use one main route rather than repeating the lesson.

Targets,route and first prediction

Start with this question: Review every mandatory gate. A capstone release needs factual, access and deletion gates to pass.

By the end, I can	How I will show it
Explain the mechanism and terminology of capstone release review	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 17

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- Review every mandatory gate. A capstone release needs factual, access and deletion gates to pass.
- Which labelled step matches this detail? Remove the listed copy and verify it before a fresh review.
- 1. List **evidence**
- 2. Specify repair
- 3. Apply decision rule
- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Specify repair Remove the listed copy and verify it before a fresh review. **Release review** applies explicit conditions to a specific candidate version.

Completed coding is not **evidence** that all operational obligations are satisfied.

Changed-case question and optional hint

- Changed-case practice: Every listed deletion location passes new verification. Which conclusion is supported by the supplied facts?
- 1. This one example guarantees correct results for every future **input**.
- 2. We can decide the result without examining the changed **input** or the procedure.
- 3. That gate can pass; review the complete current **evidence** before approving release.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: That gate can pass; review the complete current **evidence** before approving release. One repaired gate does not automatically refresh **evidence** for every other gate.

Repair and retain the record

Review Capstone failure testing (ai-6/34). Goal: Explain the **mechanism** and terminology of capstone failure testing. Short practice: Explain why retrieval success permits the checked 15:00 fallback when drafting fails.

What changes if retrieval fails too, and why can a template not fill that **evidence** gap?. Return to this week and explain what you changed.

Review Documentation and operational readiness (ai-6/32). Goal: Explain the **mechanism** and terminology of documentation and operational readiness. Short practice: Match SOURCE_UNAVAILABLE to its safe check and escalation owner.

What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?. Return to this week and explain what you changed.

Review Performance and cost experiments (ai-6/29). Goal: Explain the **mechanism** and terminology of performance and cost experiments. Short practice: Calculate per-case seconds and cost units for A and B.

Which meets a budget of at most 2 cost units per case, and what speed trade-off does that choice make?. Return to this week and explain what you changed.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

▼ **Earlier wording, alternatives and picture transcripts**

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Keep your completed work

▼ **Reference · Six-picture concept journey**

REFERENCE · SECTION 18

Reference · Six-picture concept journey

> Choose the picture that supports the current explanation.

01. Capstone release review: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Review every mandatory gate. A capstone release needs factual, access and deletion gates to pass. Supplied facts: Factual and access checks pass. Deletion fails because a listed backup remains. All three gates are mandatory.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

List **evidence**: Record two passes and the specific deletion failure. → Apply decision rule: Block release; a majority of passes is insufficient. → Specify repair: Remove the listed copy and verify it before a fresh review.

Point to each numbered stage and explain which recorded **input** it uses.

03. Capstone release review — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Capstone **release review** — **evidence** trace.

Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. | Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible **rollback rehearsal**. | 90% ordinary threshold met but rollback **evidence** missing, so release is not ready.

Absence of a failure report is not a passed rehearsal.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Remove the listed copy and verify it before a fresh review. Changed condition: Every listed deletion location passes new verification.

Expected result: That gate can pass; review the complete current **evidence** before approving release. Reason: One repaired gate does not automatically refresh **evidence** for every other gate.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Release review applies explicit conditions to a specific candidate version. Completed coding is not **evidence** that all operational obligations are satisfied.

Limit: Approval cannot guarantee zero future faults; retain ownership, monitoring and recovery arrangements.

Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Apply the three mandatory release gates to the recorded results.

Why do two passes not outweigh the deletion failure, and what **evidence** must follow its repair?

Draw your project trace and justify the deciding step using **evidence**.

▼ Earlier wording, alternatives and picture transcripts

01. Capstone release review: the case

02. Follow the deciding steps

03. Capstone release review — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.