Overfitting

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Responsible Plant Classifier

THE CONNECTED WEEK

Teach overfitting as evidence to inspect.

Supply every tree card and fitting/tie rule,keep alternative data explanations visible and align the selected assessment key.

Keep one habit: Require validation-based selection,denominators and a separate final-evaluation boundary.

MAIN LESSON · SECTION 1

Prepare the connected experiment

> Keep prior exposure, shared practice and independent evidence distinct.

Goal and main teaching plan

Primary target: Compare **training** and validation **evidence** for model **capacity**

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min

> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Materials and prerequisite

Teach two 45-minute sessions. This week focuses on **overfitting** and model **capacity**. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer.

Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

No; it may fit peculiarities of the **training** sample.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank **evidence** table

Saved classroom project records for critique; no personal student dataset required

Opening retrieval

Without opening the old lesson, explain one key idea from Reproducible Experiments. Give an example and a mistake that the idea helps you avoid.

Look for: Record enough detail to reproduce a run

Reference example, not the only acceptable wording: Teacher explanation: Mean 70 percent; range 80-60=20 percentage points, across the three declared runs.

Without opening the old lesson, explain one key idea from Train, Validation, Test. Give an example and a mistake that the idea helps you avoid.

Look for: Select a model using a declared validation rule

Reference example, not the only acceptable wording: Teacher explanation: Choose A: validation MAE 3 ties C, and A wins the simplicity tie. B has validation MAE 5 despite **training** MAE 0.

Without opening the old lesson, explain one key idea from Absolute Error and MAE. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate MAE MSE and RMSE

Reference example, not the only acceptable wording: Teacher explanation: (1+2+3)/3=2 cm.

End goal

By the end, I can explain **overfitting** using a traced example and a stated limitation.

▼ Earlier wording, alternatives and picture transcripts

Teach the learning cycle

Case exposure check: this source example appears in ai-2/16, ai-4/27, ai-4/30. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Reproducible Experiments

Train, Validation, Test

Absolute Error and MAE

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A has **training** 98%, validation 58%; B has **training** 86%, validation 81%. Compute gaps and select a candidate with a qualification.

Concept to explain

An overfit model captures **training**-specific noise, producing a large gap between **training** and unseen performance.

Term	Meaning
overfitting	fit to noise rather than general pattern
complexity	model capacity to form detailed boundaries
generalization gap	train score minus unseen score
regularization	constraint discouraging excessive complexity

Prepare the class

This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Readiness answer

End goal for the pictorial case

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

MAIN LESSON · SECTION 2

Teach candidate selection separately from diagnosing its gap

> Use the complete paper-tree fixture for actual fitting evidence.

Main capacity/MAEcomparison and limits

A more flexible model can represent complicated relationships and accidental details. **Capacity** can help when there is enough relevant **evidence**, but perfect **training** performance is not the goal.

Compare **training** and validation using the same metric while checking leakage and representativeness.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason.

Earlier weeks supplied the model-building **process**; this week examines **overfitting** and model **capacity**.

Main supplied regression candidate	Training MAE	Validation MAE	Validation minus training loss
Constant	5	6	1
Line	2	3	1
Flexible curve	0	8	8

On the same regression split, a constant has **training** MAE 5 and validation 6, a line has **training** 2 and validation 3, and a highly flexible curve has **training** 0 and validation 8. Under smallest validation MAE, choose the line.

The curve has the lowest **training** loss but the worst validation result.

Before continuing, underline the decision rule and circle the **evidence** that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim.

Keep the distinction between an observed result and a proposed next step.

Term	Meaning
Capacity	Flexibility of a model to represent patterns
Overfitting	Learning details that fail to generalize well
Underfitting	Failing to capture useful structure
Generalization	Performance on relevant unseen examples

Overfitting and model capacity at a glance

PART	EVIDENCE OR ACTION	INTERPRETATION
Constant	Training 5	Validation 6
Line	Training 2	Validation 3
Flexible curve	Training 0	Validation 8

The curve result is consistent with overfitting, but a gap alone does not prove its cause. A changed population, bad labels or a split error could also produce a gap. Inspect the procedure before claiming a diagnosis. The constant may miss useful structure, but these numbers alone do not identify the true relationship.

Does a training-validation gap alone prove overfitting? Explain the steps or evidence behind your response.

Read separate pictured accuracy comparison


See **overfitting** as a gap requiring investigation, not a label based only on model size.

Toy model Small: **training** 85%, validation **80%**. Large: **training** 100%, validation **60%**. Same split and scoring rule.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.


Picture Small has training 85%, validation 80%, gap 5 percentage points; Large100%/60%, gap 40 points. The pictured revision changes Large's validation to82%while leaving training 100%, so its gap 18 points remains larger yet its validation score exceeds Small's80%. Gap size alone is not the selection rule. These supplied accuracy results are separate from the main MAEtable and the paper-tree 4-case splits.

No sample-size uncertainty, causal capacity effect or final-test score is supplied.



Follow the labelled picture with the matching explanation. Open the vector diagram

Trace gaps and the revised validation result



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Compute gaps	Small gap=5 percentage points; Large gap=40 percentage points.
2. Select development candidate	Small has the higher validation accuracy despite its lower training fit.
3. Investigate large model	Check capacity, training choices and data mismatch without tuning on final cases.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Read the picture in order. Check **capacity**, **training** choices and data mismatch without tuning on final cases. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

A gap can also reflect data shift or sampling noise. Inspect **evidence** before attributing every gap to **capacity**.

Change: Large's validation accuracy rises to82% after a development revision.

Prediction: Its gap is 18 percentage points; it now beats Small on this validation set.

Reason: Validation performance improved, but the **training**-validation gap is not a complete release rule.

▼ **Additional same-split accuracy example**

A scores100% train,**60%** validation; B scores85%,**80%** on the same sets.

Compute gaps and select by validation accuracy.

A gap40 percentage points; B gap5. B has better shared validation accuracy. A suggests **overfitting**, but investigate distribution differences too.

▼ Earlier wording, alternatives and picture transcripts

Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Compare simple and complex models using train and validation **evidence**.

MODEL IDEA An overfit model captures **training**-specific noise, producing a large gap between **training** and unseen performance.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Simple tree: train 82%, validation 78%; gap 4 points. Deep tree: train 100%, validation 65%; gap 35 points.

Draw a fresh data → model → **prediction** → evaluation trace:

Predict first. Then check each step. A correct answer without visible **evidence** cannot be audited.

STEP 1 Simple tree: train 82%, validation 78%; gap 4 points.

STEP 2 Deep tree: train 100%, validation 65%; gap 35 points.

STEP 3 Deep tree's perfect **training** result is weaker unseen **evidence**.

STEP 4 Prune, regularize, improve representative data, or features—then rerun fixed validation cases.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the **evidence** independently:

Concrete teaching case

Exact explanation to model

Explain the added worked example

Key terms

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Overfitting

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

Change one thing in the pictured case

Ask while showing the picture

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

MAIN LESSON · SECTION 3

Guide the calculation, then remove help

> Collect each learner’s prediction before showing its key.

Current completion task and checked key

Completion task: Does a **training**-validation gap alone prove **overfitting**?

Teacher check: Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual misconception check

Use the worked case for **Overfitting** and model **capacity**. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial question and changed-case reasoning

Does100% **training** accuracy prove Large was always best? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

No. Originally Large scored**60%** on validation versus Small**80%**; **training** perfection alone did not establish generalisation. Changed-case check: Its gap is 18 percentage points; it now beats Small on this validation set.

Validation performance improved, but the **training**-validation gap is not a complete release rule.

Changed-case reasoning: Its gap is 18 percentage points; it now beats Small on this validation set. Validation performance improved, but the **training**-validation gap is not a complete release rule.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Keep each learner explaining

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

▼ Earlier wording, alternatives and picture transcripts

Compact alternative: this two-session sequence covers selected core tasks. Use the three-session weekly plan for the full lesson, independent transfer, feedback and project work; allow extra time for extensions.

Demonstrate and guide practice

Board sequence

Write the given facts: A scores100% train,**60%** validation; B scores85%,**80%** on the same sets.

Write the question to explain: Compute gaps and select by validation accuracy.

Reveal after **prediction**s: A gap40 percentage points; B gap5. B has better shared validation accuracy. A suggests **overfitting**, but investigate distribution differences too.

Use the earlier transfer question as additional practice. Reserve the selected fresh96/62versus88/79accuracy comparison for the first individual attempt and record support used.

Classroom dialogue

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

Model these guided questions

Guided response: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Exit response: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

Case-specific teaching sequence

Stage · Teacher action

> **Stage:** Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: Can a zero training error guarantee good validation performance? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Read the opening and model the worked evidence. Ask students to identify capacity in context.

Stage: 18 to 32 minutes

Teacher action: Complete W 1 and W 2 with support: select from evidence; interpret a gap. Require the evidence, not only the final response.

Stage: 32 to 45 minutes

Teacher action: Read the visual row by row. Collect the guided explanation and compare reasoning in pairs. Connect each conclusion to the stated evidence.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between capacity and overfitting. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Discuss the application and complete W 3: Describe one fair next development comparison.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently before giving hints. Assess these outcomes: Compare training and validation evidence for model capacity; Explain overfitting without assuming every gap proves it. Record any support used.

Stage: 35 to 45 minutes

> **Teacher action:** Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Individual reasoning check

Pictorial practice question

Reasoned teacher answer

MAIN LESSON · SECTION 4

Run the complete supplied investigation

> Keep predictions, observed or supplied outcomes and unmeasured cases separate.

Supplied inputs and checked guidance

Paper-tree depths 0/1 predictclearforall, 3/4 bothsplits; depth 2 fitsalltrainingbutmissesV3/V4 onvalidation, 2/4. Choose depth 0 under validation/shallowertie, not trainingperfectdepth 2. Missing flags violateinputcontract. Main MAElinewins3 versus6/8. Selected independent Agap34 points, Bgap9; Bvalidation79 beats62 under supplied conditions.

Inspect source/label/coverage explanations and preserve final test; no causal or population guarantee.

Predict, investigate and record

1. 1. Write the hypothesis and expected **evidence** before running.
2. 2. **Complexity** Trial: fit paper trees of increasing depth, plot train/validation results, and identify the first clear overfit pattern.
3. 3. Run one normal, one boundary, one missing, and one shifted case.

4. 4. Calculate the metric from raw counts or row-level errors.

5. 5. Interpret what changed, what did not, and what remains unsafe or unknown.

Keep the experiment ledger

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose the current misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

A stronger claim makes a stronger project: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

The new case can be copied from the example: The independent task changes the **evidence**. Require a fresh explanation: B wins the validation tie by the declared simplicity rule.

C is not selected merely for its zero **training** error.

Choose accessible support

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

▼ Earlier wording, alternatives and picture transcripts

Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

Make the lab runnable

Use the supplied complete investigation for shared practice. Reserve the selected fresh96/62versus88/79accuracy comparison for the individual first attempt before hints or feedback; earlier transfer questions remain additional practice.

Diagnose and reteach

MISCONCEPTION TO REPAIR The model with the highest **training** accuracy is the best model.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Match the support to the first error

MAIN LESSON · SECTION 5

Assess the selected experiment transfer

> Keep this key until after a first attempt; record any help and prior exposure.

Selected independent task and checked key

Selected case: Model A **training**96%, validation62%; model B **training**88%, validation79%. Compare gaps and choose a development candidate, assuming the same valid evaluation conditions.

A gap34 percentage points; B gap9. B has better validation performance and a smaller gap, so is the development candidate under the supplied conditions. **Training** accuracy alone is insufficient.

Freeze decisions before a separate final evaluation.

Judge trace, scope and support

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension	Evidence required
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Give one repair action

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

W1 Select from evidence

Choose among the three worked candidates and explain the **training** trap.

Teacher explanation: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

W2 Interpret a gap

Does a **training**-validation gap alone prove **overfitting**?

Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

W3 Propose a controlled change

Describe one fair next development comparison.

Teacher explanation: Compare a simpler curve against the current curve on the same validation rows, retaining the same metric and **training**-only **fitting**; log the change.

W5 Limit a diagnosis

What extra **evidence** would you inspect before concluding a model memorized noise?

Teacher explanation: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

▼ Earlier wording, alternatives and picture transcripts

Assess and explain the answers

Worked case answer

A gap40 percentage points; B gap5. B has better shared validation accuracy. A suggests **overfitting**, but investigate distribution differences too.

Additional transfer practice question

Model A has **training** accuracy 99% and validation accuracy **70%**; B has 88% and 84%. Compute each gap and discuss the **evidence**.

Reasoned practice answer

A's gap is 29 percentage points; B's is 4. A shows stronger **evidence** of **overfitting**, while B performs better on this validation set.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “Higher **training** accuracy always identifies the better generalizing model.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

A gap=40 percentage points; B gap=5. B is the stronger candidate on shared validation accuracy. A suggests **overfitting**, but distribution differences or leakage checks remain relevant. Use untouched final data after selection.

Explanations for the additional workbook examples

W1 Select from evidence

W2 Interpret a gap

W3 Propose a controlled change

W4 Apply independently

Models A **training** 4 validation 5, B **training** 1 validation 2, C **training** 0 validation 2. Lowest validation MAE then simpler; B is simpler than C. Choose and justify.

Teacher explanation: B wins the validation tie by the declared simplicity rule. C is not selected merely for its zero **training** error.

W5 Limit a diagnosis

Assess independent transfer

Selected case answer

Feedback that the learner uses

Connect, support and revisit the experiment

> Retain failures and assess a fresh parallel case after help.

Project evidence

Check Plant Classifier train-validation gaps and limit **complexity** before final test release.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Support and selected reassessment

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Provide a blank **evidence** table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use **capacity** and **overfitting** in full sentences.

Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

Selected independent A96%**training**/62%validationhasgap34percentage points;B88%/79%hasgap9. Choose Bunder the supplied same-valid-conditions/highest-validation rule,then freeze before a separate final evaluation. The older regression-candidate W4is additional practice. Fresh retry C95%/70%,D84%/78%:gaps25and6;Dhas higher validation,but causes and population performance remain unproved.

Delayed return

Suggested return points in this level: ai-4/28, ai-4/30, ai-4/33. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Bridge and reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Next: Week 28: Learning Curves. Retrieve today's **evidence** and identify what carries forward and what is new.

Next week: Learning curves and variability. Carry forward the saved **evidence** and the distinction between development choices and justified claims.

▼ Earlier wording, alternatives and picture transcripts

Connect and extend learning

Responsible Plant Classifier

Support and stretch

Exit reflection

Bridge to the next week

Support and fresh reassessment

Plan the delayed return

Project evidence from this case

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Alternative planning checklist**

REFERENCE · SECTION 7

Reference · Alternative planning checklist

> Use alongside the main route without repeating the whole cycle.

Planning and assessment reference

Teaching target: Compare **training** and validation **evidence** for model **capacity**

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

Before class, solve the supported practice: Does a **training**-validation gap alone prove **overfitting**?

Reasoned practice answer: Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Check every learner before discussion: Use the worked case for **Overfitting** and model **capacity**. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Large’s validation accuracy rises to82% after a development revision. Require a **prediction** and a reason before comparing. Expected result: Its gap is 18 percentage points; it now beats Small on this validation set.

Reason: Validation performance improved, but the **training**-validation gap is not a complete release rule.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

▼ **Reference · Feedback and evidence records**

REFERENCE · SECTION 8

Reference · Feedback and evidence records

> Keep supported rehearsal separate from independent performance.

Record and repair

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

<details>
<summary>Earlier wording, alternatives and picture transcripts</summary>

This week has no code block. Use this routine when a later lesson includes an executable lab.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.
</details>


<details>
<summary>Reference · Teach with the six pictures</summary>
</details>

REFERENCE · SECTION 9

Reference · Teach with the six pictures

> Choose one picture for a specific reasoning move.

01. Overfitting: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


See **overfitting** as a gap requiring investigation, not a label based only on model size. Supplied facts: Toy model Small: **training** 85%, validation **80%**. Large: **training** 100%, validation **60%**. Same split and scoring rule.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

Point to the given fact that matters most. Explain why it matters.

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Compute gaps: Small gap=5 percentage points; Large gap=40 percentage points. → Select development candidate: Small has the higher validation accuracy despite its lower **training** fit. → Investigate large model: Check **capacity**, **training** choices and data mismatch without tuning on final cases.

Point to each numbered stage and explain which recorded **input** it uses.

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Training and validation accuracy



Follow the labelled picture with the matching explanation. Open the vector diagram


Training and validation accuracy. Units: percent. Small train: 85. Small validation: 80. Large train: 100. Large validation: 60.

Read the labels and values. Explain the relationship the model shows.

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Check row/column meanings, units and denominators before discussing a difference. Supplied toy values are not real class or model results.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Check **capacity**, **training** choices and data mismatch without tuning on final cases. Changed condition: Large's validation accuracy rises to82% after a development revision.


Expected result: Its gap is 18 percentage points; it now beats Small on this validation set. Reason: Validation performance improved, but the **training**-validation gap is not a complete release rule.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: Validation performance improved, but the **training**-validation gap is not a complete release rule.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture in order. Check **capacity**, **training** choices and data mismatch without tuning on final cases. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows. Limit: A gap can also reflect data shift or sampling noise.


Inspect **evidence** before attributing every gap to **capacity**.

Explain the case, then point to a limit on the claim.

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: A gap can also reflect data shift or sampling noise. Inspect **evidence** before attributing every gap to **capacity**.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Does100% **training** accuracy prove Large was always best? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No. Originally Large scored**60%** on validation versus Small**80%**; **training** perfection alone did not establish generalisation.

Changed-case check: Its gap is 18 percentage points; it now beats Small on this validation set. Validation performance improved, but the **training**-validation gap is not a complete release rule.

▼ Earlier wording, alternatives and picture transcripts

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Overfitting: the case

02. Follow the deciding steps

03. Training and validation accuracy

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.