Running the primary experiment

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Reproducible AI Research Study

THE CONNECTED WEEK

Teach the evidence-to-conclusion chain for Running the primary experiment

Report completion coverage, paired failures and later revisions without hiding missing cases.

Keep one habit: Model the main case → reveal the picture gradually → probe limits → assess independent reasoning → plan a changed-case return.

MAIN LESSON · SECTION 1

Prepare the connected research investigation

> Keep modelling, shared practice and independent evidence distinct.

Target and main teaching plan

Primary target: Explain the **mechanism** and terminology of running the primary experiment

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min

> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together and Run the investigation, with workbook W2 and Individual reasoning check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use Run the investigation, Build your understanding, Connect your project and Show what you know. Reserve further time for the full task set. Use a code example only where one is actually supplied.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Preparation and prerequisite

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

A result depends on the **input**s, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from **prediction**s or unmeasured conditions.

If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Opening retrieval

Without opening the old lesson, explain one key idea from Reproducible environment and records. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of reproducible environment and records

Reference example, not the only acceptable wording: Teacher explanation: A reproducible environment record links code, data, configuration and runtime dependencies to results. A seed alone is insufficient.

Record exact data IDs/splits, code version, dependency versions, parameters, randomness policy and raw **output**s. Verify hashes for integrity without treating them as correctness proofs.

Without opening the old lesson, explain one key idea from Pilot experiments. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of pilot experiments

Reference example, not the only acceptable wording: Teacher explanation: A pilot checks feasibility, measurement and failure handling before the primary study. Pilot results used for revision are development **evidence**.

Run a small fixture set to test data capture, timing boundaries, rubric and analysis code. Fix defects and freeze the revised plan before new primary cases.

Without opening the old lesson, explain one key idea from Research ethics and consent. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of research ethics and consent

Reference example, not the only acceptable wording: Teacher explanation: Research ethics considers purpose, burden, voluntary participation and consequences.

Approval to teach does not automatically authorise a research data collection. Use fictional records for this course.

For the supplied classroom policy, a real study needs responsible review, plain-language purpose, opt-in consent and withdrawal handling before collection. Do not implement real recruitment in this exercise.

Pictured end goal

Explain running the primary experiment using the records and boundaries of this fictional investigation.

▼ Earlier wording, alternatives and picture transcripts

Teach the learning cycle

Retrieval answer guidance

Reproducible environment and records

Pilot experiments

Research ethics and consent

Compact alternative: two 45-minute sessions for the core explanation and W1–W5 only. The main plan uses three sessions; schedule further time for the complete investigation, project, visual journey and any code examples. The primary experiment follows the frozen plan and captures every eligible outcome. Unexpected failures are recorded rather than silently retried away.

Use the supplied constructed scenarios to make the **mechanism** inspectable. Collect W4 before sharing solutions.

Students should name intermediate **evidence** and limitations; classroom pacing and learning effectiveness remain unvalidated.

Outcomes

Explain the **mechanism** and terminology of running the primary experiment

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Preparation

Prerequisite answer

End goal for the pictorial case

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

MAIN LESSON · SECTION 2

Model the whole case and check each inference

> Keep the independent answer private until after the first attempt.

Definitions and complete contract

The primary experiment follows the frozen plan and captures every eligible outcome. Unexpected failures are recorded rather than silently retried away.

Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.

Primary-run item	Complete supplied exercise contract
Main eligible cases	Twenty
Observed categories	Sixteen pass, two fail, two unassessed after outage
Planned performance metric	Passes divided by completed cases
Planned coverage metric	Completed divided by eligible cases
Retries and stopping	Follow the stated rule; no extra retry policy supplied here
Separate picture	Frozen A and B on the same six cases, binary correctness supplied
After inspecting case four	Tuning B creates a later revision; new outputs are not supplied

Primary-run item	Complete supplied exercise contract
Scope	Supplied fictional records, not a new model run or population-advantage claim


Main evidence ledger and checked key

Main quantity	Calculation	Interpretation
Eligible	16 + 2 + 2 = 20	All planned eligible cases
Completed	16 + 2 = 18	Assessed pass/fail outcomes
Completed-case pass rate	16/18 = 8/9 ≈ 88.889%	Rate among completed cases
Coverage	18/20 = 90%	Two of twenty remain unassessed
Unassessed	2	Retain as unknown outcomes
Different possible metric	16/20 = 80% known passes among all eligible	Not the planned completed-case rate
Inference limit	Missingness may matter	Do not assume unassessed outcomes resemble completed cases

Main: twenty eligible, eighteen completed, sixteen passes, two failures and two unassessed. Completed-case pass rate is 16/18 ≈ 88.889%, coverage 18/20 = 90%. Do not count unassessed as successes/failures or claim all twenty were assessed. Picture: A 4/6, B 5/6; B-only C2/C5, A-only C4, three ties. Net one extra correct is not one changed case.

Post-C4 tuning produces a revised development result if rescored on these cases; no new outputs supplied. Independent case: nine pass, one fail, two unassessed means ten completed of twelve; 9/10 = 90% completed pass rate, 10/12 ≈ 83.333% coverage, two unassessed. No population or significance claim follows.

Running the primary experiment — evidence trace



The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: 16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim. Qualification: Following the plan and reporting deviations are required even when results contradict the hypothesis. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

Twenty eligible cases: 16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage.

16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim.

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Boundary and misconception probes

Primary-report audit	Checked interpretation
Two unassessed cases	Keep count explicit and outcomes unknown
Completed rate 16/18	Not a claim all twenty were assessed
Known-pass/all-eligible rate 16/20	A different denominator and metric
Net picture gain of one	Three paired outcomes differ
B correct count is higher	No population or significance claim follows from six cases alone
Inspect failure then tune B	Preserve frozen run and label revision separately
Same-set rescoring	Development evidence after tuning, not untouched confirmation
Retry until successful	Cannot silently replace original failures; retain attempts under the plan

Separate pictured facts and full reasoning

Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**.


A scores [1,0,1,1,0,1]; B scores [1,1,1,0,1,1]. Both answer the same six cases. Binary entries mean 1=correct and 0=incorrect.

The separate six-case picture supplies A = [1, 0, 1, 1, 0, 1] and B = [1, 1, 1, 0, 1, 1], where one means correct. A has four correct and B five. Cases C2 and C5 favor B; C4 favors A; C1, C3 and C6 are ties. Thus the net gain of one correct hides three changed case outcomes. Tuning B after inspecting C4 creates a post-inspection version.

Rescoring that version on the same set is development evidence, not untouched primary confirmation. No revised outputs, statistical significance or population advantage are supplied.

Paired case	A correct flag	B correct flag	B – A
C1	1	1	0
C2	0	1	1
C3	1	1	0
C4	1	0	-1
C5	0	1	1
C6	1	1	0
Total	4/6	5/6	Net +1; three cases differ
B tuned after C4	Frozen original retained	Revised score unknown	Same-set revision is development evidence


Frozen six-case results: the paired pattern matters



B-only correct: C2 and C5 • A-only correct: C4
Net gain: one correct; three case outcomes differ.

1 = correct, 0 = incorrect. Supplied fictional results, not an actual model run.
Tuning on C4 turns a revised same-set score into development evidence.

Picture trace and changed-condition key



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Keep versions fixed	No case result may trigger tuning during this run.
2. Compute results	A totals 4/6; B totals 5/6.
3. Keep case-level records	Cases two and five favour B; case four favours A.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Running the primary experiment means following the declared protocol and retaining raw outcomes. Overall scores alone hide different failure patterns.

Six illustrative cases do not establish a population advantage or statistical significance.

Change: Tune B after inspecting its case-four failure, then rescore the same set.

Prediction: Label the rerun as development on exposed cases, not untouched primary evaluation.

Reason: The evaluation outcomes have now influenced the version.

▼ Earlier wording, alternatives and picture transcripts

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Term	Meaning
Primary run	The experiment under the declared main plan
Unassessed case	An eligible case without the required outcome evidence
Deviation log	A record of changes or interruptions

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Running the primary experiment

The facts we will use

AI ACADEMY / AI-7/25

Paired primary case outcomes

	Case 1	Case 2	Case 3	Case 4	Case 5	Case 6
Version A	1	0	1	1	0	1
Version B	1	1	1	0	1	1

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-7/25

Running the primary experiment

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Keep versions fixed

No case result may trigger tuning during this run.

2. Compute results

A totals 4/6; B totals 5/6.

3. Keep case-level records

Cases two and five favour B; case four favours A.

CHANGE ONE THING

Tune B after inspecting its case-four failure, then rescore the same set.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

Change one thing in the pictured case

Ask while showing the picture

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

MAIN LESSON · SECTION 3

Model a step,then remove help

> Collect each learner’s reasoning before showing a key.

Current completion task and checked reasoning

Completion task: Twenty eligible cases: 16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: 16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual misconception check

Use the worked case for Running the primary experiment. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Following the plan and reporting deviations are required even when results contradict the hypothesis.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictured reasoning and changed case

Compute A's and B's six-case counts and identify the cases that favour each. How must a B revision tuned on case four be labelled when evaluated again on the same set?

No case result may trigger tuning during this run. A totals 4/6; B totals 5/6. Cases two and five favour B; case four favours A. Changed case: Label the rerun as development on exposed cases, not untouched primary evaluation.

The evaluation outcomes have now influenced the version.

Changed-case reasoning: Label the rerun as development on exposed cases, not untouched primary evaluation. The evaluation outcomes have now influenced the version.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Accessible support and extension

Use the worked example in Sections 3 and 6. Collect a **prediction** before revealing its result; ask the learner to point to each intermediate fact.

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

▼ Earlier wording, alternatives and picture transcripts

Time or stage	Teacher action
Session 1: 0–7 minutes	Retrieve the prerequisite; identify the input, procedure and evidence source.
7–18 minutes	Explain See how it works and Words that unlock the idea. Complete W1 with a mechanism-based explanation.
18–32 minutes	Trace the declared procedure and worked case. Complete W2, recording intermediate steps.
32–45 minutes	Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.
Session 2: 0–8 minutes	Retrieve the worked reasoning and collect the guided response before discussing it.
8–20 minutes	Compare a proposed boundary variant with the original case; identify what remains fixed.
20–35 minutes	Collect W4 independently. Require the procedure trace and the bounded conclusion.
35–45 minutes	Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Individual reasoning check

Pictorial practice question

Reasoned teacher answer

MAIN LESSON · SECTION 4

Run the complete supplied investigation

> Separate predictions,actual runs and paper traces.

Complete inputs,expected results and limits

Main: twenty eligible, eighteen completed, sixteen passes, two failures and two unassessed. Completed-case pass rate is 16/18 ≈ 88.889%, coverage 18/20 = 90%. Do not count unassessed as successes/failures or claim all twenty were assessed. Picture: A 4/6, B 5/6; B-only C2/C5, A-only C4, three ties. Net one extra correct is not one changed case.

Post-C4 tuning produces a revised development result if rescored on these cases; no new outputs supplied. Independent case: nine pass, one fail, two unassessed means ten completed of twelve; 9/10 = 90% completed pass rate, 10/12 ≈ 83.333% coverage, two unassessed. No population or significance claim follows.

Diagnose the current misconceptions

The worked result establishes every future case: Following the plan and reporting deviations are required even when results contradict the hypothesis.

A missing **input** may be replaced without recording the change: A replacement changes the **evidence** or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent **evidence**: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the **evidence** ledger. Add a boundary or missing-**input** case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

Choose accessible support

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows	Next teaching action
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

▼ **Earlier wording, alternatives and picture transcripts**

Match the support to the first error

MAIN LESSON · SECTION 5

Assess the new research scenario

> Keep the selected answer private until after a first attempt.

Selected independent task and checked answer

Selected case: Twelve eligible cases include 9 passes, 1 failure and 2 unassessed cases. Report completed-case pass rate (passes / completed cases), assessment coverage (completed / eligible cases) and the unassessed count.

Teacher explanation: 9/10=90%; coverage10/12≈83.333%; missing2. Do not replace missing results with assumed success.

Judge explanation,trace and limits

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Give one usable repair

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

W1 Explain the mechanism

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Teacher explanation: The primary experiment follows the frozen plan and captures every eligible outcome. Unexpected failures are recorded rather than silently retried away.

Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.

W2 Trace the worked case

Twenty eligible cases: 16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: 16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim.

W3 Audit the limit

A report omits this qualification: Following the plan and reporting deviations are required even when results contradict the hypothesis.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Following the plan and reporting deviations are required even when results contradict the hypothesis.

State the observed result separately from the unverified or out-of-scope claim; preserve the original **evidence** rather than inventing a missing fact.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked **input** or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure.

Require preserved settings, original **output**s and data roles. Following the plan and reporting deviations are required even when results contradict the hypothesis.

The new case should test this particular **mechanism** rather than merely restate the original result.

▼ Earlier wording, alternatives and picture transcripts

Guided and exit questions

Guided: 16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim. Qualification: Following the plan and reporting deviations are required even when results contradict the hypothesis. Exit: accept a concrete variation with

its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

W1 Explain the mechanism

W2 Trace the worked case

W3 Audit the limit

W4 Apply a new case independently

Twelve eligible cases include 9 passes, 1 failure and 2 unassessed cases. Report completed-case pass rate (passes / completed cases), assessment coverage (completed / eligible cases) and the unassessed count.

Teacher explanation: 9/10=90%; coverage10/12≈83.333%; missing2. Do not replace missing results with assumed success.

W5 Design a revealing follow-up

Independent assessment and fresh retry

W4: 9/10=90%; coverage10/12≈83.333%; missing2. Do not replace missing results with assumed success. Require intermediate reasoning and the stated scope. Fresh retry: Fifteen eligible, 12 complete, 10 pass.

Expected reasoning: 10/12≈83.333%; coverage**80%**; three unassessed. Preserve outage event and case IDs. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Assess independent transfer

Selected case answer

Feedback that the learner uses

MAIN LESSON · SECTION 6

Connect, support and revisit research reasoning

> Use saved evidence and assumptions to choose the next question.

Project and next-week bridge

Add a labelled running the primary experiment **evidence** sheet to Reproducible AI Research Study. Show how you can explain the **mechanism** and terminology of running the primary experiment.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Inspecting failures and anomalies. Preserve the current case record and retrieve its **evidence** boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Delayed return and support record

Suggested return points in this level: ai-7/26, ai-7/28, ai-7/31. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	

Record	Teacher evidence
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

▼ Earlier wording, alternatives and picture transcripts

Plan the delayed return

Project evidence from this case

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Alternative planning checklist**

REFERENCE · SECTION 7

Reference · Alternative planning checklist

> Use alongside the main route when helpful.

Planning,assessment and project reminders

Teaching target: Explain the **mechanism** and terminology of running the primary experiment

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min

> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together and Run the investigation, with workbook W2 and Individual reasoning check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use Run the investigation, Build your understanding, Connect your project and Show what you know. Reserve further time for the full task set. Use a code example only where one is actually supplied.

Before class, solve the supported practice: Twenty eligible cases: 16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage. Show the intermediate steps and give the conclusion with its scope.

Reasoned practice answer: Teacher explanation: 16/18≈88.889% completed pass; coverage 18/20=90%; two unassessed remain. No 20/20 assessment claim.

Check every learner before discussion: Use the worked case for Running the primary experiment. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Following the plan and reporting deviations are required even when results contradict the hypothesis.

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Tune B after inspecting its case-four failure, then rescore the same set. Require a **prediction** and a reason before comparing.

Expected result: Label the rerun as development on exposed cases, not untouched primary evaluation. Reason: The evaluation outcomes have now influenced the version.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

▼ **Reference · Feedback,labs and repair paths**

REFERENCE · SECTION 8

Reference · Feedback,labs and repair paths

> Retain the first attempt and the evidence used for a repair.

Feedback and record guidance

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

This week has no code block. Use this routine when a later lesson includes an executable lab.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.


▼ **Reference · Teach with the six pictures**

REFERENCE · SECTION 9

Reference · Teach with the six pictures

> Choose one picture for a particular reasoning move.

01. Running the primary experiment: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**. Supplied facts: A scores [1,0,1,1,0,1]; B scores [1,1,1,0,1,1]. Both answer the same six cases.

Binary entries mean 1=correct and 0=incorrect.

Point to the given fact that matters most. Explain why it matters.

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Keep versions fixed: No case result may trigger tuning during this run. → Compute results: A totals 4/6; B totals 5/6. → Keep case-level records: Cases two and five favour B; case four favours A.

Point to each numbered stage and explain which recorded **input** it uses.

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Paired primary case outcomes



Follow the labelled picture with the matching explanation. Open the vector diagram


Paired primary case outcomes. Version A: Case 1 = 1, Case 2 = 0, Case 3 = 1, Case 4 = 1, Case 5 = 0, Case 6 = 1. Version B: Case 1 = 1, Case 2 = 1, Case 3 = 1, Case 4 = 0, Case 5 = 1, Case 6 = 1.

Read the labels and values. Explain the relationship the model shows.

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Check row/column meanings, units and denominators before discussing a difference. Supplied toy values are not real class or model results.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Cases two and five favour B; case four favours A. Changed condition: Tune B after inspecting its case-four failure, then rescore the same set.


Expected result: Label the rerun as development on exposed cases, not untouched primary evaluation. Reason: The evaluation outcomes have now influenced the version.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: The evaluation outcomes have now influenced the version.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Running the primary experiment means following the declared protocol and retaining raw outcomes. Overall scores alone hide different failure patterns.


Limit: Six illustrative cases do not establish a population advantage or statistical significance.

Explain the case, then point to a limit on the claim.

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: Six illustrative cases do not establish a population advantage or statistical significance.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Draw your **input**, deciding step, result and limit. Supported question: Compute A's and B's six-case counts and identify the cases that favour each.

How must a B revision tuned on case four be labelled when evaluated again on the same set?

Draw your project trace and justify the deciding step using **evidence**.

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No case result may trigger tuning during this run. A totals 4/6; B totals 5/6. Cases two and five favour B; case four favours A.

Changed case: Label the rerun as development on exposed cases, not untouched primary evaluation. The evaluation outcomes have now influenced the version.

▼ Earlier wording, alternatives and picture transcripts

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Running the primary experiment: the case

02. Follow the deciding steps

03. Paired primary case outcomes

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.