Slopes and local change

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

THE CONNECTED WEEK

One readable local-change and checked-move record.

Calculate slopes,repair spacing errors and explain why a local clue has limits.

Keep one habit: W1–W3/W5 → selected new curve → project local-change ledger → changed-case return.

MAIN LESSON · SECTION 1

Recall · Retrieve before notes

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

- Without opening the old lesson, explain one key idea from Loss functions. Give an example and a mistake that the idea helps you avoid.

- Without opening the old lesson, explain one key idea from Forward passes by hand. Give an example and a mistake that the idea helps you avoid.

- Without opening the old lesson, explain one key idea from Bias terms and decision boundaries. Give an example and a mistake that the idea helps you avoid.

- Use this reference for the original W1–W3 and W5 exercises. The separately named independent case supplies its own changed facts; use those facts for that attempt before feedback.

- Let a one-example model predict w and let its target be 2. Its squared loss is L(w) = (w - 2) squared. Here w is the parameter we vary, not a new data example. L is a nonnegative function of that parameter.

- From w = 0 to w = 1, the loss changes by -3 while w changes by 1. The average **slope** is -3. From w = 1 to w = 2 it is -1. The curve does not have one fixed **slope** everywhere.

Loss functions

> **My remembered idea, example and correction**

Forward passes by hand

> **My remembered idea, example and correction**

Bias terms and decision boundaries

> **My remembered idea, example and correction**

Lesson reference for workbook practice

w	Prediction minus target	L(w)
0	-2	4
1	-1	1
2	0	0
3	1	1
4	2	4

MAIN LESSON · SECTION 5

W1 · Explain the current example

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Main L(w)=(w−2)²; w0/1/2/3/4 loss4/1/0/1/4. Average0→1 slope−3, 1→2 slope−1. Symmetric estimate[L(w+h)−L(w−h)]/(2h). Centre1, h.1:loss 1.21/.81, gap.2, slope−2; centre 3 slope2; centre 2 slope0. W2 centre0, h.5 loss6.25/2.25, gap 1, slope−4. Small1→1.1 loss1→.81; large 1→4 loss4. Pictured0→.25 loss4→3.0625, but 0→5 loss9. CounterexampleF(w)= (w²−1)²haszero slope at0 butloss1→.9801at.1.

  Positive spacing required; finite-number assumptions remain. The independent J(a)= (a+1)²uses different values.

- For L(w) = (w - 2) squared, calculate the average **slope** from w = 0 to w = 2. Compare it with the local **slope** at w = 2.

> **My reasoning and evidence**

MAIN LESSON · SECTION 6

W2 · Trace the calculation

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Main L(w)=(w−2)²; w0/1/2/3/4 loss4/1/0/1/4. Average0→1 slope−3, 1→2 slope−1. Symmetric estimate[L(w+h)−L(w−h)]/(2h). Centre1, h.1:loss 1.21/.81, gap.2, slope−2; centre 3 slope2; centre 2 slope0. W2 centre0, h.5 loss6.25/2.25, gap 1, slope−4. Small1→1.1 loss1→.81; large 1→4 loss4. Pictured0→.25 loss4→3.0625, but 0→5 loss9. CounterexampleF(w)= (w²−1)²haszero slope at0 butloss1→.9801at.1.

  Positive spacing required; finite-number assumptions remain. The independent J(a)= (a+1)²uses different values.

- At centre w = 0, use step 0.5. Calculate L(-0.5), L(0.5) and the symmetric **slope**.

> **My reasoning and evidence**

MAIN LESSON · SECTION 7

W3 · Repair a misconception

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Main L(w)=(w−2)²; w0/1/2/3/4 loss4/1/0/1/4. Average0→1 slope−3, 1→2 slope−1. Symmetric estimate[L(w+h)−L(w−h)]/(2h). Centre1, h.1:loss 1.21/.81, gap.2, slope−2; centre 3 slope2; centre 2 slope0. W2 centre0, h.5 loss6.25/2.25, gap 1, slope−4. Small1→1.1 loss1→.81; large 1→4 loss4. Pictured0→.25 loss4→3.0625, but 0→5 loss9. CounterexampleF(w)= (w²−1)²haszero slope at0 butloss1→.9801at.1.

  Positive spacing required; finite-number assumptions remain. The independent J(a)= (a+1)²uses different values.

- Starting at w = 3, compare loss after moving to 2.9 and after moving to -1. Both moves decrease w.

> **My reasoning and evidence**

MAIN LESSON · SECTION 9

W5 · Explain the limitation

> Keep this task’s inputs,rule and response together.

Complete task and evidence

- Main L(w)=(w−2)²; w0/1/2/3/4 loss4/1/0/1/4. Average0→1 slope−3, 1→2 slope−1. Symmetric estimate[L(w+h)−L(w−h)]/(2h). Centre1, h.1:loss 1.21/.81, gap.2, slope−2; centre 3 slope2; centre 2 slope0. W2 centre0, h.5 loss6.25/2.25, gap 1, slope−4. Small1→1.1 loss1→.81; large 1→4 loss4. Pictured0→.25 loss4→3.0625, but 0→5 loss9. CounterexampleF(w)= (w²−1)²haszero slope at0 butloss1→.9801at.1.

  Positive spacing required; finite-number assumptions remain. The independent J(a)= (a+1)²uses different values.

- For F(w) = (w squared - 1) squared, compare F(0) and F(0.1). Does zero local **slope** at zero prove a minimum?

> **My reasoning and evidence**

MAIN LESSON · SECTION 4

Try alone · Selected transfer

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Let J(a) = (a + 1) squared. At a = 1 use step 0.25 to find the symmetric **slope**. Compare J(1) with J(0.9), then explain why moving to -4 does not follow safely from the **slope** clue.

- Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Independent case: Estimate a new curve independently

> **My independent explanation, trace and limits**

MAIN LESSON · SECTION 10

Project · Keep the mathematical evidence

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Add a labelled **slope**s and **local change evidence** sheet to Image-pattern Network Investigation. Show how you can calculate an average rate of change over a stated interval.

  Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

MAIN LESSON · SECTION 11

Feedback · Repair and return

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Supported W2 record**

REFERENCE · SECTION 2

Reference · Supported W2 record

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Use W2: Check a symmetric estimate for **Slope**s and **local change**. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

▼ Extra practice · Individual reasoning check

REFERENCE · SECTION 3

Extra practice · Individual reasoning check

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Use the worked case for **Slope**s and **local change**. Proposed explanation: "Divide by the step only". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

> **My explanation before partner discussion**

▼ Reference · Earlier W4 response copy

REFERENCE · SECTION 8

Reference · Earlier W4 response copy

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Let J(a) = (a + 1) squared. At a = 1 use step 0.25 to find the symmetric **slope**. Compare J(1) with J(0.9), then explain why moving to -4 does not follow safely from the **slope** clue.

My reasoning and evidence

▼ **Extra practice · Pictured case**

REFERENCE · SECTION 12

Extra practice · Pictured case

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Use a local **slope** to propose a small move rather than claiming every move helps.
- Toy loss $J(a)=(a-2)^2$. At a = 0, use symmetric step 0.5.
- All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.
- Which calculation disproves "any increase helps"? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

- Support used: alone / hint / worked example. This record is practice **evidence**.
- Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

  Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

AI ACADEMY / AI-5/9

Slopes and local change

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Evaluate nearby points

J(0.5)=2.25 and J(-0.5)=6.25.

2. Estimate slope

Slope=(2.25-6.25)/(0.5-(-0.5))=-4.

3. Check small move

Move to a = 0.25: loss 3.0625, below starting loss 4.

CHANGE ONE THING

Move from 0 all the way to5.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

My picture-based explanation and changed-case prediction

▼ **Reference · Project milestone**

REFERENCE · SECTION 13

Reference · Project milestone

> Keep this task's inputs,rule and response together.

Complete task and evidence

- Project: Image-pattern Network Investigation
- Current milestone: Make a transparent first version. Keep a trace of how one **input** becomes an **output**; explain the rule or learned component.
- For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

  Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	

Evidence to keep	My record
One change since the previous checkpoint and why	
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

▼ Extra practice · Predict,check and repair

REFERENCE · SECTION 14

Extra practice · Predict,check and repair

> Keep supported feedback separate from the independent case.

First supported question and optional hint

- Use a local **slope** to propose a small move rather than claiming every move helps.
- Which labelled step matches this detail? Move to a = 0.25: loss 3.0625, below starting loss 4.
- 1. Check small move
- 2. Estimate **slope**
- 3. Evaluate nearby points

- Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Practice 1: explain the deciding evidence

> **My selected conclusion, deciding fact and explanation**

▼ **Check after the first attempt**

After your attempt, compare with the supported explanation: Check small move Move to a = 0.25: loss 3.0625, below starting loss 4. A **slope** describes how the loss changes near the current parameter.

The symmetric calculation compares equal small moves on either side. Its negative result suggests a small increase may help at zero.

It does not promise every increase helps: jumping to five passes the optimum at two and produces a larger loss. Check the new loss after each proposed step.

Changed-case question and optional hint

- Changed-case practice: Move from 0 all the way to5. Which conclusion is supported by the supplied facts?
- 1. We can decide the result without examining the changed **input** or the procedure.
- 2. Loss becomes 9, exceeding the starting 4.
- 3. This one example guarantees correct results for every future **input**.
- Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Practice 2: explain the deciding evidence

My selected conclusion, deciding fact and explanation

▼ **Check after the changed attempt**

After your attempt, compare with the supported explanation: Loss becomes 9, exceeding the starting 4. A negative local **slope** suggests increasing a locally, not that every positive jump decreases loss.

Repair and retain the record

Review Loss functions (ai-5/8). Goal: Calculate per-example squared error and mean squared error. Short practice: Why must the report name the chosen loss?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Forward passes by hand (ai-5/6). Goal: Record scores and activations in dependency order. Short practice: Why should feedback identify h before correcting only y?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Bias terms and decision boundaries (ai-5/3). Goal: Calculate a weighted score with a bias term. Short practice: Is B positive under the original or changed model?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

What I repaired, the evidence I kept and the next test

▼ Earlier wording, alternatives and picture transcripts

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Repair a missing building block

Predict, run and debug

Keep your completed work

▼ Reference · Six-picture response sheets

REFERENCE · SECTION 15

Reference · Six-picture response sheets

Choose the picture that helps explain the current step.

01. Slopes and local change: the case

AI ACADEMY / AI-5/9 · 01 · LOOK AT THE FACTS

Slopes and local change: the case

The situation

Use a local slope to propose a small move rather than claiming every move helps.

Supplied evidence

Toy loss $J(a)=(a-2)^2$. At $a = 0$, use symmetric step 0.5.
All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

By the end, I can explain slopes and local change using a traced example and a stated limitation.

Follow the labelled picture with the matching explanation. Open the vector diagram


Use a local **slope** to propose a small move rather than claiming every move helps. Supplied facts: Toy loss $J(a)=(a-2)^2$. At $a = 0$, use symmetric step 0.5.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Evaluate nearby points: J(0.5)=2.25 and J(-0.5)=6.25. → Estimate **slope**: **Slope**=(2.25-6.25)/(0.5-(-0.5))=-4. → Check small move: Move to a = 0.25: loss 3.0625, below starting loss 4.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Compare slope clues on the same loss curve

AI ACADEMY / AI-5/9 · 03 · INSPECT THE LESSON MODEL

Compare slope clues on the same loss curve

Current w	Local slope	Nearby downhill direction
1	-2	Increase w a little
2	0	No first order direction
3	2	Decrease w a little

These are local clues for L(w) = (w - 2) squared. At w = 2 the displayed function has its minimum; zero slope does not establish a minimum for every possible function.


Follow the labelled picture with the matching explanation. Open the vector diagram

Compare **slope** clues on the same loss curve. 1 | -2 | Increase w a little. 2 | 0 | No first order direction. 3 | 2 | Decrease w a little

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Move to a = 0.25: loss 3.0625, below starting loss 4. Changed condition: Move from 0 all the way to5. Expected result: Loss becomes 9, exceeding the starting 4.

Reason: A negative local **slope** suggests increasing a locally, not that every positive jump decreases loss.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A **slope** describes how the loss changes near the current parameter. The symmetric calculation compares equal small moves on either side. Its negative result suggests a small increase may help at zero.


It does not promise every increase helps: jumping to five passes the optimum at two and produces a larger loss. Check the new loss after each proposed step.

Limit: A finite difference approximates **local change**; numerical precision and nonsmooth points need care in more complex objectives.

Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Which calculation disproves “any increase helps”? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

▼ Earlier wording, alternatives and picture transcripts

01. Slopes and local change: the case

02. Follow the deciding steps

03. Compare slope clues on the same loss curve

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.