

Rules or Learned Patterns?

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can execute a stated rule including its boundary.

I can select a rule by comparing errors on labelled examples.

I can explain why agreement with fitting examples does not establish performance on new cases.

Remember before reading


Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Sensors Are Messengers. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from AI or Not?. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Fixed instructions and learned behavior can look similar but arise differently.



LEARNING TARGET Sorter A follows 'red left, blue right'. Sorter B was trained using labelled red and blue cards. Both send a purple card left. Does their shared output show that they used the same process? What evidence is missing?

Learner name:

Readiness for the connected explanation

A warning uses temperature greater than 28 degrees C. What happens at exactly 28, and what must be checked before comparing a recorded number with 28?

This week's end goal

By the end, I can distinguish choosing a rule from applying an already chosen rule.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY A motion light and an animal recognizer both react to input, but one checks a written condition while the other uses patterns learned from examples.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

A paper sorting task describes imaginary cards. Each card has a width in centimetres and a recorded label, narrow or wide. One person writes a rule from a design requirement: label a card wide when its width is at least 5 cm. Another person compares several candidate thresholds with labelled examples and chooses the one with fewest disagreements. Both may end up using the same threshold, but they selected it in different ways.

Executing a rule means applying it to an input. Fitting means using examples to select or adjust the rule or model. A fitted model can be very simple. We do not need a brain-like picture or a complicated computer to study the difference between selecting a rule and using it.

In this exercise the labels are supplied by the task designer. They are not a universal definition of wide,

and a centimetre value alone would not determine every possible meaning of that word. State what the recorded labels mean in the task before counting disagreements.

3. See how it works

VISUAL MECHANISM

Input → Process → Output

Follow the information instead of imagining magic inside the machine.




INPUT

a motion value or image values



PROCESS

run an explicit if/then rule or a learned classifier



OUTPUT

turn on a light or predict an animal label

INPUT a motion value or image values

PROCESS run an explicit if/then rule or a learned classifier

OUTPUT turn on a light or predict an animal label

CORE IDEA Fixed instructions and learned behavior can look similar but arise differently.

UNDER THE HOOD A fixed program's decision logic is specified directly by people. A learned model's parameters are fitted from examples. Both are software, both may be complex, and both can fail; the distinction is how the decision behavior was produced.

Draw a fresh example with all three stages:

A closer explanation

How a threshold is selected and then applied

Information available · Operation · Result

Information available: Widths with supplied narrow or wide labels

Operation: Compare candidate rules by error count

Result: Select a threshold

Information available: Selected threshold and a new width

Operation: Apply the at least comparison

Result: Predicted label

Information available: Prediction and a later comparison label

Operation: Check for agreement

Result: Evidence about this case

The comparison label is available during fitting and later checking. A new prediction must be made before revealing that case's label.

For threshold t , our rule predicts wide when width is at least t and narrow otherwise. At least includes equality: with $t=5$, width 5 is wide. Changing at least to greater than changes the rule and may change the error count.

A fitting procedure also contains choices people made: the feature, candidate thresholds, label definition and way of counting errors. Calling a threshold learned does not remove human responsibility for those choices.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases


PICTURE GALLERY

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Motion light



Animal recognizer



Calculator



Robot vacuum

CASE 1 — Motion light Clue: IF motion, THEN light on. Meaning: fixed rule.

CASE 2 — Animal recognizer Clue: trained on labeled images. Meaning: learned pattern.

CASE 3 — Calculator Clue: follows arithmetic procedures. Meaning: fixed even when complex.

CASE 4 — Robot vacuum Clue: behavior alone is incomplete evidence. Meaning: could be fixed, learned, or mixed.

BOUNDARY Do not use complicated versus simple as a substitute for fixed versus learned.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Give a new pebble diameter 5 instead of 4.

Prediction: The selected rule predicts large.

Reason: At least includes equality, so 5 meets the boundary.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.





learned pattern



training



Word · Meaning · My example

Word: fixed rule

Meaning: instruction written directly in advance

My example: _____

Word: learned pattern

Meaning: relationship fitted from examples

My example: _____

Word: training

Meaning: process that adjusts a model from examples

My example: _____

Word: inference

Meaning: using the finished model on a new input

My example: _____

Misconception detective

CLAIM TO REPAIR If the output changes, the system must be learning.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Feature

Meaning: A recorded property used as an input to a decision or model

Word: Label

Meaning: A recorded category or target associated with an example

Word: Threshold

Meaning: A boundary value used in a comparison

Word: Fitting

Meaning: Choosing or adjusting a model using examples

Word: Error count


Meaning: The number of predictions that disagree with the comparison labels

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE A motion light and an animal recognizer both react to input, but one checks a written condition while the other uses patterns learned from examples.

STEP 1 — OBSERVE a motion value or image values

STEP 2 — TRACE run an explicit if/then rule or a learned classifier

STEP 3 — CONCLUDE turn on a light or predict an animal label

MODEL REASONING The motion light follows a directly written sensor condition. The animal recogniser uses a model fitted on labelled examples. Observing that both react to input does not tell us how their decisions were produced.

DO NOT OVERCLAIM Do not use complicated versus simple as a substitute for fixed versus learned.

What new evidence could change this answer?

A closer explanation

Width in cm · Supplied label · Threshold 3 prediction · Threshold 5 prediction

Width in cm: 2

Supplied label: narrow

Threshold 3 prediction: narrow

Threshold 5 prediction: narrow

Width in cm: 4

Supplied label: narrow

Threshold 3 prediction: wide

Threshold 5 prediction: narrow

Width in cm: 6

Supplied label: wide

Threshold 3 prediction: wide

Threshold 5 prediction: wide

Width in cm: 8

Supplied label: wide

Threshold 3 prediction: wide

Threshold 5 prediction: wide

Apply threshold 3 to each width before checking the label. Only width 4 disagrees, so its error count is 1. Threshold 5 agrees on all four examples, so its error count is 0. Of these two candidates, this procedure selects 5. Zero disagreements here means it fits these four labels; it is not a guarantee about all future cards.

There can be ties. Threshold 6 also agrees on these four examples because 6 is included by at least. Thresholds 5 and 6 predict differently for width 5, which is absent from the fitting set. The available examples therefore do not uniquely determine how that width should be labelled. A procedure needs an explicit tie rule, and we should record the unresolved case.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Rules or Learned Patterns?

A fictional paper sorter learns a size boundary for toy pebbles.

The facts we will use

Training diameters are 1,3,5,7 cm with labels small,small,large,large.

Compare large-at-least-3 with large-at-least-5; choose fewer errors.

AI ACADEMY / AI-1/4

Training errors by candidate boundary

disagreements

Boundary 3



1

Boundary 5



0

Bar length shows the supplied value; the marked baseline is zero.

Rules or Learned Patterns?

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Training examples

Diameters 1,3,5,7 have reference labels S,S,L,L.



2. Candidate 3

Predictions S,L,L,L: one disagreement at 3.



3. Candidate 5

Predictions S,S,L,L: zero disagreements.



4. New pebble

Selected boundary 5 predicts small for a new diameter 4.

CHANGE ONE THING

Give a new pebble diameter 5 instead of 4.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Training examples

What happens and why: Diameters 1,3,5,7 have reference labels S,S,L,L.

Step: 2. Candidate 3

What happens and why: Predictions S,L,L,L: one disagreement at 3.

Step: 3. Candidate 5

What happens and why: Predictions S,S,L,L: zero disagreements.

Step: 4. New pebble

What happens and why: Selected boundary 5 predicts small for a new diameter 4.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

The learning procedure compares candidate rules against supplied examples and selects boundary 5. Applying that boundary to diameter 4 is a later prediction step. An explicit threshold can be selected from data; being easy to write does not make its origin unknowable.

What this example does not establish

Zero training disagreements do not prove every future pebble receives the correct label.

Read the labelled picture: Show which stage used labels and which stage used only the new measurement.

Change one thing: Give a new pebble diameter 5 instead of 4. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Motion light

Evidence: IF motion, THEN light on

What it shows: fixed rule

Case: Animal recognizer

Evidence: trained on labeled images

What it shows: learned pattern

Case: Calculator

Evidence: follows arithmetic procedures

What it shows: fixed even when complex

Case: Robot vacuum

Evidence: behavior alone is incomplete evidence

What it shows: could be fixed, learned, or mixed

Repair two tempting claims

CLAIM A If the output changes, the system must be learning.

Repair:

CLAIM B A fixed program can never be useful or intelligent-looking.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

Suppose a new card has width 5 and its supplied task label is narrow. The selected threshold 5 predicts wide, so it disagrees on this case. Do not erase the example to preserve a perfect score. Record the error and investigate whether the labels follow a different definition, whether measurement matters or whether width alone is insufficient.

For this week's paper task, a prediction is only a proposed category. It does not authorise a physical action. More consequential applications require additional checks and human decisions that a small fitting exercise cannot establish.


Explain the difference between choosing a threshold using examples and applying that threshold to a new card

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: Fixed instructions and learned behavior can look similar but arise differently.

Use a fresh example to explain fixed rule.

Trace a new input → process → output example.

Find and repair the error in: A fixed program can never be useful or intelligent-looking.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Now use widths 1, 3, 5 and 7 with labels narrow, narrow, wide and wide. Compare candidates 3 and 5, using the same at least rule. Write all four predictions for each candidate before you count. This prevents a plausible-looking total from hiding a boundary mistake.

List the predictions and error count for each candidate. Select the lower-error candidate and state exactly what the result establishes

Keep this comparison separate from a final check on unseen cases. If we repeatedly choose a threshold after looking at the check answers, those cases have helped us fit the rule. They no longer provide an independent check of our finished choice.

Practise with less help: Complete the supported comparison

Use workbook W2 for the connected example “Rules and learned patterns”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Rules and learned patterns. Proposed explanation: “A learned rule cannot be written simply”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Show which stage used labels and which stage used only the new measurement.

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

Same Behavior, Different Cause

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Compare a motion light with an animal recognizer.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define fixed rule.

EXPLAIN Fixed instructions and learned behavior can look similar but arise differently.

TRACE Show the input, process, and output.

DIAGNOSE Repair: If the output changes, the system must be learning.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Draw a fixed-rule version and a learned-pattern version of the Classroom Sorter; state what evidence would justify the learned version.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN Do not use complicated versus simple as a substitute for fixed versus learned.

My project decision:

Evidence for your project


Document whether the sorter's rules were teacher-written or chosen from examples, retaining candidate errors.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



INDEPENDENT PROOF

REQUIRED PROOF Two feeders release food at noon. One checks the clock; the other predicts a feeding time from past activity. Explain the mechanism difference.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.
- ☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK The motion light follows a directly written sensor condition. The animal recogniser uses a model fitted on labelled examples. Observing that both react to input does not tell us how their decisions were produced.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Pictures Become Numbers.

13. Study a complete case

Week 4 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This

case extends the illustrated lesson.

The situation

Sorter A follows a written red-card-left rule. Sorter B is fitted using labelled leaves.

The question

How were their decision processes obtained? Where should A send blue cards?

Worked explanation

A was explicitly programmed; B learned parameters from examples. Blue-card handling is unspecified, so request a rule. Both systems can fail.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Scope note: this course mainly studies learning from examples. AI also includes symbolic and rule-based approaches. Ask how a system reasons or learns; a robot body or a simple automatic switch is insufficient evidence.

Trace the supplied case visually

Where did the decision come from?

Evidence or stage · Value or result

Evidence or stage: Written rule

Value or result: Red card goes left

Evidence or stage: Learned pattern

Value or result: Fit using labelled leaves

Evidence or stage: Missing rule

Value or result: Blue-card action unspecified

Sorter A follows a written red-card-left rule. Sorter B is fitted using labelled leaves.

How were their decision processes obtained? Where should A send blue cards?

A was explicitly programmed; B learned parameters from examples. Blue-card handling is unspecified, so request a rule. Both systems can fail.

14. Try a new case independently

Independent case: Fit a new paper classifier

A fictional sorting task has lengths 2, 5, 7, 9 cm with labels short, short, long, long. Candidate rules predict long when length is at least 5 or at least 7. List predictions and errors for both, choose one, and predict a new length of 6 before any label is revealed. State one limit of your conclusion.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 4 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

System A uses the written rule green means go. System B learns fruit labels from example photographs. Who supplies A's rule? What changes when B is trained on different examples?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Draw a fixed-rule version and a learned-pattern version of the Classroom Sorter; state what evidence would justify the learned version.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Sorter A follows 'red left, blue right'. Sorter B was trained using labelled red and blue cards. Both send a purple card left. Does their shared output show that they used the same process? What evidence is missing?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional paper sorter learns a size boundary for toy pebbles.

By the end, I can · How I will show it

By the end, I can: Execute a stated rule including its boundary

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Select a rule by comparing errors on labelled examples

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Explain why agreement with fitting examples does not establish performance on new cases

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project

evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Execute a stated rule including its boundary

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional paper sorter learns a size boundary for toy pebbles.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Selected boundary 5 predicts small for a new diameter 4.

1. Training examples
2. Candidate 3
3. Candidate 5
4. New pebble

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: New pebble Selected boundary 5 predicts small for a new diameter 4. The learning procedure compares candidate rules against supplied examples and selects boundary 5. Applying that boundary to diameter 4 is a later prediction step. An explicit threshold can be selected from data; being easy to write does not make its origin unknowable.

Practice 2: explain the deciding evidence

Changed-case practice: Give a new pebble diameter 5 instead of 4. Which conclusion is supported by the supplied facts?

1. The selected rule predicts large.
2. We can decide the result without examining the changed input or the procedure.
3. This one example guarantees correct results for every future input.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: The selected rule predicts large. At least includes equality, so 5 meets the boundary.

Repair a missing building block

Review Sensors Are Messengers (ai-1/3). Goal: Describe a measurement using its quantity, value, unit and conditions. Short practice: Why can we calculate the earlier gap but not predict an exact new B reading?. Return to this week and explain what you changed.

Review AI or Not? (ai-1/1). Goal: Distinguish an observed result from an explanation of how it was produced. Short practice: Point to the learned stage. Does the changed display prove the weather forecast changed?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.