

Build a Human Classifier

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can construct a classifier with a stated input format, selected rule and recorded output.

I can trace valid, boundary and invalid inputs through different paths.

I can distinguish an input check from evidence that a prediction is correct.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Learning from Examples. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Repeating Efficiently. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Features: Useful Clues. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Classification maps features to a category using a decision boundary.



LEARNING TARGET A classroom rule labels anything with wings as a bird. Test a bat, a penguin and a toy aeroplane. Define the target independently, then propose a next step without pretending one visual clue solves biology.

Learner name:

Readiness for the connected explanation

A fitted rule predicts tall at a height of at least 6 cm and short otherwise. Predict at 5 and 6 cm. What should you check before applying it to a blank height?

This week's end goal

By the end, I can build a complete classifier that validates inputs before predicting.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY Mystery creatures can be sorted using visible features such as antenna count and spot pattern, with the decision rule drawn on a feature map.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

Your task is to build a paper classifier that another learner can operate without guessing your instructions. It will predict short or tall for imaginary towers. Use the threshold of 6 centimetres selected after adding the height 5 short example in Week 13. Name this selected model Tower1.

Write an input contract: one height recorded as a whole number of centimetres from 1 through 10, including both endpoints. Require the unit cm to be shown. This is a classroom design choice about what the procedure accepts. It is not a claim that every accepted height appeared in fitting or that towers outside this range cannot exist.

A complete classifier needs instructions for checking the input, applying Tower1 when the input is accepted, and recording the outcome. It must also say what happens when the input fails a check. The

threshold alone does not provide these surrounding instructions.

3. See how it works

VISUAL MECHANISM

Input → **Process** → **Output**

Follow the information instead of imagining magic inside the machine.




INPUT

creature features



PROCESS

compare the feature point with a boundary



OUTPUT

category A, category B, or not sure

INPUT creature features

PROCESS compare the feature point with a boundary

OUTPUT category A, category B, or not sure

CORE IDEA Classification maps features to a category using a decision boundary.

UNDER THE HOOD A classifier partitions feature space into decision regions. A decision boundary is where the predicted category changes. Different boundaries may fit the same training examples but behave differently on unseen or borderline inputs.

Draw a fresh example with all three stages:

A closer explanation

Three records through the Tower1 classifier

Input record · Check and rule · Recorded outcome

Input record: 5 cm

Check and rule: Accepted; 5 is below 6

Recorded outcome: Tower1 predicts short

Input record: 6 cm

Check and rule: Accepted; 6 is at least 6

Recorded outcome: Tower1 predicts tall

Input record: Height blank

Check and rule: Missing height; stop before rule

Recorded outcome: Tower1 ; no prediction

Read each row from left to right. An accepted input reaches the threshold rule. A missing input stops before that rule and receives an explicit no prediction outcome.

For every record, first check that a height is present and its stated unit is cm. Then check that it is a whole number from 1 through 10. If any check fails, record no prediction and the reason, then stop processing that record. Do not continue into the threshold comparison.

If all checks pass, compare the height with 6. At least 6 gives the prediction tall; otherwise give short. Record the original input, model version Tower1 and the prediction. For a rejected record, record the original input, Tower1, no prediction and a reason. Tower1 identifies the intended model even when its threshold was not used.

Connect the picture and the explanation


Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases


PICTURE GALLERY

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Two antennae, many spots



No antennae, no spots



One antenna, some spots



New wing feature

CASE 1 — Two antennae, many spots Clue: far inside region A. Meaning: stable A prediction.

CASE 2 — No antennae, no spots Clue: far inside region B. Meaning: stable B prediction.

CASE 3 — One antenna, some spots Clue: near boundary. Meaning: uncertain.

CASE 4 — New wing feature Clue: not represented on map. Meaning: boundary may be incomplete.

BOUNDARY A drawn boundary describes the classifier's decision, not a natural law about the objects.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Provide length 9 with unit mm.

Prediction: Request clarification rather than predicting long.

Reason: RibbonR requires cm; the unit mismatch fails its declared input contract.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.






feature space



decision boundary



Word · Meaning · My example

Word: classifier

Meaning: process that predicts a category

My example: _____

Word: feature space

Meaning: map whose positions represent feature values

My example: _____

Word: decision boundary

Meaning: place where predicted class changes

My example: _____

Word: borderline case

Meaning: input near or across competing regions

My example: _____

Misconception detective

CLAIM TO REPAIR Anything on the same side must truly belong to that category.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Input contract

Meaning: The format and conditions an input must satisfy for a procedure to accept it

Word: Validation

Meaning: Checking whether an input satisfies the stated contract

Word: No prediction

Meaning: An explicit outcome when the classifier does not assign a category

Word: Model version

Meaning: A name that identifies the particular model used for a prediction

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE Mystery creatures can be sorted using visible features such as antenna count and spot pattern, with the decision rule drawn on a feature map.

STEP 1 — OBSERVE creature features

STEP 2 — TRACE compare the feature point with a boundary

STEP 3 — CONCLUDE category A, category B, or not sure

MODEL REASONING Plot each creature by the selected features and draw a line or rule separating labeled examples. Cases near the line are sensitive to small changes and should receive careful review or a not-sure output.

DO NOT OVERCLAIM A drawn boundary describes the classifier's decision, not a natural law about the objects.

What new evidence could change this answer?

A closer explanation

Input · Contract result · Outcome

Input: 1 cm

Contract result: Accepted at lower endpoint

Outcome: Predict short

Input: 9 cm

Contract result: Accepted

Outcome: Predict tall

Input: 10 cm

Contract result: Accepted at upper endpoint

Outcome: Predict tall

Input: 0 cm

Contract result: Outside 1 through 10

Outcome: No prediction

Input: 60 mm

Contract result: Unit is not cm

Outcome: No prediction

Input: 4.5 cm

Contract result: Not a whole number

Outcome: No prediction

A valid 9 cm input receives a tall prediction, but the input check does not establish that the prediction matches its comparison label. Validation checks the contract. Evaluation checks predictions against appropriate evidence. Keep these questions separate.

Sixty millimetres equals six centimetres, but this version accepts cm records only. It does not contain a conversion step. Ask for a correctly recorded cm measurement or deliberately design and check a conversion step in a new version. Do not silently treat the digits 60 as centimetres. A missing height must not become an invented zero either.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Build a Human Classifier

A fictional ribbon sorter uses a fixed instruction card called RibbonR.

The facts we will use

Valid input: whole-number length from 0 to 15 with unit cm.

Predict long at least 9 cm; otherwise short. Missing, wrong-unit or out-of-range values request clarification.

AI ACADEMY / AI-1/14

Build a Human Classifier

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Input contract

Check that length is present, whole, within 0-15, and in cm.



2. Valid cases

8 cm -> short; 9 cm -> long.



3. Invalid cases

16 cm and blank length -> clarification, not a forced label.



4. Keep records

Store input, contract result, rule version and prediction.

CHANGE ONE THING

Provide length 9 with unit mm.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Input contract

What happens and why: Check that length is present, whole, within 0–15, and in cm.

Step: 2. Valid cases

What happens and why: 8 cm → short; 9 cm → long.

Step: 3. Invalid cases

What happens and why: 16 cm and blank length → clarification, not a forced label.

Step: 4. Keep records

What happens and why: Store input, contract result, rule version and prediction.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A prediction boundary answers a different question from input validation. Length 9 passes the contract and meets the long boundary. Length 16 must not receive long merely because it exceeds 9: it violates the allowed range first. Zero is permitted and receives short.

What this example does not establish

Contract validity does not prove the predicted category agrees with a checked reference label.

Read the labelled picture: Trace 0 cm and explain why clarification is different from predicting short.

Change one thing: Provide length 9 with unit mm. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Two antennae, many spots

Evidence: far inside region A

What it shows: stable A prediction

Case: No antennae, no spots

Evidence: far inside region B

What it shows: stable B prediction

Case: One antenna, some spots

Evidence: near boundary

What it shows: uncertain

Case: New wing feature

Evidence: not represented on map

What it shows: boundary may be incomplete

Repair two tempting claims

CLAIM A Anything on the same side must truly belong to that category.

Repair:

CLAIM B Only one possible boundary can fit the examples.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

The classifier reports a prediction or no prediction. It does not decide what a person must do with a tower. A separate classroom procedure might ask someone to remeasure a rejected input or compare a prediction with a recorded label. Write that action separately from the predicted category.

No prediction is not a third tower size. It records that this procedure did not assign short or tall. Count and investigate such records when evaluating the whole system; hiding them could make a system look more useful than it is.


A classifier accepts 9 cm and predicts tall. A learner says the input passed, so the label is definitely right. Correct the claim. Then explain why reporting short for a blank height would violate the Tower1 procedure

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: Classification maps features to a category using a decision boundary.

Use a fresh example to explain classifier.

Trace a new input → process → output example.

Find and repair the error in: Only one possible boundary can fit the examples.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Write the procedure as numbered steps or connected boxes with labelled branches. Give it to a partner who follows only what you wrote. The partner should record each check and stop point, including equality at the threshold and at both accepted range endpoints.

Construct Tower1 in your own words. Have a partner trace 1 cm, 6 cm, 10 cm, 11 cm and a blank height. Record each outcome and any instruction you had to clarify. Explain why the accepted 10 cm case still needs separate evidence of correctness

A partner finding an unclear branch gives useful design feedback. Revise the instruction and retrace the affected examples. Keep the model name and threshold visible so a change to the fitted rule is not confused with a correction to an instruction.

Practise with less help: Construct both outcome paths

Use workbook W2 for the connected example “Constructing a classifier”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Constructing a classifier. Proposed explanation: “Any numeric input must receive a category”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Trace 0 cm and explain why clarification is different from predicting short.

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

Mystery Creature Classifier

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Classify mystery creatures and make the boundary visible.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define classifier.

EXPLAIN Classification maps features to a category using a decision boundary.

TRACE Show the input, process, and output.

DIAGNOSE Repair: Anything on the same side must truly belong to that category.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Make the sorter's current decision boundary visible as a rule chart or feature map.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN A drawn boundary describes the classifier's decision, not a natural law about the objects.

My project decision:

Evidence for your project


Create a sorter instruction card covering valid values, equality, missing fields and who can resolve clarification requests.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



REQUIRED PROOF Classify mystery creatures, draw the boundary, and explain two cases whose category changes if the boundary moves.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.

☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK Plot each creature by the selected features and draw a line or rule separating labeled examples. Cases near the line are sensitive to small changes and should receive careful review or a not-sure output.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Save New Examples for Testing.

13. Study a complete case

Week 14 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A human classifier uses has wheels means vehicle on a bicycle, wheelchair, toy car and boat.

The question

Apply the rule and identify a limitation.

Worked explanation

The first three receive vehicle; the boat does not. If the intended category includes boats, the rule misses them. Define the category independently of the prediction rule.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Does the object have wheels?

Evidence or stage · Value or result

Evidence or stage: Bicycle

Value or result: Yes → vehicle

Evidence or stage: Wheelchair

Value or result: Yes → vehicle

Evidence or stage: Toy car

Value or result: Yes → vehicle

Evidence or stage: Boat

Value or result: No → excluded by this rule

A human classifier uses has wheels means vehicle on a bicycle, wheelchair, toy car and boat.

Apply the rule and identify a limitation.

The first three receive vehicle; the boat does not. If the intended category includes boats, the rule misses them. Define the category independently of the prediction rule.

14. Try a new case independently

Independent case: Build an independent ribbon classifier

Design Ribbon1 for ribbon lengths recorded as whole centimetres from 1 through 12 inclusive, with unit cm required. Predict long at 8 cm or more and short otherwise. Write complete instructions and trace 7 cm, 8 cm, a blank length and 13 cm. Include reasons for no prediction and the model version in each record.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 14 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Use a human classifier: three sides means triangle; four equal sides means square. Classify a three-sided card and a card whose corner is hidden. When should you pause?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Make the sorter's current decision boundary visible as a rule chart or feature map.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

A classroom rule labels anything with wings as a bird. Test a bat, a penguin and a toy aeroplane. Define the target independently, then propose a next step without pretending one visual clue solves biology.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional ribbon sorter uses a fixed instruction card called RibbonR.

By the end, I can · How I will show it

By the end, I can: Construct a classifier with a stated input format, selected rule and recorded output

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Trace valid, boundary and invalid inputs through different paths

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Distinguish an input check from evidence that a prediction is correct

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Construct a classifier with a stated input format, selected rule and recorded output

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional ribbon sorter uses a fixed instruction card called RibbonR.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Store input, contract result, rule version and prediction.

1. Invalid cases
2. Input contract
3. Keep records
4. Valid cases

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Keep records Store input, contract result, rule version and prediction. A prediction boundary answers a different question from input validation. Length 9 passes the contract and meets the long boundary. Length 16 must not receive long merely because it exceeds 9: it violates the allowed range first. Zero is permitted and receives short.

Practice 2: explain the deciding evidence

Changed-case practice: Provide length 9 with unit mm. Which conclusion is supported by the supplied facts?

1. Request clarification rather than predicting long.
2. This one example guarantees correct results for every future input.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Request clarification rather than predicting long. RibbonR requires cm; the unit mismatch fails its declared input contract.

Repair a missing building block

Review Learning from Examples (ai-1/13). Goal: Fit a threshold by tracing predictions and counting disagreements for every candidate. Short practice: Which new measured length would reveal disagreement between the candidates?. Return to this week and explain what you changed.

Review Repeating Efficiently (ai-1/11). Goal: Trace a loop by testing its condition before every repetition. Short practice: Trace a fresh start of 9. How many additions occur, and must the report equal 10?. Return to this week and explain what you changed.

Review Features: Useful Clues (ai-1/8). Goal: Choose recorded properties that preserve distinctions needed for a stated task. Short practice: Point to the pair that tests pattern, then explain why the sticker is a bad early input.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.