

Generate, Retrieve, or Calculate?

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can distinguish retrieving a record, calculating from inputs and generating wording.

I can trace a task that combines these operations and check each step.

I can identify unsupported details and explain why output appearance does not reveal its method.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Privacy by Choosing Less. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Missing and Unbalanced Examples. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Similarity. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Different systems create, look up, or compute answers in different ways.



LEARNING TARGET Three tasks are: invent a school motto, find the exact fire-drill meeting point in a supplied handbook, and divide 84 stickers among 7 teams. Choose generation, retrieval or calculation for each. Which outputs need checking?

Learner name:

Readiness for the connected explanation

You need a chart of three fictional topic totals. Why should a named pupil spreadsheet not be the default input?

This week's end goal

By the end, I can separate retrieval, calculation and generated wording.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY A story generator creates new wording, a library search retrieves a stored title, and a calculator computes a result from stated operations.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

Three tasks can produce similar-looking text while doing different work. Retrieval finds existing information. Calculation applies mathematical operations to input values. Generation produces content using a model and the context it receives. A single application can combine all three, so the label AI does not tell you which step happened.

Our fictional makers club has a current notice N2: Wednesday, Room 4, six tables with four places at each table, and three places reserved for helpers. An older notice N1 says Room 2. N2 explicitly replaces N1 for this event. These records are invented for this lesson; no search, account or real booking is needed.

To answer “Which room does the current notice list?”, find N2 and return Room 4 with the record identifier. That is retrieval. To answer “How many places remain after the helper reservation?”, use $6 \times 4 - 3 = 21$.

That is calculation. To suggest a friendly invitation, generate wording and check that its factual details agree with N2.

3. See how it works

VISUAL MECHANISM

Input → **Process** → **Output**

Follow the information instead of imagining magic inside the machine.




INPUT

question and available sources or rules



PROCESS

generate patterns, retrieve records, or
calculate



OUTPUT

answer with mechanism-appropriate
checking

INPUT question and available sources or rules

PROCESS generate patterns, retrieve records, or calculate

OUTPUT answer with mechanism-appropriate checking

CORE IDEA Different systems create, look up, or compute answers in different ways.

UNDER THE HOOD Generation synthesizes outputs from learned distributions, retrieval selects stored records, and calculation applies formal operations. Products often combine all three; verification should match the component that produced each claim.

Draw a fresh example with all three stages:

A closer explanation

One club task with three kinds of work

Operation · Example output · Required check

Operation: Retrieve N2

Example output: Room 4 on Wednesday

Required check: Right event and version

Operation: Calculate

Example output: $6 \times 4 - 3 = 21$

Required check: Inputs and operations

Operation: Generate wording

Example output: Try a making activity

Required check: Facts and constraints

Retrieval supplies recorded information; calculation derives a result; generation drafts wording. Each operation needs a check suited to what it does.

Retrieving N1 accurately would still give an outdated room for this task. Successful retrieval means finding a record, not proving that every record is correct or current. Check the event, source and version. Here the explicit replacement statement tells us which notice governs the classroom example.

A calculator given 6×4 correctly returns 24, but 24 is the total capacity, not the number remaining after three reserved places. Correct arithmetic on an incomplete expression answers the wrong question. Explain the input values, units and operations before accepting a number.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

PICTURE GALLERY

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Invent a story



Find a book title



Add 27 + 18



**Answer with quote and
total**

CASE 1 — Invent a story Clue: new wording from patterns. Meaning: generate.

CASE 2 — Find a book title Clue: return catalog record. Meaning: retrieve.

CASE 3 — Add 27 + 18 Clue: apply arithmetic. Meaning: calculate.

CASE 4 — Answer with quote and total Clue: multiple components. Meaning: mixed system.

BOUNDARY Fluent wording does not reveal whether a fact was retrieved, generated, or calculated.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Reserve four places instead of two, keeping the room and day unchanged.

Prediction: Eight learner places remain.

Reason: $3 \times 4 - 4 = 8$; this changes capacity for learners, not the retrieved date or location.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.





retrieve



calculate



Word · Meaning · My example

Word: generate

Meaning: create a new output from learned patterns

My example: _____

Word: retrieve

Meaning: find and return stored information

My example: _____

Word: calculate

Meaning: apply defined operations to values

My example: _____

Word: provenance

Meaning: where an output or claim came from

My example: _____

Misconception detective

CLAIM TO REPAIR Any answer on a screen came from a database.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Retrieval

Meaning: Finding and returning existing information from a collection

Word: Calculation

Meaning: Applying specified mathematical operations to input values

Word: Generation

Meaning: Producing content using a model and its input context

Word: Source record

Meaning: An existing item whose content and origin can be inspected

Word: Trace

Meaning: A record of the inputs, operations and outputs used in a task

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE A story generator creates new wording, a library search retrieves a stored title, and a calculator computes a result from stated operations.

STEP 1 — OBSERVE question and available sources or rules

STEP 2 — TRACE generate patterns, retrieve records, or calculate

STEP 3 — CONCLUDE answer with mechanism-appropriate checking

MODEL REASONING Check generated claims against independent evidence, check retrieved facts against the cited record and freshness, and recompute calculations or inspect the operation. Mixed outputs need more than one check.

DO NOT OVERCLAIM Fluent wording does not reveal whether a fact was retrieved, generated, or calculated.

What new evidence could change this answer?

A closer explanation

Draft statement · Evidence in this example · Decision

Draft statement: Meet Wednesday in Room 4

Evidence in this example: Current notice N2

Decision: Supported by the record

Draft statement: There are 21 non-helper places

Evidence in this example: $6 \times 4 - 3$ from N2

Decision: Supported by calculation

Draft statement: Free snacks will be provided

Evidence in this example: Not stated in N2

Decision: Remove or verify separately

A generated invitation might add free snacks because that detail fits a familiar invitation pattern. Plausible wording is not evidence that snacks are provided. Remove that claim or obtain an appropriate confirming source before including it. Generated content can be useful and can contain correct facts; its fluent style alone does not verify those facts.

Generation also does not guarantee originality. A response may repeat wording already present in its context or elsewhere. Retrieval and calculation can feed a generator, and a generator can propose a calculation for another tool. Keep the evidence path visible instead of assuming that every sentence came from the same operation.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Generate, Retrieve, or Calculate?

A fictional craft invitation combines three different operations.

The facts we will use

Approved record C: Tuesday, Hall 4, three tables with four learner places each.

Two places are reserved for helpers; no snack information is supplied.

Generate, Retrieve, or Calculate?

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Retrieve facts

Read Tuesday, Hall 4 and 3 x 4 places from approved C.



2. Calculate

12 total places minus 2 reserved = 10 learner places.



3. Generate wording

Draft a friendly invitation using only those supported details.



4. Check claims

A sentence promising snacks has no supporting record.

CHANGE ONE THING

Reserve four places instead of two, keeping the room and day unchanged.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Retrieve facts

What happens and why: Read Tuesday, Hall 4 and 3x4 places from approved C.

Step: 2. Calculate

What happens and why: 12 total places minus 2 reserved = 10 learner places.

Step: 3. Generate wording

What happens and why: Draft a friendly invitation using only those supported details.

Step: 4. Check claims

What happens and why: A sentence promising snacks has no supporting record.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Retrieval copies relevant source information; calculation follows arithmetic; generation proposes wording. These jobs can cooperate, but one does not validate the others. A friendly generated sentence can still contain an invented detail. Keep the approved source beside the draft and check each factual claim separately.

What this example does not establish

The fictional source must itself be current and authoritative; retrieval alone does not ensure a record is correct.

Read the labelled picture: Label each arrow with its operation. Can the system add snacks because invitations often mention them?

Change one thing: Reserve four places instead of two, keeping the room and day unchanged. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Invent a story

Evidence: new wording from patterns

What it shows: generate

Case: Find a book title

Evidence: return catalog record

What it shows: retrieve

Case: Add $27 + 18$

Evidence: apply arithmetic

What it shows: calculate

Case: Answer with quote and total

Evidence: multiple components

What it shows: mixed system

Repair two tempting claims

CLAIM A Any answer on a screen came from a database.

Repair:

CLAIM B Calculated outputs never need checking.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

For an existing meeting time, retrieve the relevant notice. For a total, calculate using the right inputs and units. For a draft title or invitation, generation can offer wording, followed by review. You can also do these classroom tasks on paper. Choose the operation because it fits the question, not because a tool is described as intelligent.

A complete answer keeps source facts, derived results and suggested wording distinguishable. It marks missing facts instead of inventing them, preserves the source identifier and explains the arithmetic. This makes a later change easier to handle: if the number of reserved places changes, recompute the result and update the sentence.


If N2 now reserves five helper places, calculate the remaining places. State which existing source facts stay the same and why the old answer of 21 must be revised

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: Different systems create, look up, or compute answers in different ways.

Use a fresh example to explain generate.

Trace a new input → process → output example.

Find and repair the error in: Calculated outputs never need checking.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Two applications display “21 places remain.” One trace shows retrieval of N2 followed by a calculator call for $6 \times 4 - 3$ and a sentence built from the result. The other gives no record or tool trace. Their identical visible answers do not establish identical methods. The second answer may be right, but its appearance does not prove retrieval or calculation took place.

A draft says “Join us Thursday in Room 4 for free snacks; 24 places remain.” Use N2 to identify which claims need correction or removal. Write a corrected factual sentence and state the retrieval and calculation steps that support it

Check the record yourself and independently recompute $6 \times 4 - 3$. A displayed trace is useful evidence, but it should refer to an inspectable record and the actual tool result. A sentence saying “I checked” is not the same as a check you can inspect. If evidence is unavailable, say what remains unverified.

Practise with less help: Separate a correct sum from a correct answer

Use workbook W2 for the connected example “Generation retrieval and calculation”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Generation retrieval and calculation. Proposed explanation: “Retrieving a record proves it is current”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Label each arrow with its operation. Can the system add snacks because invitations often mention them?

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

Mechanism Sorting Station

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Classify nine outputs by mechanism and verification need.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define generate.

EXPLAIN Different systems create, look up, or compute answers in different ways.

TRACE Show the input, process, and output.

DIAGNOSE Repair: Any answer on a screen came from a database.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Label every sorter component as generate, retrieve, calculate, fixed rule, learned prediction, or human decision.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN Fluent wording does not reveal whether a fact was retrieved, generated, or calculated.

My project decision:

Evidence for your project

Use the sorter's approved catalogue for facts, explicit calculations for scores and checked prose for explanations.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



REQUIRED PROOF Classify nine outputs as generated, retrieved, calculated, or mixed and assign an appropriate verification step.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.

☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK Check generated claims against independent evidence, check retrieved facts against the cited record and freshness, and recompute calculations or inspect the operation. Mixed outputs need more than one check.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Prompts Are Design Instructions.

13. Study a complete case

Week 25 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A learner needs a new poem, $18+7$, and a passage from the class handbook.

The question

Choose the operation for each.

Worked explanation

Generate the poem, calculate 25, retrieve the actual passage. Inventing a fluent passage is not retrieval.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Choose the operation that fits

Evidence or stage · Value or result

Evidence or stage: New rain poem

Value or result: Generate

Evidence or stage: $18 + 7$

Value or result: Calculate $\rightarrow 25$

Evidence or stage: Handbook passage

Value or result: Retrieve the actual text

A learner needs a new poem, $18+7$, and a passage from the class handbook.

Choose the operation for each.

Generate the poem, calculate 25, retrieve the actual passage. Inventing a fluent passage is not retrieval.

14. Try a new case independently

Independent case: Trace a new library workshop

Current fictional record B lists a library workshop on Friday in Room 5: five tables with six places each, with four places reserved for helpers. B replaces old record A, which lists Room 3. A draft says “Thursday in Room 3, with 30 places remaining and a free bus home.” Retrieve the current day and room, calculate the non-helper places, write a corrected factual sentence and identify the detail that cannot be supported by B.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 25 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Choose a method for each task: invent a dragon story; find the library's posted hours; compute 7 plus 5. Explain why the methods differ.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Label every sorter component as generate, retrieve, calculate, fixed rule, learned prediction, or human decision.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Three tasks are: invent a school motto, find the exact fire-drill meeting point in a supplied handbook, and divide 84 stickers among 7 teams. Choose generation, retrieval or calculation for each. Which outputs need checking?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional craft invitation combines three different operations.

By the end, I can · How I will show it

By the end, I can: Distinguish retrieving a record, calculating from inputs and generating wording

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Trace a task that combines these operations and check each step

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Identify unsupported details and explain why output appearance does not reveal its method

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Distinguish retrieving a record, calculating from inputs and generating wording

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional craft invitation combines three different operations.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? A sentence promising snacks has no supporting record.

1. Retrieve facts
2. Calculate
3. Generate wording
4. Check claims

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Check claims A sentence promising snacks has no supporting record. Retrieval copies relevant source information; calculation follows arithmetic; generation proposes wording. These jobs can cooperate, but one does not validate the others. A friendly generated sentence can still contain an invented detail. Keep the approved source beside the draft and check each factual claim separately.

Practice 2: explain the deciding evidence

Changed-case practice: Reserve four places instead of two, keeping the room and day unchanged. Which conclusion is supported by the supplied facts?

1. Eight learner places remain.
2. We can decide the result without examining the changed input or the procedure.
3. This one example guarantees correct results for every future input.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Eight learner places remain. $3 \times 4 - 4 = 8$; this changes capacity for learners, not the retrieved date or location.

Repair a missing building block

Review Privacy by Choosing Less (ai-1/24). Goal: Justify which information a stated task needs and remove unnecessary fields. Short practice: For the original task, does adding an anonymous-looking pupil code improve the repair count?. Return to this week and explain what you changed.

Review Missing and Unbalanced Examples (ai-1/22). Goal: Name the target collection, selection list and cases actually assessed. Short practice: Would testing only dim plain cards close every current gap? Point to the target groups.. Return to this week and explain what you changed.

Review Similarity (ai-1/19). Goal: Calculate similarity using explicitly selected features and a stated scoring rule. Short practice: Point to the matches supporting C's new score and explain why there is no tie.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.