

Choose Inputs and Outputs

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can turn the project outcome into precise input and output requirements.

I can apply a simple manual baseline to valid requests and record its results.

I can plan a fair comparison using the same catalogue, requests and judging rules.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.


Without opening the old lesson, explain one key idea from Find a Real Problem. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Verify Important Outputs. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Privacy by Choosing Less. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

A useful design makes required information and promised result explicit.



LEARNING TARGET Design a paper/plastic sorter that receives an object description. Include a mixed paper-and-plastic cup. Specify inputs, outputs and the uncertain-case action. Is the owner's name useful?

Learner name:

Readiness for the connected explanation

A recommender always reports no match. Why is a count of zero incompatible suggestions insufficient to show that it helps users?

This week's end goal

By the end, I can specify valid inputs, exact outputs and a manual baseline.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY A sorter can use item type and location found to suggest a bin without collecting a student's name or face.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

Last week we identified a difficulty: some fictional activity choices did not fit the available time or room conditions. Now define the task precisely enough that two reviewers can agree whether an output is correct. A requirement such as “suggest a good activity” is too vague. State which inputs are accepted, what counts as compatible and what to do when no option fits.

For this paper project, a valid request contains an available time from 0 to 30 whole minutes and a quiet-room requirement written Yes or No. Yes means the activity must be marked quiet. No means either quiet or non-quiet activities are permitted; it does not mean noise is required. A missing or invalid value needs clarification, not a guessed value or a no-match claim.

A compatible activity takes no more than the available minutes and meets the quiet-room condition. If

several activities fit, suggest the first in catalogue order. If none fits a valid request, report no match. Give a brief reason. This is a suggestion only: it does not book resources, tell anyone to begin or guarantee enjoyment.

3. See how it works

VISUAL MECHANISM

Input → **Process** → **Output**

Follow the information instead of imagining magic inside the machine.




INPUT

minimal required information



PROCESS

candidate decision process



OUTPUT

specific promised result and uncertainty path

INPUT minimal required information

PROCESS candidate decision process

OUTPUT specific promised result and uncertainty path

CORE IDEA A useful design makes required information and promised result explicit.

UNDER THE HOOD Interface contracts define inputs, outputs, types, allowed values, missing-data behavior, and guarantees. Good design avoids collecting data that cannot improve the promised result and avoids promising outcomes the process cannot support.

Draw a fresh example with all three stages:

A closer explanation

Catalogue order and activity · Minutes required · Quiet activity

Catalogue order and activity: B1 Bookmark drawing

Minutes required: 10

Quiet activity: Yes

Catalogue order and activity: B2 Story circle

Minutes required: 8

Quiet activity: No

Catalogue order and activity: B3 Pattern puzzle

Minutes required: 12

Quiet activity: Yes

Catalogue order and activity: B4 Tower challenge

Minutes required: 15

Quiet activity: No

These four rows are the complete approved catalogue for the paper model. Treat their times as fixed task values, not measured guarantees about real pupils. All required materials are assumed available. The catalogue order B1, B2, B3, B4 is the tie rule; it is not a claim that B1 is everyone's favourite.

For 10 minutes with quiet required, B1 fits because 10 is no more than 10 and B1 is quiet. B2 fails the quiet requirement. B3 and B4 take too long. For 8 minutes with quiet not required, B2 fits; B1 takes too long. A request for 7 minutes has no compatible activity in this catalogue, even when quiet is not required.

Check each condition. A fast activity can still fail the quiet requirement. A quiet activity can still take too long. Exact equality is allowed: an activity listed as 10 minutes fits 10 available minutes. A blank time is different from a valid time of zero.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases


PICTURE GALLERY

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Item type



Location found



Student face



Guaranteed owner

CASE 1 — Item type Clue: directly supports bin choice. Meaning: required candidate.

CASE 2 — Location found Clue: may disambiguate. Meaning: optional candidate.

CASE 3 — Student face Clue: not needed. Meaning: remove.

CASE 4 — Guaranteed owner Clue: unsupported promise. Meaning: revise output.

BOUNDARY Every collected field creates cost and risk; every promised output needs evidence.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Change request 6 to 5.

Prediction: The baseline returns B1.

Reason: Its capacity equals the request, and at least includes equality.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.





optional input



output contract



Word · Meaning · My example

Word: required input

Meaning: information necessary for the process

My example: _____

Word: optional input

Meaning: information that may help but is not required

My example: _____

Word: output contract

Meaning: specific result the system promises to produce

My example: _____

Word: missing-data behavior

Meaning: what happens when an input is absent

My example: _____

Misconception detective

CLAIM TO REPAIR More inputs make every design more accurate.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Requirement

Meaning: A precise condition that the solution must satisfy

Word: Baseline

Meaning: A defined starting method used for comparison

Word: Compatible

Meaning: Meeting all the stated conditions of the request

Word: Tie rule

Meaning: A stated way to choose when several options qualify

Word: Acceptance check


Meaning: A check of whether a result satisfies a requirement

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE A sorter can use item type and location found to suggest a bin without collecting a student's name or face.

STEP 1 — OBSERVE minimal required information

STEP 2 — TRACE candidate decision process

STEP 3 — CONCLUDE specific promised result and uncertainty path

MODEL REASONING Prefer the design that meets the measurable need with fewer, clearer inputs and an honest output. State how missing values and ambiguous cases are handled before building.

DO NOT OVERCLAIM Every collected field creates cost and risk; every promised output needs evidence.

What new evidence could change this answer?

A closer explanation

The manual checklist baseline

Stage · Manual action · Recorded result

Stage: Validate the request

Manual action: Check minutes and Yes or No

Recorded result: Clarify invalid input

Stage: Inspect catalogue in order

Manual action: Check time and quiet for each

Recorded result: Mark compatible rows

Stage: Choose or explain absence

Manual action: First compatible row or none

Recorded result: Suggestion or no match

Stage: Keep the evidence

Manual action: Record input, result, reason

Recorded result: Comparable baseline record

The baseline is a complete manual method. A prototype must be compared with this defined procedure, not an invented weak opponent.

Write the request at the top of a sheet. If it is invalid, record what needs clarification and stop. Otherwise mark each catalogue row as compatible or incompatible using both conditions. Circle the first compatible row in order, or write no match if every row fails. Record the output and its reason. This checklist is our baseline.

The baseline can be correct on all cases when applied carefully. A prototype that matches it has not demonstrated better compatibility. It may still be easier to use or faster to trace, but those are separate claims that need their own measures. Do not make the baseline skip a condition just to make the prototype look better.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Choose Inputs and Outputs

A fictional classroom chooses a storage bin for model parts.

The facts we will use

Catalogue order: B1 capacity 5, B2 capacity 9. Valid request is a whole part count 1–12.

Return first bin with capacity at least the count; none if neither fits; clarify invalid input.

Choose Inputs and Outputs

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Validate request

Count 6 is whole and within 1-12.



2. Check first bin

B1 capacity 5 is below 6; reject it.



3. Check second bin

B2 capacity 9 is at least 6; accept it.



4. Baseline output

Report B2 and stop; save the comparison evidence.

CHANGE ONE THING

Change request 6 to 5.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Validate request

What happens and why: Count 6 is whole and within 1–12.

Step: 2. Check first bin

What happens and why: B1 capacity 5 is below 6; reject it.

Step: 3. Check second bin

What happens and why: B2 capacity 9 is at least 6; accept it.

Step: 4. Baseline output

What happens and why: Report B2 and stop; save the comparison evidence.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

The baseline is an ordered catalogue scan, not a preference ranking. It makes expectations testable before a prototype is built. Count 10 is valid but has no matching bin; that differs from a blank count, which fails the input contract. Both situations need explicit output behavior.

What this example does not establish

Bin capacity is the only supplied fitting criterion; weight or shape suitability cannot be inferred.

Read the labelled picture: Trace requests 10 and blank. Why should they not receive the same explanation?

Change one thing: Change request 6 to 5. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Item type

Evidence: directly supports bin choice

What it shows: required candidate

Case: Location found

Evidence: may disambiguate

What it shows: optional candidate

Case: Student face

Evidence: not needed

What it shows: remove

Case: Guaranteed owner

Evidence: unsupported promise

What it shows: revise output

Repair two tempting claims

CLAIM A More inputs make every design more accurate.

Repair:

CLAIM B An output label can promise more than the process actually knows.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

Your project record now needs the problem brief, this catalogue, the input rules, compatibility rule, tie rule and clarification behaviour. Add a baseline sheet with one row per request: supplied input, actual output, reason and whether the requirements were met. Record the method and catalogue version so a later reader can repeat the comparison.

For this week, complete the baseline before building a new process. Next week you will design the full decision path, including invalid input and no-match cases. Keep compatibility claims within the paper model. Real materials, changing room conditions and pupils' preferences would require more information and a revised task.


Two methods both produce the required outputs on the same five valid requests. One team claims its prototype is more accurate because it uses an app. Is that conclusion supported? Name a separate benefit the team could investigate and what it would need to record

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: A useful design makes required information and promised result explicit.

Use a fresh example to explain required input.

Trace a new input → process → output example.

Find and repair the error in: An output label can promise more than the process actually knows.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Both methods must receive the same request values and the same catalogue version, and both must be judged by the same requirements. Record actual results, including errors, no-match outputs and

clarification requests. A valid no-match result can pass; a no-match result that overlooks a fitting activity cannot. A guessed answer to invalid input fails the clarification requirement.

Apply the manual baseline to 12 minutes with quiet required and to 8 minutes with quiet required. Mark every catalogue row for each request, choose the required output and explain the tie rule. State what to do if the available-time field is blank instead

The cases used while designing are development cases. Keep the teacher's reserved final cases unopened until the process is fixed and ready for evaluation. Do not change the requirements after seeing a poor result simply to count that result as a success. If a real need changes, record the new requirement and rerun the relevant checks.

Practise with less help: Run the baseline on three requests

Use workbook W2 for the connected example "Requirements and a simple baseline". First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Requirements and a simple baseline. Proposed explanation: "Quiet required No excludes quiet activities". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Trace requests 10 and blank. Why should they not receive the same explanation?

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

Two-Design Input Audit

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Sketch two designs and remove an unnecessary input.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define required input.

EXPLAIN A useful design makes required information and promised result explicit.

TRACE Show the input, process, and output.

DIAGNOSE Repair: More inputs make every design more accurate.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Freeze the sorter's v1 input list, output contract, and not-sure behavior.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN Every collected field creates cost and risk; every promised output needs

evidence.

My project decision:

Evidence for your project

Document sorter schema, catalogue order, acceptance rule and all output types; use a manual trace as the comparison baseline.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



REQUIRED PROOF Sketch two designs, compare their input and output contracts, and remove one unnecessary input with a reason.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.
- ☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK Prefer the design that meets the measurable need with fewer, clearer inputs and an honest output. State how missing values and ambiguous cases are handled before building.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Design the Decision Process.

13. Study a complete case

Week 30 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A sorter suggests paper or plastic trays using material observations.

The question

Name an input, output and unnecessary input.

Worked explanation

Input: material or a suitable image. Output: tray suggestion. Home address is unnecessary. Uncertain material needs review.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Design a sorter with only relevant inputs

Evidence or stage · Value or result

Evidence or stage: Input

Value or result: Material or a suitable image

Evidence or stage: Decision

Value or result: Paper, plastic or uncertain

Evidence or stage: Output

Value or result: Tray suggestion

Evidence or stage: Review

Value or result: Ask a person when material is unclear

A sorter suggests paper or plastic trays using material observations.

Name an input, output and unnecessary input.

Input: material or a suitable image. Output: tray suggestion. Home address is unnecessary. Uncertain material needs review.

14. Try a new case independently

Independent case: Build a baseline for a different catalogue

A paper room recommender uses R1 first, capacity 6, quiet Yes; then R2, capacity 10, quiet No. Valid requests give a whole group size from 1 to 12 and Quiet required Yes or No. A room fits when capacity is at least group size and the quiet condition is met; choose the first fitting room. Record outputs and reasons for 6 people Yes, 8 people No and 8 people Yes. Explain how a manual baseline can be compared fairly with a prototype. No real booking is allowed.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 30 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

A paper sorter must suggest pencil tray or book shelf. Choose one needed input and state the output. What should happen if the picture is blocked?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Freeze the sorter's v1 input list, output contract, and not-sure behavior.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Design a paper/plastic sorter that receives an object description. Include a mixed paper-and-plastic cup. Specify inputs, outputs and the uncertain-case action. Is the owner's name useful?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional classroom chooses a storage bin for model parts.

By the end, I can · How I will show it

By the end, I can: Turn the project outcome into precise input and output requirements

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Apply a simple manual baseline to valid requests and record its results

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Plan a fair comparison using the same catalogue, requests and judging rules

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Turn the project outcome into precise input and output requirements

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional classroom chooses a storage bin for model parts.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Report B2 and stop; save the comparison evidence.

1. Baseline output
2. Check first bin
3. Validate request
4. Check second bin

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Baseline output Report B2 and stop; save the comparison evidence. The baseline is an ordered catalogue scan, not a preference ranking. It makes expectations testable before a prototype is built. Count 10 is valid but has no matching bin; that differs from a blank count, which fails the input contract. Both situations need explicit output behavior.

Practice 2: explain the deciding evidence

Changed-case practice: Change request 6 to 5. Which conclusion is supported by the supplied facts?

1. The baseline returns B1.
2. This one example guarantees correct results for every future input.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: The baseline returns B1. Its capacity equals the request, and at least includes equality.

Repair a missing building block

Review Find a Real Problem (ai-1/29). Goal: Describe a specific user difficulty using supplied evidence without inventing its cause. Short practice: Write a one-sentence project goal and say what evidence would count as a failure.. Return to this week and explain what you changed.

Review Verify Important Outputs (ai-1/27). Goal: Separate an answer into claims and connect each claim to relevant evidence. Short practice: Correct the draft and identify which part needs another source rather than a calculation.. Return to this week and explain what you changed.

Review Privacy by Choosing Less (ai-1/24). Goal: Justify which information a stated task needs and remove unnecessary fields. Short practice: For the original task, does adding an anonymous-looking pupil code improve the repair count?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.