

Improve One Cause

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can repair a located defect without changing the agreed requirements.

I can check the repaired case and earlier successful behaviour.

I can preserve versioned evidence and fix a candidate before final evaluation.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Test Edge Cases and Fairness. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Build a Paper Prototype. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Find a Real Problem. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

An improvement should target evidence from a failure, not random change.



LEARNING TARGET Version A makes four errors. Version B makes one after lighting, labels and rules all change. What can you conclude, and how would you isolate the effect of lighting?

Learner name:

Readiness for the connected explanation

The faulty S comparison rejects an activity that takes exactly the available time. Which requirement does this break?

This week's end goal

By the end, I can repair one identified cause and rerun cases that previously passed.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY The sorter misclassifies worn labels, so the team changes the text-reading rule or adds a safe visual clue while keeping other parts fixed.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

Finding a failure is useful only if you can explain and check the repair. This week you will locate an incorrect comparison, change it in a labelled version, and test both the revealing case and behaviour that worked before. A repair can solve one problem while introducing another, so one newly passing example is not enough.

Keep catalogue B version 1 in order: B1 Bookmark drawing, 10 minutes, quiet Yes; B2 Story circle, 8 minutes, quiet No; B3 Pattern puzzle, 12 minutes, quiet Yes; B4 Tower challenge, 15 minutes, quiet No. These fictional values assume materials are available. Inputs are whole minutes from 0 to 30 inclusive and Quiet required Yes or No. No allows either quiet or nonquiet activities.

A candidate fits when its duration is no more than the available minutes AND either quiet is not required or


the activity is quiet. Return the first fit with a correct reason. Valid input with no fit gives no match after all rows fail. Invalid or missing input needs clarification before search. Each new run starts with validation and a cleared output, then the first row if valid. Suggestions do not book or publish anything. These written rules are not a model fitted from examples.

3. See how it works

VISUAL MECHANISM

Input → Process → Output


Follow the information instead of imagining magic inside the machine.





PROCESS

change one responsible rule, input, or threshold



OUTPUT

same tests rerun with before/after evidence

INPUT failure record and suspected cause

PROCESS change one responsible rule, input, or threshold

OUTPUT same tests rerun with before/after evidence

CORE IDEA An improvement should target evidence from a failure, not random change.

UNDER THE HOOD Controlled iteration links an intervention to an observed outcome. Holding test cases and unrelated components constant strengthens causal inference. Improvement claims must include regressions and tradeoffs, not only repaired cases.

Draw a fresh example with all three stages:

A closer explanation

A repair with evidence

Locate · Change · Check

Locate: Keep the failing trace

Change: Save a new version

Check: Rerun the revealing case

Locate: Name the broken requirement

Change: Correct the faulty step

Check: Rerun earlier passing cases

Locate: Keep input and catalogue labels

Change: Record what changed

Check: Keep every result and limit

A passing repair test checks the reported defect. Regression tests examine previously correct behaviour.

S version 0 follows the P1 process except that its time check uses strictly less than. On 10 Yes with catalogue B version 1, it reports no match. The expected result is B1 because 10 fits exactly and B1 is quiet. Compare the saved instruction with the trace: the cause is the exclusion of equality, not a need to change the catalogue or expected answer.

Create S version 1 by replacing only the time comparison with no more than. Keep validation, the quiet condition, catalogue order, advancement and stopping rules. Write a change record naming S0, S1, the failing 10 Yes case, the comparison changed and why equality belongs in the rule. Retain the old version and failed trace; do not overwrite them with the new result.


Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.


4. Compare the cases

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Change one threshold



Rewrite all rules



Same tests



New failure

CASE 1 — Change one threshold Clue: targeted intervention. Meaning: interpretable.

CASE 2 — Rewrite all rules Clue: many causes changed. Meaning: weak evidence.

CASE 3 — Same tests Clue: before/after comparable. Meaning: stronger evidence.

CASE 4 — New failure Clue: old case now breaks. Meaning: regression.

BOUNDARY A higher pass count can hide a serious new failure; review every changed outcome.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Use U2, which changes $<$ to $\leq$ and keeps the quiet check.

Prediction: At 8 return A; at 6 return none.


Reason: Equality is repaired while B remains ineligible because it is noisy.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.





controlled change



retest



Word · Meaning · My example

Word: root cause

Meaning: earliest responsible reason for a failure

My example: _____

Word: controlled change

Meaning: one targeted modification while other factors stay fixed

My example: _____

Word: retest

Meaning: repeat the same case after a change

My example: _____

Word: regression

Meaning: previously working behavior that becomes worse

My example: _____

Misconception detective

CLAIM TO REPAIR Any change after a failure counts as improvement.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Defect

Meaning: A fault in the instructions or implementation that can cause incorrect behaviour

Word: Repair

Meaning: A change intended to correct a located defect

Word: Change record

Meaning: A note of what changed, why, and which versions and tests support it

Word: Fixed candidate


Meaning: A saved version kept unchanged while a specified evaluation is run

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE The sorter misclassifies worn labels, so the team changes the text-reading rule or adds a safe visual clue while keeping other parts fixed.

STEP 1 — OBSERVE failure record and suspected cause

STEP 2 — TRACE change one responsible rule, input, or threshold

STEP 3 — CONCLUDE same tests rerun with before/after evidence

MODEL REASONING Name the evidence, suspected cause, single change, and predicted effect before editing. Rerun the full fixed suite, compare case by case, and keep the change only if benefits outweigh new failures.

DO NOT OVERCLAIM A higher pass count can hide a serious new failure; review every changed outcome.

What new evidence could change this answer?

A closer explanation

Consider a different proposed repair, T version 1. It accepts equal times but accidentally removes the quiet check. It fixes 10 Yes, yet now returns B2 for 9 Yes. That second request correctly returned no match under S0 because B2 is not quiet. Previously correct behaviour has become wrong: this is a regression.

Case with catalogue B version 1 · Required result · Outputs from the stated instructions

Case with catalogue B version 1: 10 Yes; equality repair

Required result: B1 with a valid reason

Outputs from the stated instructions: S0 no match; T1 B1; S1 B1

Case with catalogue B version 1: 9 Yes; quiet regression check

Required result: No match with a valid reason

Outputs from the stated instructions: S0 no match; T1 B2; S1 no match

Case with catalogue B version 1: 8 No; another equality case

Required result: B2 with a valid reason

Outputs from the stated instructions: S0 no match; T1 B2; S1 B2

Case with catalogue B version 1: 6 No; exhaustion check

Required result: No match with a valid reason

Outputs from the stated instructions: S0 no match; T1 no match; S1 no match

These outputs are worked predictions from the described versions. Your own test record must contain the actual runs and their reasons. T1 should not replace the candidate merely because it passes the first row. For S1, check the revealing equality cases and rerun all four routine cases from Week 33, then validation and the labelled catalogue variations from Week 34. A full pass still needs both the required output and a correct explanation.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Improve One Cause

A fictional quiet-activity chooser has a boundary bug and a proposed repair.

The facts we will use

A: quiet Yes, 8 minutes; B: quiet No, 5 minutes. Request quiet required Yes.

U0 accepts only $\text{duration} < \text{available time}$. U1 fixes $\leq$ but accidentally removes the quiet requirement.

Improve One Cause

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Boundary failure

At 8 minutes, U0 rejects A and rejects noisy B: none.



2. Expected repair

Correct logic must allow A when time equals 8.



3. Regression case

At 6 quiet-required minutes, correct output is none.



4. Bad revision

U1 selects noisy B at 6; fixing equality introduced a new failure.

CHANGE ONE THING

Use U2, which changes $<$ to $\leq$ and keeps the quiet check.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Boundary failure

What happens and why: At 8 minutes, U0 rejects A and rejects noisy B: none.

Step: 2. Expected repair

What happens and why: Correct logic must allow A when time equals 8.

Step: 3. Regression case

What happens and why: At 6 quiet-required minutes, correct output is none.

Step: 4. Bad revision

What happens and why: U1 selects noisy B at 6; fixing equality introduced a new failure.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A repair must preserve the full contract, not just make one failing example pass. The quiet condition and duration comparison are separate requirements. Changing only the inequality targets the recorded cause; removing the quiet check changes another behavior. Save previously passing cases to reveal such regressions.

What this example does not establish

Two examples establish only these outcomes; further cases are needed before generalising the repair.

Read the labelled picture: Explain why “our repaired version now picks something” is not enough to show success at 6.

Change one thing: Use U2, which changes $<$ to $\leq$ and keeps the quiet check. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Change one threshold

Evidence: targeted intervention

What it shows: interpretable

Case: Rewrite all rules

Evidence: many causes changed

What it shows: weak evidence

Case: Same tests

Evidence: before/after comparable

What it shows: stronger evidence

Case: New failure

Evidence: old case now breaks

What it shows: regression

Repair two tempting claims

CLAIM A Any change after a failure counts as improvement.

Repair:

CLAIM B Retest only the failed case to save time.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

If your own P1 already passes the development set, do not introduce a defect just to claim an improvement. Use the supplied S example to practise repair, and report that no change was needed in your saved version for the tested cases. If your version fails, retain the evidence, locate the cause and label the next repair. A new label alone does not prove a better version.

Save a candidate with its complete instructions, required catalogue data, input rules, change history and development results. State unresolved failures and limitations. Keep this version unchanged during the final evaluation. Do not inspect reserved final cases to decide which repair to make. If you revise after seeing final results, retain those results as belonging to the old version and treat the seen cases as development evidence; they are no longer an unseen evaluation for the revision.


A team fixes 10 Yes, checks only that case and deletes S0's failed trace. Explain two weaknesses in its evidence and give a better next action. Why should the candidate be fixed before reserved final cases are revealed?

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: An improvement should target evidence from a failure, not random change.

Use a fresh example to explain root cause.

Trace a new input → process → output example.

Find and repair the error in: Retest only the failed case to save time.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Write expectations before running S1. Use B version 1 for 11 Yes, 9 No, 6 No and 9 Yes; include the revealing 10 Yes and 8 No. Add 0 Yes, 30 Yes, 31 Yes, blank minutes with Yes, 10.5 Yes and 10 Maybe to check valid endpoints and invalid fields. Keep cases and results separated by version, and compare with the manual baseline under the same conditions.

Retain the catalogue variation tests: B version 2 changes only B1 time to 20, giving B3 for 12 Yes. B version 3 has times 20, 18, 17 and 15 for B1 to B4, with the original quiet labels and order; it gives B4 for 15 No and no match for 15 Yes. These cases check later successful paths and the quiet condition under changed data. Label each test with the catalogue it actually uses.

Explain why T1's result on 9 Yes is a regression but S0's result on 8 No is an existing defect. State the required result in each case and the instruction that explains the mistake. If S1 passes both, what further evidence should you keep before making a broader claim?

Practise with less help: Check the repair and earlier behaviour

Use workbook W2 for the connected example “Improving and checking regressions”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Improving and checking regressions. Proposed explanation: “One repaired example proves improvement everywhere”. Decide whether this explanation is supported. Point to the step

or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Explain why “our repaired version now picks something” is not enough to show success at 6.

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

One-Cause Improvement Cycle

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Revise one rule or input and rerun the same tests.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define root cause.

EXPLAIN An improvement should target evidence from a failure, not random change.

TRACE Show the input, process, and output.

DIAGNOSE Repair: Any change after a failure counts as improvement.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Create sorter version 2 with one evidence-linked change and a before/after test table.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN A higher pass count can hide a serious new failure; review every changed outcome.

My project decision:

Evidence for your project


Maintain sorter regression tests and compare complete version traces, retaining new failures rather than hiding them.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



REQUIRED PROOF Revise one rule or input based on a failure and rerun the identical tests, reporting gains and regressions.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.

☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK Name the evidence, suspected cause, single change, and predicted effect before editing. Rerun the full fixed suite, compare case by case, and keep the change only if benefits outweigh new failures.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Expo and Defense.

13. Study a complete case

Week 35 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

The team changes lighting, labels and rules together; errors fall from four to one.

The question

Can it identify the cause of improvement?

Worked explanation

No. Several factors changed. Compare one planned change at a time with controlled conditions.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

A fair comparison changes one cause

Evidence or stage · Value or result

Evidence or stage: Before

Value or result: Four errors under recorded conditions

Evidence or stage: Confounded revision

Value or result: Lighting, labels and rules all changed

Evidence or stage: Controlled revision

Value or result: Change one planned factor and retest

The team changes lighting, labels and rules together; errors fall from four to one.

Can it identify the cause of improvement?

No. Several factors changed. Compare one planned change at a time with controlled conditions.

14. Try a new case independently

Independent case: Audit a different proposed repair

Equipment catalogue E lists E1 first with capacity 4 and E2 second with capacity 8. Valid whole group sizes are 1 to 10. Choose the first capacity at least the group size, or no match; invalid input needs clarification. Old U0 uses strictly greater capacity and stops at the first fit. Proposed U1 includes equality but keeps searching and returns the last fit. Independently compare U0, U1 and the requirement for groups 8 and 3. Identify the repair and regression, propose U2 and give one validation check. No booking occurs.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 35 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Dim photos fail. You change the lighting and all decision rules together; performance improves. Can you tell which change helped? Design a clearer comparison.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Create sorter version 2 with one evidence-linked change and a before/after test table.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Version A makes four errors. Version B makes one after lighting, labels and rules all change. What can you conclude, and how would you isolate the effect of lighting?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional quiet-activity chooser has a boundary bug and a proposed repair.

By the end, I can · How I will show it

By the end, I can: Repair a located defect without changing the agreed requirements

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Check the repaired case and earlier successful behaviour

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Preserve versioned evidence and fix a candidate before final evaluation

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Repair a located defect without changing the agreed requirements

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional quiet-activity chooser has a boundary bug and a proposed repair.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? U1 selects noisy B at 6; fixing equality introduced a new failure.

1. Bad revision
2. Regression case
3. Expected repair
4. Boundary failure

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Bad revision U1 selects noisy B at 6; fixing equality introduced a new failure. A repair must preserve the full contract, not just make one failing example pass. The quiet condition and duration comparison are separate requirements. Changing only the inequality targets the recorded cause; removing the quiet check changes another behavior. Save previously passing cases to reveal such regressions.

Practice 2: explain the deciding evidence

Changed-case practice: Use U2, which changes $<$ to $\leq$ and keeps the quiet check. Which conclusion is supported by the supplied facts?

1. At 8 return A; at 6 return none.
2. This one example guarantees correct results for every future input.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: At 8 return A; at 6 return none. Equality is repaired while B remains ineligible because it is noisy.

Repair a missing building block

Review Test Edge Cases and Fairness (ai-1/34). Goal: Choose tests just below, at and above a decision boundary. Short practice: Which single boundary run most directly detects the strict-comparison bug, and why?. Return to this week and explain what you changed.

Review Build a Paper Prototype (ai-1/32). Goal: Build a runnable paper prototype with explicit instructions and visible state. Short practice: What should appear in the test log before and after the repair?. Return to this week and explain what you changed.

Review Find a Real Problem (ai-1/29). Goal: Describe a specific user difficulty using supplied evidence without inventing its cause. Short practice: Write a one-sentence project goal and say what evidence would count as a failure.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.