

Requests Responses and JSON

Project: Verified Study Buddy

1. Your mission

Your learning target

I can parse JSON into Python records.

I can validate data after parsing.

I can document input and output contracts.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Tools and APIs. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from User Need and AI Contribution. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Verify Numbers and Dates. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Week 22: Requests, Responses, and JSON

Clear interfaces specify fields, types, errors, and ownership.



CREATOR MISSION

Validate sample request/response objects.

Creator name and date:

Write or draw your reasoning and evidence.

Readiness for the connected explanation

Why is reading text different from validating it?

This week's end goal

By the end, I can explain requests responses and json using a traced example and a stated limitation.

2. Notice the evidence

PICTURE STORY

Notice → Predict → Explain

Begin with visible evidence. Do not explain more than the picture and information support.



MYSTERY

The learners must use requests, responses, and json to solve a problem. What information do they have? What decision or calculation do they make? What would count as evidence that it worked?

Three observations (what you can point to):

Write or draw your reasoning and evidence.

My prediction and the clue supporting it:

Write or draw your reasoning and evidence.

A closer explanation


A fictional activity service supplies JSON text. The input contract is a JSON object with name text and minutes an integer from 0 through 60. The output contract will be a record with accepted and minutes fields. Parsing valid JSON is only the first step.

3. See how it works

VISUAL MECHANISM

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.



↓



SYSTEM

Clear interfaces specify fields, types, errors, and ownership.





EVIDENCE

Validate sample request/response objects.

Which stage could fail even when the other two are correct? Explain:

Write or draw your reasoning and evidence.

A closer explanation

```
import json

text = '{"name": "Sketch", "minutes": 12}'

record = json.loads(text)

valid = (type(record) is dict
        and type(record.get("name")) is str
        and len(record["name"]) > 0
        and type(record.get("minutes")) is int
        and 0 <= record["minutes"] <= 60)

result = {"accepted": valid, "minutes": record.get("minutes")}

print(json.dumps(result))
```

Follow the evidence

Step or case · Evidence · Meaning

Step or case: Input text

Evidence: JSON object

Meaning: Parse with `json.loads`

Step or case: Python value

Evidence: Dictionary fields

Meaning: Check schema

Step or case: Output text

Evidence: `accepted` and `minutes`

Meaning: Serialize with `json.dumps`

Read each row from left to right and connect the evidence to the stated rule.

The output is `{"accepted": true, "minutes": 12}`. JSON uses lowercase `true`, `false` and `null`; Python uses `True`, `False` and `None`. `json.loads` converts between representations. The worked output line assumes the

parsed top-level value is a dictionary; a robust interface must reject other top-level types before accessing fields.

Check the envelope before its fields

JSON is a text format for exchanging values. Parsing asks whether the text follows that format. Schema checking asks whether the parsed value has the structure and values your task requires. Start by checking that the whole value is an object, represented here by a Python dictionary. Only then look up name and minutes. A valid JSON list is still the wrong top-level structure for this contract. Syntax success and acceptance are separate decisions.

Connect the picture and the explanation


Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

CASE GALLERY

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.





AMBIGUOUS

Two plausible meanings

NORMAL CASE: predict and name evidence. BOUNDARY CASE: predict and name evidence.



MISSING SOURCE

Evidence unavailable



MISSING INFORMATION: predict and name evidence. TRANSFER CASE: predict and name evidence.

Which case is most likely to reveal a hidden assumption? Why?

Write or draw your reasoning and evidence.

Change one thing in the pictured case

Change: Replace 12 with the text "12".

Prediction: Reject the response under this strict contract.

Reason: Digits inside quotes represent text, whereas portions requires an integer.

5. Words that unlock the idea

VOCABULARY LAB

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

1

REQUEST

structured message asking
for an operation

2

RESPONSE

structured returned result

3

JSON OBJECT

named key-value structure

4

STATUS

machine-readable success
or error state

Word · My own example · Not this / boundary

Word: request

My own example: A message asking a system to return information or perform an action.

Not this / boundary: _____

Word: response

My own example: The information or status returned after a request.

Not this / boundary: _____

Word: JSON object

My own example: A collection of named fields and values written using JSON syntax, such as {"pages":80}.

Not this / boundary: _____

Word: status

My own example: A reported condition of a request or process, such as success, pending or error.

Not this / boundary: _____

Words used in the closer explanation

Word · Meaning

Word: JSON

Meaning: A text format for structured values

Word: Parsing

Meaning: Converting formatted text into program values

Word: Interface

Meaning: The agreed way one part of a system exchanges data with another

Word: Contract

Meaning: Specified inputs, outputs and error behavior

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

WEEK 22 • WORKED EVIDENCE

- 1 Request requires question:text and source_ids:list.
- 2 Response requires answer:text, citations:list, status:text.
- 3 Missing citations or wrong source_ids type fails validation.
- 4 Error response should state code, message, and safe next step.

1. Request requires question:text and source_ids:list.
2. Response requires answer:text, citations:list, status:text.
3. Missing citations or wrong source_ids type fails validation.
4. Error response should state code, message, and safe next step.

Recalculate, retrace, or restate the reasoning in your own representation:

Write or draw your reasoning and evidence.

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

A closer explanation

JSON text contains {"name": "Sketch", "minutes": "12"}. Does parsing fail, or does validation fail?

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Requests Responses and JSON

A lunch-count response must satisfy a declared JSON contract.

The facts we will use

The toy response has exactly class_code text and portions integer 0..30. Example:
`{"class_code": "R8", "portions": 12}`.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Requests Responses and JSON

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Read fields

class_code is nonempty text; portions is the integer 12.



2. Check range

$0 \leq 12 \leq 30$, so the declared count is within range.



3. Accept structure

Accept this response shape; acceptance does not prove that 12 portions were actually counted.

CHANGE ONE THING

Replace 12 with the text "12".

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Read fields

What happens and why: class_code is nonempty text; portions is the integer 12.

Step: 2. Check range

What happens and why: $0 \leq 12 \leq 30$, so the declared count is within range.

Step: 3. Accept structure

What happens and why: Accept this response shape; acceptance does not prove that 12 portions were actually counted.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Accept this response shape; acceptance does not prove that 12 portions were actually counted. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

JSON well-formedness, schema validity and real-world truth are different checks.

Read the labelled picture: Would converting the text silently prove the source count is correct? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: Replace 12 with the text "12". Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, wrong step, or weak evidence.



COMPARE • DIAGNOSE

Weak idea: Valid JSON syntax proves the values are meaningful and safe. Strong move: inspect the claim, source, stage, schema, or test evidence; repair one cause; rerun.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: works

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: stated rule

Actual: _____

Likely cause / next test: _____

Evidence record: missing input

Expected: safe response

Actual: _____

Likely cause / next test: _____

Evidence record: fresh transfer

Expected: generalizes

Actual: _____

Likely cause / next test: _____

Repair one cause. Why is this repair better than changing several things?

Write or draw your reasoning and evidence.

A closer explanation

An interface should state what happens for malformed text, wrong structure and invalid values. Do not expose raw private input in error messages. Use only the fictional records supplied for practice.

A JSON record parses successfully. Does that prove its observation is correct?

8. Practise together

LOGIC STUDIO

Specify Before You Run

Prompts, schemas, retrieval, tool calls, and code are inspectable parts of one AI product.



SPECIFY THE SYSTEM

Define task, trusted context, constraints, schema, tools, checks, fallback, and stopping rule before trusting output.

SET task, audience, constraints, output_schema LOAD approved_context or retrieval_result CALL model or allowed_tool VALIDATE fields, claims, citations, and safety IF evidence missing: ask, retrieve, or abstain RETURN useful output + source trail + limitations

Trace one input. Which line changes the state or chooses a path?

Write or draw your reasoning and evidence.

A closer explanation

Single quotes around property names are not valid JSON syntax. Use double quotes in the JSON text. If the whole parsed value is a list, do not call `.get` on it: check the top-level type first and report a schema failure.

Practise with less help: Separate failures

Use workbook W2 for the connected example “JSON and interface contracts”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for JSON and interface contracts. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Would converting the text silently prove the source count is correct? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.



PREDICT → RUN → VERIFY → EXPLAIN

Inspect eight objects for syntax, required fields, types, allowed values, and source ownership; repair without inventing data.

Inspect eight objects for syntax, required fields, types, allowed values, and source ownership; repair without inventing data.

Test / input · Prediction · Actual · Evidence / calculation · Change or keep?

Test / input: normal

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: boundary

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: missing

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: fresh transfer

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

What did the hardest test teach you that the normal test did not?

Write or draw your reasoning and evidence.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the worked example.



CREATOR MASTERY

1 Define • 2 Trace • 3 Build • 4 Evaluate • 5 Verify • 6 Defend limits

- 1 • NAME: Define the concept without repeating the textbook.
 - 2 • TRACE: Show the information, state, branch, calculation, or evidence path.
 - 3 • APPLY: Solve a different example independently.
 - 4 • CHALLENGE: Find a boundary case, counterexample, or unfair outcome.
 - 5 • EXPLAIN LIMITS: Say when the result should not be trusted or used alone.
- My strongest evidence of independent understanding:

Write or draw your reasoning and evidence.

11. Connect your project

CUMULATIVE PROJECT

Verified Study Buddy

Every week adds one inspectable piece. The system must show how it reached a result.



VERIFIED STUDY BUDDY

Use a stable request/response contract between interface, retriever, model, and verifier.

THIS WEEK'S CHECKPOINT Use a stable request/response contract between interface, retriever, model, and verifier.

SYSTEM MAP Learner need → prompt/schema → approved sources/retrieval → model/tool → structured answer → verification → human decision

What will you add, change, or verify in the project this week?

Write or draw your reasoning and evidence.

What should remain under human control?

Write or draw your reasoning and evidence.

RESPONSIBLE DESIGN Collect only necessary information. Show uncertainty and limits. Never confuse fluent output with verified truth.

Evidence for your project

For your Verified Study Buddy, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT MASTERY PROOF

Explain • Transfer • Test • Defend

Complete this page without copying the worked example. Your reasoning matters more than decoration.



INDEPENDENT CREATOR PROOF

Validate sample request/response objects.

CHALLENGE Validate sample request/response objects.

1. My fresh example, trace, calculation, or design:

Write or draw your reasoning and evidence.

2. My evidence that it works (include a boundary or missing-data case):

Write or draw your reasoning and evidence.

3. One limitation, fairness concern, or situation needing human review:

Write or draw your reasoning and evidence.

SELF-CHECK ☐ I explained the mechanism ☐ I used evidence ☐ I tested a fresh case ☐ I named a limitation ☐ I can answer 'why?'

13. Study a complete case

Week 22 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Request is for B7; response is {"id":"B7","pages":120}. Another response has malformed JSON.

The question

What checks precede use?

Worked explanation

Request success, JSON validity, matching id, required fields and numeric type. Handle malformed responses explicitly.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Validate the API response before using it

Evidence or stage · Value or result

Evidence or stage: Request success

Value or result: Handle failure explicitly

Evidence or stage: JSON syntax

Value or result: Reject malformed data

Evidence or stage: Identity

Value or result: id must match B7

Evidence or stage: Field type

Value or result: pages must be numeric 120

Request is for B7; response is {"id":"B7","pages":120}. Another response has malformed JSON.

What checks precede use?

Request success, JSON validity, matching id, required fields and numeric type. Handle malformed responses explicitly.

14. Try a new case independently

Independent case: Specify independently

Define a JSON contract for {"label": "Box", "count": 4}: nonempty text label, integer count 0 through 10. Give a valid case, a wrong-type case and a missing-field case with expected acceptance.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 22 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

An API returns `{"ok":false,"error":"not_found"}`. Your app tries to display `response.title`. What should it do instead?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Use a stable request/response contract between interface, retriever, model, and verifier.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Request id=7 returns status=200 and {"id":8,"pages":90}. Explain why a successful status is insufficient and specify the handling.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A lunch-count response must satisfy a declared JSON contract.

By the end, I can · How I will show it

By the end, I can: Parse JSON into Python records

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Validate data after parsing

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Document input and output contracts

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Parse JSON into Python records

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A lunch-count response must satisfy a declared JSON contract.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Accept this response shape; acceptance does not prove that 12 portions were actually counted.

1. Accept structure
2. Read fields
3. Check range

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Accept structure Accept this response shape; acceptance does not prove that 12 portions were actually counted. Read the picture in order. Accept this response shape; acceptance does not prove that 12 portions were actually counted. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: Replace 12 with the text "12". Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future input.
2. We can decide the result without examining the changed input or the procedure.
3. Reject the response under this strict contract.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Reject the response under this strict contract. Digits inside quotes represent text, whereas portions requires an integer.

Repair a missing building block

Review Tools and APIs (ai-3/21). Goal: Explain the mechanism and terminology of tools and api contracts. Short practice: Does a valid C7 ID permit the extra lending action? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review User Need and AI Contribution (ai-3/19). Goal: Explain the mechanism and terminology of capstone requirements and corpus. Short practice: What non-AI baseline would reveal whether this helper adds value? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Verify Numbers and Dates (ai-3/16). Goal: Explain the mechanism and terminology of claim support and citation evaluation. Short practice: Which part can be corrected immediately from existing evidence, and which needs follow-up?. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual output or error, change one input, then run again. Keep code, predictions, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.