

Confusion Matrix

Project: Responsible Plant Classifier

1. Your mission

Your learning target

I can build a labelled confusion matrix from matched reference and prediction pairs.

I can distinguish false positives from false negatives using a declared positive class.

I can check matrix totals and explain why equal accuracy can hide different errors.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Scores and Calibration Intuition. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Nearest Neighbors. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Dataset Cards. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

A confusion matrix separates true positives, false positives, false negatives, and true negatives so error types remain visible.



LEARNING TARGET Positive=spotted. TP=6,FN=2,FP=3,TN=9. Draw a matrix with actual labels in rows and predictions in columns. Compute total and accuracy.

Builder name and experiment date:

Readiness for the connected explanation

Why should a reproducible run save predictions linked to example IDs rather than only an accuracy score?

This week's end goal

By the end, I can explain confusion matrix using a traced example and a stated limitation.

2. Notice the evidence

PICTURE ENTRY

Notice → **Predict** → **Explain**

Begin with visible evidence; do not explain more than the picture and information support.



MYSTERY The team must use confusion matrix to solve a model-building problem. What information do they have? What important evidence is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what evidence would confirm or reject your prediction.

My prediction and supporting evidence:

A closer explanation

A confusion matrix shows which labels a classifier mixes up. It counts examples after predictions are made; it does not fit or repair the classifier. Week 12 had reference/prediction pairs clear/clear, blocked/blocked, clear/blocked. A labelled table can preserve the type of that error as well as the total score.

This week uses eight new fictional evaluation records from a frozen classifier. They are not extra predictions from the Week 12 code. Each ID appears once with a reviewed reference and one prediction. The grouped table below lists every ID. Keep reference and prediction paired by ID before counting.

Evaluation IDs · Reference · Prediction

Evaluation IDs: V1 V2

Reference: clear

Prediction: clear

Evaluation IDs: V3

Reference: clear

Prediction: blocked

Evaluation IDs: V4 V5

Reference: blocked

Prediction: clear

Evaluation IDs: V6 V7 V8

Reference: blocked

Prediction: blocked

Use reference labels for rows and predicted labels for columns. On both axes the order is clear, then blocked. Declare blocked as the positive class and clear as negative. Positive means the condition of interest, not good or safe. A missed blocked case and a false alarm are different errors.

3. See how it works

ML MECHANISM

Input → **Model** → **Evidence**

Trace the information, fitted behavior, and evaluation proof separately.



IN

INPUT

Construct all four cells from twenty predictions and verify the total.



ML

MODEL

A confusion matrix separates true positives, false positives, false negatives, and true negatives so error types remain visible.

OUT

EVIDENCE

Construct all four cells from twenty predictions and verify the total.

QUESTION Construct all four cells from twenty predictions and verify the total.

MODEL IDEA A confusion matrix separates true positives, false positives, false negatives, and true negatives so error types remain visible.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD For spotted=positive: TP=6, FP=3, FN=2, TN=9. Check total: $6 + 3 + 2 + 9 = 20$ cases.

Draw a fresh data → model → prediction → evaluation trace:

A closer explanation

```
pairs = [("V1", "clear", "clear"),
         ("V2", "clear", "clear"),
         ("V3", "clear", "blocked"),
         ("V4", "blocked", "clear"),
         ("V5", "blocked", "clear"),
         ("V6", "blocked", "blocked"),
         ("V7", "blocked", "blocked"),
         ("V8", "blocked", "blocked")]

labels = ["clear", "blocked"]

index = {label: i for i, label in enumerate(labels)}

counts = [[0, 0], [0, 0]]
```

```

for item_id, reference, prediction in pairs:

    counts[index[reference]][index[prediction]] += 1

print(counts)

correct = counts[0][0] + counts[1][1]

print(correct, len(pairs))

```

index maps clear to 0 and blocked to 1. Each paired record adds one to its reference row and prediction column. The script prints `[[2, 1], [2, 3]]` then 5 8. It assumes unique IDs and only these two labels. Check IDs and missing or unresolved references before counting; the code does not validate all those conditions.

Reference rows · Predicted clear · Predicted blocked

Reference rows: Reference clear

Predicted clear: 2

Predicted blocked: 1

Reference rows: Reference blocked

Predicted clear: 2

Predicted blocked: 3

The diagonal cells count correct predictions: $2+3=5$. Off-diagonal cells count mistakes: $1+2=3$. Every record must contribute exactly once. This is a count matrix, not percentages or probabilities. Keep the axis labels even when copying the numbers.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

EVALUATION DESIGN

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.



NORMAL CASE

Expected data from the intended setting



BOUNDARY CASE

Value near a threshold or class boundary



MISSING CASE

Unknown field, label, or necessary evidence



SHIFTED CASE

New subgroup, device, condition, or time

NORMAL Expected data and expected behavior.

BOUNDARY Value close to a threshold, ambiguous label, or uncertain prediction.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change: A review corrects one missed spotted leaf, moving it from FN to TP.

Prediction: Counts become TP 5, FN 0, FP 3, TN 12; accuracy is $17/20=85\%$.

Reason: One decision becomes correct while the total number of evaluated leaves remains 20.

5. Words that unlock the idea

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.



2

FALSE POSITIVE

negative case predicted
positive

3

FALSE NEGATIVE

positive case predicted
negative

4

TRUE NEGATIVE

negative case predicted
negative

Term · Precise meaning · My ML example

Term: true positive

Precise meaning: positive case predicted positive

My ML example: _____

Term: false positive

Precise meaning: negative case predicted positive

My ML example: _____

Term: false negative

Precise meaning: positive case predicted negative

My ML example: _____

Term: true negative

Precise meaning: negative case predicted negative

My ML example: _____

MISCONCEPTION TO REPAIR The diagonal alone tells everything important about a classifier.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word · Meaning

Word: Confusion matrix

Meaning: A table counting reference and prediction combinations

Word: Positive class

Meaning: The class chosen as the condition of interest

Word: False positive

Meaning: A positive prediction when the reference is negative

Word: False negative

Meaning: A negative prediction when the reference is positive

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

WEEK 15 • WORKED EVIDENCE

- 1 For spotted=positive: TP=6, FP=3, FN=2, TN=9.
- 2 Check total: $6 + 3 + 2 + 9 = 20$ cases.
- 3 Correct predictions = TP + TN = 15; accuracy = $15 \div 20 = 75\%$.
- 4 Inspect false alarms and misses separately before choosing an improvement.

STEP 1 For spotted=positive: TP=6, FP=3, FN=2, TN=9.

STEP 2 Check total: $6 + 3 + 2 + 9 = 20$ cases.

STEP 3 Correct predictions = TP + TN = 15; accuracy = $15 \div 20 = 75\%$.

STEP 4 Inspect false alarms and misses separately before choosing an improvement.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

A closer explanation

Blocked is the positive class

Reference and prediction · Cell name · IDs and count

Reference and prediction: clear then clear

Cell name: True negative TN

IDs and count: V1 V2 count 2

Reference and prediction: clear then blocked

Cell name: False positive FP

IDs and count: V3 count 1

Reference and prediction: blocked then clear

Cell name: False negative FN

IDs and count: V4 V5 count 2

Reference and prediction: blocked then blocked

Cell name: True positive TP

IDs and count: V6 V7 V8 count 3

Read reference first and prediction second. Here a false positive is a false blocked alarm; a false negative is a missed blocked case.

Place V3 and V4 in the matrix. Explain which is a false positive and which is a false negative when blocked is positive.

True means prediction agrees with the reference. It does not prove that the reference annotation is infallible. Resolve disputed labels with the documented review policy rather than silently changing them to match predictions.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Confusion Matrix

Read the confusion matrix as four distinct stories about a plant decision.

The facts we will use

Positive means spotted. Toy results: TP=4, FN=1, FP=3, TN=12. Rows are actual spotted/healthy; columns predicted spotted/healthy.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Positive means spotted

	predicted spotted	predicted healthy
actual spotted	4	1
actual healthy	3	12

Read a cell using both its row and column labels.

Confusion Matrix

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Fill actual spotted row

Actual spotted: [4, 1]. Four caught; one missed.



2. Fill actual healthy row

Actual healthy: [3, 12]. Three false alarms; twelve correctly clear.



3. Compute accuracy

Correct=4+12=16 of total 20, giving 80%.

CHANGE ONE THING

A review corrects one missed spotted leaf, moving it from FN to TP.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Fill actual spotted row

What happens and why: Actual spotted: [4, 1]. Four caught; one missed.

Step: 2. Fill actual healthy row

What happens and why: Actual healthy: [3, 12]. Three false alarms; twelve correctly clear.

Step: 3. Compute accuracy

What happens and why: $\text{Correct} = 4 + 12 = 16$ of total 20, giving 80%.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. $\text{Correct} = 4 + 12 = 16$ of total 20, giving 80%. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

The matrix depends on positive-class definition and reference labels. Accuracy alone hides the difference between misses and false alarms.

Read the labelled picture: Why is adding TP alone without reducing FN an incorrect revision? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: A review corrects one missed spotted leaf, moving it from FN to TP. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → **Diagnose** → **Repair**

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.



COMPARE • DIAGNOSE • REPAIR

Tempting claim: The diagonal alone tells everything important about a classifier. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: passes

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: defined behavior

Actual: _____

Likely cause / next test: _____

Evidence record: missing case

Expected: safe fallback

Actual: _____

Likely cause / next test: _____

Evidence record: shifted case

Expected: measured limit

Actual: _____

Likely cause / next test: _____

CLAIM TO CHALLENGE The diagonal alone tells everything important about a classifier.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

Always report the evaluated split, number of records, reference and prediction axes, label order and positive class. Reversing the axis order changes positions, not the underlying outcomes. Transposing rows and columns swaps the two kinds of error unless the labels are corrected. Read the headers before interpreting a diagram from another source.

A zero cell means no such event in this evaluated set, not that it is impossible. A confusion matrix does not show the cause of errors, label quality or performance on future data. Keep the ID-level records for investigation. Next week examines accuracy when class counts are unequal.

Two classifiers have accuracy $5/8$. One misses two blocked records and the other misses three. Explain how both statements can be true and what must accompany their matrices for a fair comparison.

8. Practise together

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



FREEZE THE EXPERIMENT

Record question, intended use, data version, grouped split, preprocessing, features, model settings, seed, metric, predictions, errors, subgroup results, and human review before claiming improvement.

Experiment record

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/preprocessing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

Row totals are 3 reference-clear and 5 reference-blocked. Column totals are 4 predicted-clear and 4 predicted-blocked. All four cells sum to 8. Accuracy is the diagonal total divided by the total: $5/8$, or 62.5 percent. The Week 12 three-record matrix was $[[1,1],[0,1]]$ in this same axis order, giving $2/3$.

Another classifier on these same eight reference-labelled records could have matrix $[[3,0],[3,2]]$. It also gets $5/8$ correct, but has zero false positives and three false negatives. Our worked classifier has one false positive and two false negatives. Equal accuracy does not settle which error pattern is preferable; consider the task and evidence before choosing.

Practise with less help: Explain the two error types

Use workbook W2 for the connected example “Confusion matrices”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Confusion matrices. Proposed explanation: “Positive means good”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Why is adding TP alone without reducing FN an incorrect revision? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Matrix Build: convert twenty actual/predicted pairs into four cells, recompute totals, and explain each error in plain language.

1. Write the hypothesis and expected evidence before running.
2. Matrix Build: convert twenty actual/predicted pairs into four cells, recompute totals, and explain each error in plain language.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

Case: Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the example.



ML BUILDER MASTERY

1 Define • 2 Calculate • 3 Trace code • 4 Run experiment • 5 Diagnose errors • 6 Improve one cause • 7 Defend limits

DEFINE Use all four terms precisely: true positive, false positive, false negative, true negative.

CALCULATE Reproduce the worked evidence with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE The diagonal alone tells everything important about a classifier.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed evidence.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

11. Connect your project

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same evidence-based capstone.



RESPONSIBLE PLANT CLASSIFIER

Publish the Plant Classifier confusion matrix with positive-class definition, counts, denominator, and test-set version.

THIS WEEK'S CHECKPOINT Publish the Plant Classifier confusion matrix with positive-class definition, counts, denominator, and test-set version.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My evidence-linked project decision:

Evidence for your project


For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



INDEPENDENT ML BUILDER PROOF

Construct all four cells from twenty predictions and verify the total.

REQUIRED PROOF Construct all four cells from twenty predictions and verify the total.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent evidence and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

NEXT BRIDGE Carry the experiment evidence into: Accuracy and Imbalance.

13. Study a complete case

Week 15 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Positive is spotted. TP=8, FP=2, FN=4, TN=6.

The question

Build actual-row/predicted-column matrix and total.

Worked explanation

Actual spotted row is 8 spotted,4 healthy; actual healthy row is 2 spotted,6 healthy. Total=20; correct=14.
State axes and positive class.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Actual rows, predicted columns

Evidence or stage · Value or result

Evidence or stage: True positive

Value or result: 8

Evidence or stage: False negative

Value or result: 4

Evidence or stage: False positive

Value or result: 2

Evidence or stage: True negative

Value or result: 6

Positive is spotted. TP=8, FP=2, FN=4, TN=6.

Build actual-row/predicted-column matrix and total.

Actual spotted row is 8 spotted,4 healthy; actual healthy row is 2 spotted,6 healthy. Total=20; correct=14.
State axes and positive class.

14. Try a new case independently

Independent case: Changed independent case

On20 cases: true positives5, false negatives4, false positives2, true negatives9. Build the confusion matrix with actual class as rows and predicted class as columns. Compute accuracy.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 15 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Treat fern as positive. Counts are TP=6, FP=2, FN=3 and TN=9. How many examples and how many correct predictions are there?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Publish the Plant Classifier confusion matrix with positive-class definition, counts, denominator, and test-set version.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Positive=spotted. TP=6, FN=2, FP=3, TN=9. Draw a matrix with actual labels in rows and predictions in columns. Compute total and accuracy.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Read the confusion matrix as four distinct stories about a plant decision.

By the end, I can · How I will show it

By the end, I can: Build a labelled confusion matrix from matched reference and prediction pairs

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Distinguish false positives from false negatives using a declared positive class

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Check matrix totals and explain why equal accuracy can hide different errors

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Build a labelled confusion matrix from matched reference and prediction pairs

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Read the confusion matrix as four distinct stories about a plant decision.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? $\text{Correct}=4+12=16$ of total 20, giving 80%.

- 1. Compute accuracy
- 2. Fill actual spotted row
- 3. Fill actual healthy row

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Compute accuracy $\text{Correct}=4+12=16$ of total 20, giving 80%. Read the picture in order. $\text{Correct}=4+12=16$ of total 20, giving 80%. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: A review corrects one missed spotted leaf, moving it from FN to TP. Which conclusion is supported by the supplied facts?

1. Counts become TP 5, FN 0, FP 3, TN 12; accuracy is $17/20=85\%$.
2. This one example guarantees correct results for every future input.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Counts become TP 5, FN 0, FP 3, TN 12; accuracy is $17/20=85\%$. One decision becomes correct while the total number of evaluated leaves remains 20.

Repair a missing building block

Review Scores and Calibration Intuition (ai-4/14). Goal: Interpret calibration using groups of forecasts.

Short practice: Does a calibrated 0.8 score mean every such leaf is spotted? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Nearest Neighbors (ai-4/12). Goal: Compute absolute distances and rank training neighbours.

Short practice: Why is the $k=1$ outcome at length 5 not uniquely determined without a tie rule? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Dataset Cards (ai-4/9). Goal: Inspect row meaning missing values and repeated records.

Short practice: What two counts should the revised card show? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual output or error, change one input, then run again. Keep code, predictions, actual

results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.