

Accuracy and Imbalance

Project: Responsible Plant Classifier

1. Your mission

Your learning target

I can explain why overall accuracy can hide failure on a less common class.

I can compare a training-majority baseline with class-specific results.

I can calculate an equal-class average and report its limits alongside the confusion matrix.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Confusion Matrix. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Train a Classifier. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Baselines First. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Accuracy can be dominated by a common class and hide failure on a rare but important class.



LEARNING TARGET Model A is always healthy on 96 healthy and 4 spotted leaves. Model B finds 3 spotted but falsely flags 5 healthy. Compare accuracy and spotted detection.

Builder name and experiment date:

Readiness for the connected explanation

With reference rows and prediction columns ordered clear then blocked, where are false negatives when blocked is positive?

This week's end goal

By the end, I can explain accuracy and imbalance using a traced example and a stated limitation.

2. Notice the evidence

PICTURE ENTRY

Notice → Predict → Explain

Begin with visible evidence; do not explain more than the picture and information support.



MYSTERY The team must use accuracy and imbalance to solve a model-building problem. What information do they have? What important evidence is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what evidence would confirm or reject your prediction.

My prediction and supporting evidence:

A closer explanation

Accuracy counts all correct predictions and divides by all evaluated examples. Each example has equal weight, so a common class contributes more to the score. A high result can hide failure on a rare class. This week keeps the confusion matrix visible and checks both classes separately.

New fictional training data has 16 clear and 4 blocked labels. Its majority baseline predicts clear for every query; choose that rule from training, not evaluation labels. A separate evaluation set also contains 16 clear and 4 blocked cases. A frozen candidate and the baseline are evaluated on the same 20 records.

Method and reference row · Predicted clear · Predicted blocked

Method and reference row: Baseline reference clear

Predicted clear: 16

Predicted blocked: 0

Method and reference row: Baseline reference blocked

Predicted clear: 4

Predicted blocked: 0

Method and reference row: Candidate reference clear

Predicted clear: 12

Predicted blocked: 4

Method and reference row: Candidate reference blocked

Predicted clear: 0

Predicted blocked: 4

Rows are references and columns are predictions, ordered clear then blocked. Blocked is positive. Both methods get $16/20=80$ percent accuracy. The baseline misses all four blocked cases. The candidate finds all four but falsely flags four clear cases. The same score conceals a different tradeoff.

3. See how it works

ML MECHANISM

Input → **Model** → **Evidence**

Trace the information, fitted behavior, and evaluation proof separately.



IN

INPUT


Compare trivial accuracy with minority-class recall.



ML

MODEL

Accuracy can be dominated by a common class and hide failure on a rare but important class.



OUT

EVIDENCE

Compare trivial accuracy
with minority-class recall.

QUESTION Compare trivial accuracy with minority-class recall.

MODEL IDEA Accuracy can be dominated by a common class and hide failure on a rare but important class.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Test set has 95 healthy and 5 diseased leaves. Always predicting healthy gives $95 \div 100 = 95\%$ accuracy.

Draw a fresh data → model → prediction → evaluation trace:

A closer explanation

```
def scores(counts):  
    clear_n = sum(counts[0])  
    blocked_n = sum(counts[1])  
    if clear_n == 0 or blocked_n == 0:  
        raise ValueError("Need evaluation examples of both classes")  
    correct = counts[0][0] + counts[1][1]  
    accuracy = correct / (clear_n + blocked_n)  
    clear_fraction = counts[0][0] / clear_n  
    blocked_fraction = counts[1][1] / blocked_n  
    balanced = (clear_fraction + blocked_fraction) / 2  
    return accuracy, balanced
```

```
baseline = [[16, 0], [4, 0]]
candidate = [[12, 4], [0, 4]]

for name, counts in [("baseline", baseline), ("candidate", candidate)]:
    accuracy, balanced = scores(counts)

    print(name, round(100 * accuracy, 1), round(100 * balanced, 1))
```

The output is baseline 80.0 50.0, then candidate 80.0 87.5. In each output line the first percentage is ordinary accuracy and the second is balanced accuracy. For the candidate, the clear-class correct fraction is $12/16=75$ percent and the blocked-class fraction is $4/4=100$ percent. Their equal average is 87.5 percent.

For the baseline, those fractions are $16/16=100$ percent and $0/4=0$ percent, averaging 50 percent. The code assumes a two-by-two table of nonnegative integer counts in the stated order. It stops when either reference class is absent. Then report the observed counts and the unavailable class result; do not invent a denominator or silently substitute zero.

Connect the picture and the explanation


Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

EVALUATION DESIGN

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.






BOUNDARY CASE

Value near a threshold or class boundary



MISSING CASE

Unknown field, label, or necessary evidence



NORMAL Expected data and expected behavior.

BOUNDARY Value close to a threshold, ambiguous label, or uncertain prediction.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change: The candidate's three false alarms are corrected without changing its detections.

Prediction: Candidate accuracy becomes 20/20 with spotted recall still 100% in this toy set.

Reason: False alarms move from FP to TN; neither TP nor FN changes.

5. Words that unlock the idea

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.

1

ACCURACY

correct predictions divided
by all predictions

2

CLASS IMBALANCE

classes occur in very
different amounts

3

MINORITY CLASS

less frequent target class

4

RECALL

fraction of actual positives
found

Term · Precise meaning · My ML example

Term: accuracy

Precise meaning: correct predictions divided by all predictions

My ML example: _____

Term: class imbalance

Precise meaning: classes occur in very different amounts

My ML example: _____

Term: minority class

Precise meaning: less frequent target class

My ML example: _____

Term: recall

Precise meaning: fraction of actual positives found

My ML example: _____

MISCONCEPTION TO REPAIR A classifier with 95% accuracy is excellent in every practical situation.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word · Meaning

Word: Class imbalance

Meaning: Unequal numbers of examples in different classes

Word: Majority baseline

Meaning: A rule that always predicts the most common training label

Word: Class-specific correct fraction

Meaning: Correct predictions for one reference class divided by the number of examples of that class

Word: Balanced accuracy

Meaning: The average of the class-specific correct fractions with equal weight for each class

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

WEEK 16 • WORKED EVIDENCE

- 1 Test set has 95 healthy and 5 diseased leaves.
- 2 Always predicting healthy gives $95 \div 100 = 95\%$ accuracy.
- 3 It finds 0 of 5 diseased leaves, so diseased recall = 0%.
- 4 Report class counts and recall; redesign data or use only where misses are acceptable.

STEP 1 Test set has 95 healthy and 5 diseased leaves.

STEP 2 Always predicting healthy gives $95 \div 100 = 95\%$ accuracy.

STEP 3 It finds 0 of 5 diseased leaves, so diseased recall = 0%.

STEP 4 Report class counts and recall; redesign data or use only where misses are acceptable.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

A closer explanation

Same overall score different class results

Summary · Always clear baseline · Frozen candidate

Summary: Overall correct

Always clear baseline: 16 of 20 is 80 percent

Frozen candidate: 16 of 20 is 80 percent

Summary: Reference clear correct

Always clear baseline: 16 of 16 is 100 percent

Frozen candidate: 12 of 16 is 75 percent

Summary: Reference blocked correct

Always clear baseline: 0 of 4 is 0 percent

Frozen candidate: 4 of 4 is 100 percent

Overall accuracy weights classes by their number of evaluation examples. Balanced accuracy gives the two class-specific fractions equal weight.

Both methods score 80 percent. Explain which cases the baseline fails, how the candidate changes the errors, and why their balanced accuracies differ.

Balanced accuracy is a metric choice, not a repair to the classifier or a guarantee of safety. It gives classes equal influence in this summary; it does not encode the actual consequences of false alarms and missed cases. Four blocked evaluation examples are also too few for a strong general claim.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Accuracy and Imbalance

Show how a common healthy class can hide complete failure to detect spotted leaves.

The facts we will use

Toy evaluation has 18 healthy and 2 spotted leaves. Always-healthy predicts all healthy. A candidate has TP2, FN 0, FP 3, TN 15.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Candidate decisions

	predicted spotted	predicted healthy
actual spotted	2	0
actual healthy	3	15

Read a cell using both its row and column labels.

Accuracy and Imbalance

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Score trivial baseline

Always healthy is $18/20=90\%$ accurate but detects $0/2$ spotted leaves.



2. Score candidate

Candidate accuracy is $17/20=85\%$; spotted recall is $2/2=100\%$.



3. Compare consequences

Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs.

CHANGE ONE THING

The candidate's three false alarms are corrected without changing its detections.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Score trivial baseline

What happens and why: Always healthy is $18/20=90\%$ accurate but detects $0/2$ spotted leaves.

Step: 2. Score candidate

What happens and why: Candidate accuracy is $17/20=85\%$; spotted recall is $2/2=100\%$.

Step: 3. Compare consequences

What happens and why: Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Perfect performance on twenty supplied cases does not demonstrate dependable detection in other plants or settings.

Read the labelled picture: Why can the 90% baseline still be unsuitable for a detection task? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: The candidate's three false alarms are corrected without changing its detections. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.



COMPARE • DIAGNOSE • REPAIR

Tempting claim: A classifier with 95% accuracy is excellent in every practical situation. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: passes

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: defined behavior

Actual: _____

Likely cause / next test: _____

Evidence record: missing case

Expected: safe fallback

Actual: _____

Likely cause / next test: _____

Evidence record: shifted case

Expected: measured limit

Actual: _____

Likely cause / next test: _____

CLAIM TO CHALLENGE A classifier with 95% accuracy is excellent in every practical situation.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

Compare methods on the same appropriate evaluation examples and report the training-derived baseline. Include ordinary accuracy, each class denominator, false positives and false negatives. An equal-class summary adds information but cannot choose the acceptable tradeoff for the task. Keep development decisions separate from a final test.

A result of 4/4 correct blocked cases is 100 percent on those four examples, not proof of perfect future detection. If the evaluated set contains no blocked cases, it cannot measure blocked-case performance at all. Next week separates precision and recall by asking which denominator answers each question.

A team advertises 80 percent accuracy but its classifier predicts clear on every record. What additional evidence would you request, and what can you already conclude about the four blocked cases in our worked evaluation?

8. Practise together

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



FREEZE THE EXPERIMENT

Record question, intended use, data version, grouped split, preprocessing, features, model settings, seed, metric, predictions, errors, subgroup results, and human review before claiming improvement.

Experiment record

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/preprocessing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

Consider a separate illustrative set with 8 clear and 8 blocked cases. Suppose the same within-class fractions hold: the baseline matrix is $[[8,0],[8,0]]$ and the candidate matrix is $[[6,2],[0,8]]$. Ordinary accuracy is now 50 percent versus 87.5 percent. Balanced accuracy remains 50 percent versus 87.5 percent. The class mix changed the overall score even though the within-class fractions stayed fixed.

This is an arithmetic comparison, not proof that a real classifier keeps the same behavior after a population change. Report sample size, class counts, full matrix and how the evaluation data was chosen. Do not remove inconvenient cases or duplicate rare evaluation cases just to improve a headline number. If training is resampled, keep that separate from evaluation and document it.

Practise with less help: Compare both class fractions

Use workbook W2 for the connected example “Accuracy and class imbalance”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Accuracy and class imbalance. Proposed explanation: “High accuracy means both classes work well”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Why can the 90% baseline still be unsuitable for a detection task? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Imbalance Simulation: compare majority prediction with a model using accuracy, recall, and the actual error costs.

1. Write the hypothesis and expected evidence before running.
2. Imbalance Simulation: compare majority prediction with a model using accuracy, recall, and the actual error costs.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

Case: Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the example.



ML BUILDER MASTERY

1 Define • 2 Calculate • 3 Trace code • 4 Run experiment • 5 Diagnose errors • 6 Improve one cause • 7 Defend limits

DEFINE Use all four terms precisely: accuracy, class imbalance, minority class, recall.

CALCULATE Reproduce the worked evidence with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE A classifier with 95% accuracy is excellent in every practical situation.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed evidence.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

11. Connect your project

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same evidence-based capstone.



RESPONSIBLE PLANT CLASSIFIER

Check Plant Classifier class balance and select metrics that keep the spotted-leaf class visible.

THIS WEEK'S CHECKPOINT Check Plant Classifier class balance and select metrics that keep the spotted-leaf class visible.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My evidence-linked project decision:

Evidence for your project


For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



INDEPENDENT ML BUILDER PROOF

Compare trivial accuracy with minority-class recall.

REQUIRED PROOF Compare trivial accuracy with minority-class recall.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent evidence and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

NEXT BRIDGE Carry the experiment evidence into: Precision and Recall.

13. Study a complete case

Week 16 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A dataset has 95 healthy and 5 spotted. Model predicts healthy for all.

The question

Calculate and critique accuracy.

Worked explanation

95/100=95%, but spotted recall=0/5=0%. Majority performance hides the detection failure.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

The majority can hide a detection failure

Evidence or stage · Value or result

Evidence or stage: Healthy, predicted healthy

Value or result: 95

Evidence or stage: Spotted, predicted healthy

Value or result: 5

A dataset has 95 healthy and 5 spotted. Model predicts healthy for all.

Calculate and critique accuracy.

95/100=95%, but spotted recall=0/5=0%. Majority performance hides the detection failure.

14. Try a new case independently

Independent case: Changed independent case

Validation has 90 healthy and 10 spotted cases. Always-healthy predicts all healthy. Another model has TP7, FN3, FP8, TN82. Compare accuracy and spotted recall.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 16 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

A classifier predicts healthy for all 100 plants; 95 are healthy and 5 diseased. Compute accuracy and diseased recall.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Check Plant Classifier class balance and select metrics that keep the spotted-leaf class visible.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Model A is always healthy on 96 healthy and 4 spotted leaves. Model B finds 3 spotted but falsely flags 5 healthy. Compare accuracy and spotted detection.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Show how a common healthy class can hide complete failure to detect spotted leaves.

By the end, I can · How I will show it

By the end, I can: Explain why overall accuracy can hide failure on a less common class

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Compare a training-majority baseline with class-specific results

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Calculate an equal-class average and report its limits alongside the confusion matrix

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Explain why overall accuracy can hide failure on a less common class

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Show how a common healthy class can hide complete failure to detect spotted leaves.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs.

1. Compare consequences
2. Score candidate
3. Score trivial baseline

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Compare consequences Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs. Read the picture in order. Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: The candidate's three false alarms are corrected without changing its detections. Which conclusion is supported by the supplied facts?

1. Candidate accuracy becomes 20/20 with spotted recall still 100% in this toy set.
2. This one example guarantees correct results for every future input.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Candidate accuracy becomes 20/20 with spotted recall still 100% in this toy set. False alarms move from FP to TN; neither TP nor FN changes.

Repair a missing building block

Review Confusion Matrix (ai-4/15). Goal: Build a labelled confusion matrix from matched reference and prediction pairs. Short practice: Why is adding TP alone without reducing FN an incorrect revision? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Train a Classifier (ai-4/13). Goal: Connect training-only scaling and neighbour prediction in one pipeline. Short practice: Which pipeline record would help another team reproduce the result? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Baselines First (ai-4/10). Goal: Fit a majority label baseline using training labels only. Short practice: Can the candidate's training accuracy replace this validation comparison? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual output or error, change one input, then run again. Keep code, predictions, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.