

Regression and Residuals

Project: Responsible Plant Classifier

1. Your mission

Your learning target

I can distinguish numeric prediction from classification.

I can calculate signed residuals with a stated convention.

I can use residual patterns to question a model.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.


Without opening the old lesson, explain one key idea from Error Analysis. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Accuracy and Imbalance. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Train a Classifier. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Regression predicts a number; a residual records signed error and reveals direction as well as size.



LEARNING TARGET Actual leaf length is 7 cm and prediction is 10 cm. Using $\text{residual} = \text{actual} - \text{predicted}$, calculate residual and absolute error. Interpret the sign.

Builder name and experiment date:

Readiness for the connected explanation

What does a class label predict?

This week's end goal


By the end, I can explain regression and residuals using a traced example and a stated limitation.

2. Notice the evidence

PICTURE ENTRY

Notice → **Predict** → **Explain**

Begin with visible evidence; do not explain more than the picture and information support.



MYSTERY The team must use regression and residuals to solve a model-building problem. What information do they have? What important evidence is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what evidence would confirm or reject your prediction.

My prediction and supporting evidence:

A closer explanation

A school garden example predicts plant height in cm from recorded conditions. The target is numeric, so a prediction can be too high or too low by different amounts. Define residual as observed minus predicted. Keep units and the sign convention visible; some software uses the opposite error convention.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines regression and residuals.

3. See how it works

ML MECHANISM

Input → **Model** → **Evidence**

Trace the information, fitted behavior, and evaluation proof separately.



IN

INPUT


Plot predictions and calculate positive and negative residuals.



ML

MODEL

Regression predicts a number; a residual records signed error and reveals direction as well as size.



OUT

EVIDENCE

Plot predictions and calculate positive and negative residuals.

QUESTION Plot predictions and calculate positive and negative residuals.

MODEL IDEA Regression predicts a number; a residual records signed error and reveals direction as well as size.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Actual plant height is 30 cm; prediction is 27 cm. Residual = actual – predicted = 30 – 27 = +3 cm.

Draw a fresh data → model → prediction → evaluation trace:

A closer explanation

Observed heights [4, 7, 9] cm and predictions [5, 6, 9] cm give residuals [-1, 1, 0] cm. The first prediction is too high, the second too low and the third exact. Mean signed residual is zero, yet two predictions are wrong. Opposite errors can cancel.

```
observed = [4, 7, 9]
predicted = [5, 6, 9]
residuals = [y - p for y, p in zip(observed, predicted)]
print(residuals)
print(sum(residuals) / len(residuals))

# Output: [-1, 1, 0] and 0.0.
# Opposite signed errors can cancel.
```

Trace the calculation on paper before running this optional Python check. Use the stated fictional inputs

and compare intermediate values. The code checks this example; your independent workbook case uses different evidence.

Connect the picture and the explanation


Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

EVALUATION DESIGN

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.






BOUNDARY CASE

Value near a threshold or class boundary



MISSING CASE

Unknown field, label, or necessary evidence



NORMAL Expected data and expected behavior.

BOUNDARY Value close to a threshold, ambiguous label, or uncertain prediction.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change: Raise all predictions by 1 cm.

Prediction: Residuals become $[-3, 0, 1]$; $\text{mean} = -2/3$ cm and $\text{MAE} = 4/3$ cm.

Reason: Each residual decreases by 1 under the observed-minus-predicted convention.

5. Words that unlock the idea

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.

1

REGRESSION

prediction of a numerical target

2

PREDICTION

model-estimated value

3

RESIDUAL

actual value minus predicted value

4

RESIDUAL PLOT

errors displayed against predictions or inputs

Term · Precise meaning · My ML example

Term: regression

Precise meaning: prediction of a numerical target

My ML example: _____

Term: prediction

Precise meaning: model-estimated value

My ML example: _____

Term: residual

Precise meaning: actual value minus predicted value

My ML example: _____

Term: residual plot

Precise meaning: errors displayed against predictions or inputs

My ML example: _____

MISCONCEPTION TO REPAIR Positive and negative residuals cancel, so their average proves accuracy.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word · Meaning

Word: Regression

Meaning: Prediction of a numeric target

Word: Residual

Meaning: Observed target minus predicted target in this course

Word: Underprediction

Meaning: A prediction below the observed value

Word: Overprediction

Meaning: A prediction above the observed value

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

WEEK 19 • WORKED EVIDENCE

- 1 Actual plant height is 30 cm; prediction is 27 cm.
- 2 Residual = actual – predicted = $30 - 27 = +3$ cm.
- 3 Another case has actual 20 and predicted 24, residual –4 cm.
- 4 Plot residuals; a pattern above or below zero suggests systematic model error.

STEP 1 Actual plant height is 30 cm; prediction is 27 cm.

STEP 2 Residual = actual – predicted = $30 - 27 = +3$ cm.

STEP 3 Another case has actual 20 and predicted 24, residual –4 cm.

STEP 4 Plot residuals; a pattern above or below zero suggests systematic model error.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

A closer explanation

Regression and residuals at a glance

Part • Evidence or action • Interpretation

Part: Observed 4 predicted 5

Evidence or action: Residual minus 1

Interpretation: Overprediction

Part: Observed 7 predicted 6

Evidence or action: Residual plus 1

Interpretation: Underprediction

Part: Observed 9 predicted 9

Evidence or action: Residual zero

Interpretation: Exact on this record

To inspect a residual plot, place a feature or prediction on the horizontal axis and residual on the vertical axis. A trend can suggest a missed relationship. It does not by itself identify the cause or validate a new model. Use development data for analysis and preserve an independent final test.

Why does mean residual zero not imply perfect predictions? Explain the steps or evidence behind your response.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Regression and Residuals

Use residual signs to say whether each plant-height estimate is too high or low.


The facts we will use

Residual=observed-predicted. Observed heights [5, 8, 12] cm; predicted [7, 7, 10] cm.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Observed minus predicted height

cm



Bar length shows the supplied value; the marked baseline is zero.

Regression and Residuals

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Subtract matched pairs

Residuals are $5-7=-2$, $8-7=1$, $12-10=2$ cm.



2. Read directions

First prediction is too high by 2; second too low by 1; third too low by 2.



3. Avoid cancellation

Mean residual is $1/3$ cm; MAE is $5/3$ cm, so small signed mean does not imply small errors.

CHANGE ONE THING

Raise all predictions by 1 cm.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Subtract matched pairs

What happens and why: Residuals are $5-7=-2$, $8-7=1$, $12-10=2$ cm.

Step: 2. Read directions

What happens and why: First prediction is too high by 2; second too low by 1; third too low by 2.

Step: 3. Avoid cancellation

What happens and why: Mean residual is $1/3$ cm; MAE is $5/3$ cm, so small signed mean does not imply small errors.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Mean residual is $1/3$ cm; MAE is $5/3$ cm, so small signed mean does not imply small errors. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Always declare the residual sign convention; some software uses predicted minus observed.

Read the labelled picture: Which statistic reveals the size of errors without cancellation? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: Raise all predictions by 1 cm. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.



COMPARE • DIAGNOSE • REPAIR

Tempting claim: Positive and negative residuals cancel, so their average proves accuracy. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: passes

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: defined behavior

Actual: _____

Likely cause / next test: _____

Evidence record: missing case

Expected: safe fallback

Actual: _____

Likely cause / next test: _____

Evidence record: shifted case

Expected: measured limit

Actual: _____

Likely cause / next test: _____

CLAIM TO CHALLENGE Positive and negative residuals cancel, so their average proves accuracy.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

A residual of zero is an agreement with the measured target, not proof that the measurement is perfect. Do not compare errors measured in cm directly with errors measured in metres. Keep the same row pairing, unit and sign convention throughout.

A report combines 2 cm and .02 m as if they were different magnitudes. Repair it.

8. Practise together

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



FREEZE THE EXPERIMENT

Record question, intended use, data version, grouped split, preprocessing, features, model settings, seed, metric, predictions, errors, subgroup results, and human review before claiming improvement.

Experiment record

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/preprocessing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

If predictions for early, middle and late growth have residuals -2, 0, 3 cm, the model moves from overpredicting to underpredicting across those records. Investigate whether a straight-line assumption or a missing condition could explain it. Check measurement consistency before adding complexity.

Practise with less help: Explain cancellation

Use workbook W2 for the connected example “Regression and residuals”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Regression and residuals. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Which statistic reveals the size of errors without cancellation? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Residual Walk: calculate signed errors, place them on a plot, and identify bias, outliers, or changing spread.

1. Write the hypothesis and expected evidence before running.
2. Residual Walk: calculate signed errors, place them on a plot, and identify bias, outliers, or changing spread.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

Case: Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the example.



ML BUILDER MASTERY
1 Define • 2 Calculate • 3 Trace code • 4 Run experiment • 5 Diagnose errors • 6 Improve one cause • 7 Defend limits

DEFINE Use all four terms precisely: regression, prediction, residual, residual plot.

CALCULATE Reproduce the worked evidence with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE Positive and negative residuals cancel, so their average proves accuracy.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed evidence.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

11. Connect your project

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same evidence-based capstone.

**RESPONSIBLE PLANT CLASSIFIER**

Use a miniature growth-prediction side experiment to distinguish regression evidence from the main classifier metrics.

THIS WEEK'S CHECKPOINT Use a miniature growth-prediction side experiment to distinguish regression evidence from the main classifier metrics.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My evidence-linked project decision:

Evidence for your project

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



INDEPENDENT ML BUILDER PROOF
Plot predictions and calculate positive and negative residuals.

REQUIRED PROOF Plot predictions and calculate positive and negative residuals.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent evidence and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

NEXT BRIDGE Carry the experiment evidence into: Mean, Median, and Baselines.

13. Study a complete case

Week 19 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Actual height=12 cm, prediction=9 cm. Residual means actual minus predicted.

The question

Calculate and interpret.

Worked explanation

+3 cm means underprediction by 3 cm. State this sign convention consistently.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Residual is actual minus predicted

Evidence or stage · Value or result

Evidence or stage: Prediction

Value or result: 9

Evidence or stage: Actual

Value or result: 12

Actual height=12 cm, prediction=9 cm. Residual means actual minus predicted.

Calculate and interpret.

+3 cm means underprediction by 3 cm. State this sign convention consistently.

14. Try a new case independently

Independent case: Apply independently

Observed [6, 10, 13], predicted [8, 9, 11] cm. Give residuals, mean residual and error directions.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 19 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Define residual as actual minus predicted. Actual height is 14 cm and prediction is 17 cm. Calculate residual and interpret its sign.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Use a miniature growth-prediction side experiment to distinguish regression evidence from the main classifier metrics.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Actual leaf length is 7 cm and prediction is 10 cm. Using $\text{residual} = \text{actual} - \text{predicted}$, calculate residual and absolute error. Interpret the sign.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Use residual signs to say whether each plant-height estimate is too high or low.

By the end, I can · How I will show it

By the end, I can: Distinguish numeric prediction from classification

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Calculate signed residuals with a stated convention

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Use residual patterns to question a model

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Distinguish numeric prediction from classification

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Use residual signs to say whether each plant-height estimate is too high or low.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Mean residual is $\frac{1}{3}$ cm; MAE is $\frac{5}{3}$ cm, so small signed mean does not imply small errors.

- 1. Read directions
- 2. Avoid cancellation
- 3. Subtract matched pairs

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Avoid cancellation Mean residual is $\frac{1}{3}$ cm; MAE is $\frac{5}{3}$ cm, so small signed mean does not imply small errors. Read the picture in order. Mean residual is $\frac{1}{3}$ cm; MAE is $\frac{5}{3}$ cm, so small signed mean does not imply small errors. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking

the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: Raise all predictions by 1 cm. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future input.
2. We can decide the result without examining the changed input or the procedure.
3. Residuals become $[-3, 0, 1]$; $\text{mean} = -2/3$ cm and $\text{MAE} = 4/3$ cm.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: Residuals become $[-3, 0, 1]$; $\text{mean} = -2/3$ cm and $\text{MAE} = 4/3$ cm. Each residual decreases by 1 under the observed-minus-predicted convention.

Repair a missing building block

Review Error Analysis (ai-4/18). Goal: Categorize development errors using evidence. Short practice: What evidence would support the claim that a change helps fresh dim-light images? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Accuracy and Imbalance (ai-4/16). Goal: Explain why overall accuracy can hide failure on a less common class. Short practice: Why can the 90% baseline still be unsuitable for a detection task? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Train a Classifier (ai-4/13). Goal: Connect training-only scaling and neighbour prediction in one pipeline. Short practice: Which pipeline record would help another team reproduce the result? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual output or error, change one input, then run again. Keep code, predictions, actual

results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.