

Proxy Features and Fairness

Project: Responsible Plant Classifier

1. Your mission

Your learning target

I can identify possible proxy features.

I can explain why removing one field does not guarantee fairness.

I can propose a contextual review with concrete evidence.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Subgroup Performance. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Feature Engineering. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Reproducible Experiments. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

A feature may indirectly encode sensitive identity or context, creating unjustified differences even when the original field is absent.



LEARNING TARGET A leaf model performs well using location ID alone. Explain a possible proxy problem and design a diagnostic evaluation.

Builder name and experiment date:

Readiness for the connected explanation

Does equal overall accuracy prove fair treatment?

This week's end goal

By the end, I can explain proxy features and fairness using a traced example and a stated limitation.

2. Notice the evidence

PICTURE ENTRY

Notice → Predict → Explain

Begin with visible evidence; do not explain more than the picture and information support.



MYSTERY The team must use proxy features and fairness to solve a model-building problem. What information do they have? What important evidence is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what evidence would confirm or reject your prediction.

My prediction and supporting evidence:

A closer explanation

An input can carry information about a characteristic without naming it. In a fictional school-device dataset, device code may be associated with building or access to newer equipment. Removing a building field does not remove all related information. Do not infer a real student identity or protected characteristic in this exercise.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines proxy features and fairness.

3. See how it works

ML MECHANISM

Input → **Model** → **Evidence**

IN


INPUT

Trace suspicious proxies and compare model behavior after a controlled removal.

ML

MODEL

A feature may indirectly encode sensitive identity or context, creating unjustified differences even when the original field is absent.



OUT

EVIDENCE

Trace suspicious proxies and compare model behavior after a controlled removal.

QUESTION Trace suspicious proxies and compare model behavior after a controlled removal.

MODEL IDEA A feature may indirectly encode sensitive identity or context, creating unjustified differences even when the original field is absent.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Photo background predicts classroom location and is correlated with camera quality. Model uses background as a shortcut for health labels.

Draw a fresh data → model → prediction → evaluation trace:

A closer explanation

Fictional records show device code X on 8 of 10 north-building examples and 2 of 10 south-building examples. Device and building are associated in this sample. This does not prove device causes model errors or that every X device comes from north. The remaining cases contradict such a universal rule.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.



NORMAL CASE

Expected data from the intended setting



BOUNDARY CASE

Value near a threshold or class boundary



MISSING CASE

Unknown field, label, or necessary evidence



SHIFTED CASE

New subgroup, device, condition, or time

NORMAL Expected data and expected behavior.

BOUNDARY Value close to a threshold, ambiguous label, or uncertain prediction.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change: Camera codes are assigned independently of setting in a new balanced dataset.

Prediction: camera_code no longer perfectly identifies setting in that dataset.

Reason: The observed mapping changed; other retained fields may still contain setting information.

5. Words that unlock the idea

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.



PROXY FEATURE

input correlated with another sensitive attribute

2

FAIRNESS

evaluate benefits and harms
across affected groups

3

PAIRED TEST

cases differing in one
relevant factor

4

MITIGATION

control reducing an identified risk

Term · Precise meaning · My ML example

Term: proxy feature

Precise meaning: input correlated with another sensitive attribute

My ML example: _____

Term: fairness

Precise meaning: evaluate benefits and harms across affected groups

My ML example: _____

Term: paired test

Precise meaning: cases differing in one relevant factor

My ML example: _____

Term: mitigation

Precise meaning: control reducing an identified risk

My ML example: _____

MISCONCEPTION TO REPAIR Removing a sensitive column guarantees the model cannot use related information.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word · Meaning

Word: Proxy feature

Meaning: A variable that can stand in for another characteristic

Word: Correlation

Meaning: An observed association, not proof of cause

Word: Sensitive attribute

Meaning: A characteristic requiring particular care in a context

Word: Ablation

Meaning: A comparison that removes a feature or component

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

WEEK 32 • WORKED EVIDENCE

- 1 Photo background predicts classroom location and is correlated with camera quality.
- 2 Model uses background as a shortcut for health labels.
- 3 Create paired crops with the same leaf and different backgrounds; predictions change.
- 4 Crop backgrounds or improve data, retrain, and compare performance and subgroup gaps.

STEP 1 Photo background predicts classroom location and is correlated with camera quality.

STEP 2 Model uses background as a shortcut for health labels.

STEP 3 Create paired crops with the same leaf and different backgrounds; predictions change.

STEP 4 Crop backgrounds or improve data, retrain, and compare performance and subgroup gaps.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

A closer explanation

Proxy features and fairness at a glance

Part · Evidence or action · Interpretation

Part: North examples

Evidence or action: 8 X of 10

Interpretation: 2 other devices

Part: South examples

Evidence or action: 2 X of 10

Interpretation: 8 other devices

Part: Review question

Evidence or action: What does code represent?

Interpretation: Check context and errors

A feature may be legitimate for one purpose and inappropriate for another. Ask what is measured, when it is available, why it predicts and who might be disadvantaged. A correlation alone neither authorizes use nor proves harm. Talk through the intended decision and available alternatives.

Why might removing building but keeping device code leave related information? Explain the steps or evidence behind your response.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Proxy Features and Fairness

Removing an obvious setting field may leave another field that carries the same information.

The facts we will use

Toy table has location=greenhouse/desk and camera_code=G/D. Every G record is greenhouse; every D record is desk. The team drops location.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Proxy Features and Fairness

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Remove direct field

The location column is absent from the new input table.



2. Check retained proxy

camera_code still identifies the setting perfectly in this supplied sample.



3. Audit effect

Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence.

CHANGE ONE THING

Camera codes are assigned independently of setting in a new balanced dataset.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Remove direct field

What happens and why: The location column is absent from the new input table.

Step: 2. Check retained proxy

What happens and why: camera_code still identifies the setting perfectly in this supplied sample.

Step: 3. Audit effect

What happens and why: Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

A correlated field is not necessarily harmful in every use; assess task relevance, consequences and actual model behaviour.

Read the labelled picture: What evidence contradicts the original “all setting information removed” claim? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: Camera codes are assigned independently of setting in a new balanced dataset. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.



COMPARE • DIAGNOSE • REPAIR

Tempting claim: Removing a sensitive column guarantees the model cannot use related information. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: passes

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: defined behavior

Actual: _____

Likely cause / next test: _____

Evidence record: missing case

Expected: safe fallback

Actual: _____

Likely cause / next test: _____

Evidence record: shifted case

Expected: measured limit

Actual: _____

Likely cause / next test: _____

CLAIM TO CHALLENGE Removing a sensitive column guarantees the model cannot use related information.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

Do not advertise fairness through unawareness merely because names or a sensitive field were removed. A classroom audit should state unresolved questions, intended non-use and a human review path. Never collect sensitive student information simply to fill this exercise.

Does unchanged accuracy after removing a proxy prove fairness?

8. Practise together

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



FREEZE THE EXPERIMENT

Record question, intended use, data version, grouped split, preprocessing, features, model settings, seed, metric, predictions, errors, subgroup results, and human review before claiming improvement.

Experiment record

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/preprocessing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

Compare versions with and without device code on the same validation cases, while checking subgroup

errors and useful task performance. This ablation measures a change in that experiment; correlated inputs may still carry similar information. Retain group definitions and denominators, and avoid using the final test for repeated feature decisions.

Practise with less help: Find a proxy risk

Use workbook W2 for the connected example “Proxy features and fairness”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Proxy features and fairness. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

What evidence contradicts the original “all setting information removed” claim? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Proxy Detective: map feature origins, run paired tests, remove one suspicious feature, and check both utility and gaps.

1. Write the hypothesis and expected evidence before running.
2. Proxy Detective: map feature origins, run paired tests, remove one suspicious feature, and check both utility and gaps.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

Case: Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the example.



ML BUILDER MASTERY
1 Define • 2 Calculate • 3 Trace code • 4 Run experiment • 5 Diagnose errors • 6 Improve one cause • 7 Defend limits

DEFINE Use all four terms precisely: proxy feature, fairness, paired test, mitigation.

CALCULATE Reproduce the worked evidence with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE Removing a sensitive column guarantees the model cannot use related information.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed evidence.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

11. Connect your project

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same evidence-based capstone.

**RESPONSIBLE PLANT CLASSIFIER**

Document Plant Classifier proxy risks, paired-test evidence, mitigation, and remaining fairness limitation.

THIS WEEK'S CHECKPOINT Document Plant Classifier proxy risks, paired-test evidence, mitigation, and remaining fairness limitation.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My evidence-linked project decision:

Evidence for your project

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



INDEPENDENT ML BUILDER PROOF

Trace suspicious proxies and compare model behavior after a controlled removal.

REQUIRED PROOF Trace suspicious proxies and compare model behavior after a controlled removal.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent evidence and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

NEXT BRIDGE Carry the experiment evidence into: Model Cards and Human Review.

13. Study a complete case

Week 32 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Background colour tracks collection location, associated with plant types.

The question

Explain proxy risk and test.

Worked explanation

Background can be a location shortcut rather than leaf evidence. Test leaf types across backgrounds and locations and compare slices.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Test whether a proxy replaces leaf evidence

Evidence or stage · Value or result

Evidence or stage: Background colour

Value or result: Tracks collection location

Evidence or stage: Location

Value or result: Associated with plant type

Evidence or stage: Risk

Value or result: Model uses shortcut

Evidence or stage: Test

Value or result: Cross leaf types with backgrounds and locations

Background colour tracks collection location, associated with plant types.

Explain proxy risk and test.

Background can be a location shortcut rather than leaf evidence. Test leaf types across backgrounds and locations and compare slices.

14. Try a new case independently

Independent case: Apply independently

A team removes postcode but retains school code and claims all location-related information is gone. Evaluate the claim and request evidence.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 32 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

A plant classifier uses camera_model, and one species was photographed mostly on a single camera. What shortcut might it learn and how could you investigate?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Document Plant Classifier proxy risks, paired-test evidence, mitigation, and remaining fairness limitation.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

A leaf model performs well using location ID alone. Explain a possible proxy problem and design a diagnostic evaluation.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Removing an obvious setting field may leave another field that carries the same information.

By the end, I can · How I will show it

By the end, I can: Identify possible proxy features

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Explain why removing one field does not guarantee fairness

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Propose a contextual review with concrete evidence

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Identify possible proxy features

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Removing an obvious setting field may leave another field that carries the same information.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence.

1. Remove direct field
2. Audit effect

3. Check retained proxy

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Audit effect Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence. Read the picture in order. Compare controlled predictions and held-out setting slices; dropping one column does not establish setting independence. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: Camera codes are assigned independently of setting in a new balanced dataset. Which conclusion is supported by the supplied facts?

1. camera_code no longer perfectly identifies setting in that dataset.
2. We can decide the result without examining the changed input or the procedure.
3. This one example guarantees correct results for every future input.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: camera_code no longer perfectly identifies setting in that dataset. The observed mapping changed; other retained fields may still contain setting

information.

Repair a missing building block

Review Subgroup Performance (ai-4/31). Goal: Calculate subgroup results with sample sizes. Short practice: Why should the report retain subgroup rates alongside the total? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Feature Engineering (ai-4/29). Goal: Create features available at prediction time. Short practice: What should be saved so another group transforms the query identically? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Reproducible Experiments (ai-4/26). Goal: Record enough detail to reproduce a run. Short practice: What should accompany the mean 70%? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.