

Capstone Dataset and Baseline

Project: Responsible Plant Classifier

1. Your mission

Your learning target

I can define a feasible capstone question and acceptance criteria.

I can create a data and split plan before modelling.

I can specify evidence, privacy and a fallback.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Model Cards and Human Review. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Subgroup Performance. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Learning Curves. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

A responsible capstone begins by freezing the problem, intended use, dataset documentation, grouped split, and baseline evidence.



LEARNING TARGET A capstone has two views of each of 40 leaves. Specify a 24/8/8 leaf split and baseline procedure. When may final labels be consulted?

Builder name and experiment date:

Readiness for the connected explanation

Which evaluation choices should precede model selection?

Readiness for Capstone models and baselines

What must be fixed before the capstone comparison?

My readiness explanation

This week's end goal

By the end, I can explain capstone dataset and baseline using a traced example and a stated limitation.

2. Notice the evidence

PICTURE ENTRY

Notice → Predict → Explain

Begin with visible evidence; do not explain more than the picture and information support.



MYSTERY The team must use capstone dataset and baseline to solve a model-building problem. What information do they have? What important evidence is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what evidence would confirm or reject your prediction.

My prediction and supporting evidence:

A closer explanation

The capstone is a classroom investigation, not a product launch. Choose the supplied fictional clear/blocked parcel task or an equally bounded teacher-approved synthetic task. Write a question that can be answered by comparing a simple model against a baseline. Do not use private student records or real safety decisions.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines capstone data and requirements.

Apply the connected idea: Capstone models and baselines

Build the baseline before the candidate. For classification, use the most common training class, with a

declared tie policy. Choose one simple candidate using techniques already learned, such as k-nearest neighbours with training-only scaling and a fixed k. Record every development attempt; complexity earns no automatic credit.


Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines capstone models and baselines.

3. See how it works

ML MECHANISM

Input → **Model** → **Evidence**

Trace the information, fitted behavior, and evaluation proof separately.





ML

MODEL

A responsible capstone begins by freezing the problem, intended use, dataset documentation, grouped split, and baseline evidence.



OUT

EVIDENCE

and baseline results before training.

QUESTION Freeze the dataset card, split, and baseline results before training.

MODEL IDEA A responsible capstone begins by freezing the problem, intended use, dataset documentation, grouped split, and baseline evidence.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Freeze dataset card v3 and grouped split s2 with no plant identity crossing sets. Test set remains sealed; validation supports model choices.

Draw a fresh data → model → prediction → evaluation trace:

A closer explanation

Example proposal: can a small classifier improve validation accuracy over the training-majority baseline on fictional parcel measurements? Before modelling, assign 40 training, 20 validation and 12 final-test records, with related parcel groups kept together. Define blocked as positive, keep a fixed label rule, and reserve test labels with the teacher until Week 35.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

Your teacher can prepare the 72-record fictional grid described in the teacher guide, or approve another documented synthetic dataset. Each supplied record has an ID, group ID, width and height in cm. Training and validation labels are released for development; final-test labels stay with the teacher until the model is frozen. The numerical results in later worked examples are illustrative and are not expected scores for your project.

Apply the connected idea: Capstone models and baselines

Illustrative training has 30 clear and 10 blocked cases, so the baseline always predicts clear. On 20 validation cases with 14 clear and 6 blocked, its matrix is[[14, 0],[6, 0]], accuracy 70 percent. Candidate matrix[[12, 2],[2, 4]] gives accuracy 80 percent, precision 4/6 and recall 4/6. These are example results, not the student team results.

```
# A check of the illustrative validation matrix.

# Replace with your own saved counts; do not invent results.

tn, fp, fn, tp = 12, 2, 2, 4

n = tn + fp + fn + tp

print("accuracy", (tn + tp) / n)

print("precision", tp / (tp + fp))

print("recall", tp / (tp + fn))

# Compare with the training-majority baseline: 14 / 20.
```

Trace the calculation on paper before running this optional Python check. Use the stated fictional inputs and compare intermediate values. The code checks this example; your independent workbook case uses different evidence.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.



NORMAL CASE

Expected data from the intended setting



BOUNDARY CASE

Value near a threshold or class boundary



MISSING CASE

Unknown field, label, or necessary evidence



SHIFTED CASE

New subgroup, device, condition, or time

NORMAL Expected data and expected behavior.

BOUNDARY Value close to a threshold, ambiguous label, or uncertain prediction.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change: A derived crop of plantG is added to training.

Prediction: The final group separation is violated.

Reason: The crop retains the same source plant identity even with a new file name.

5. Words that unlock the idea

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.

1

FREEZE
lock a reviewed version for
comparison

2

ACCEPTANCE TEST

observable required behavior

3

BASELINE RESULT

simple method's measured performance

4

EVIDENCE BUNDLE

linked artifacts supporting a claim

Term · Precise meaning · My ML example

Term: freeze

Precise meaning: lock a reviewed version for comparison

My ML example: _____

Term: acceptance test

Precise meaning: observable required behavior

My ML example: _____

Term: baseline result

Precise meaning: simple method's measured performance

My ML example: _____

Term: evidence bundle

Precise meaning: linked artifacts supporting a claim

My ML example: _____

MISCONCEPTION TO REPAIR Capstone work should begin by training the most advanced available model.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word · Meaning

Word: Requirement

Meaning: A concrete condition the project must meet

Word: Acceptance criterion

Meaning: Evidence that decides whether a requirement is met

Word: Data dictionary

Meaning: Definitions and units for dataset fields

Word: Milestone

Meaning: A review point with a stated deliverable

Terms for Capstone models and baselines

Term · Meaning

Term: Baseline

Meaning: A simple reference method fitted or chosen from training

Term: Prediction ledger

Meaning: A per-record table of reference and predicted outputs

Term: Frozen artifact

Meaning: A saved model and procedure that will not change during testing

Term: Decision record

Meaning: A written reason for a development choice

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

Four-step worked evidence for Week 34: Capstone Dataset and Baseline

Step · Evidence and reasoning

Step: 1

Evidence and reasoning: Freeze dataset card v3 and grouped split s2 with no plant identity crossing sets.

Step: 2

Evidence and reasoning: Test set remains sealed; validation supports model choices.

Step: 3

Evidence and reasoning: Validation has 12 healthy and 8 spotted leaves. The always-healthy baseline scores $12/20=60\%$ accuracy and $0/8=0\%$ spotted recall. The rule has $TP=5$, $FN=3$, $TN=10$, $FP=2$: accuracy 75% and spotted recall 62.5%.

Step: 4

Evidence and reasoning: Acceptance requires valid citations, metric calculations, subgroup review, and safe escalation.

Trace these corrected steps. Keep the stated metric, assumptions and interpretation when you change the case.

STEP 1 Freeze dataset card v3 and grouped split s2 with no plant identity crossing sets.

STEP 2 Test set remains sealed; validation supports model choices.

STEP 3 Validation has 12 healthy and 8 spotted leaves. The always-healthy baseline scores $12/20=60\%$ accuracy and $0/8=0\%$ spotted recall. The rule has $TP=5$, $FN=3$, $TN=10$, $FP=2$: accuracy 75% and spotted recall 62.5%.

STEP 4 Acceptance requires valid citations, metric calculations, subgroup review, and safe escalation.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

A closer explanation

Capstone data and requirements at a glance

Part · Evidence or action · Interpretation

Part: Week 33

Evidence or action: Task data and split plan

Interpretation: Teacher checks feasibility

Part: Week 34

Evidence or action: Baseline and candidate

Interpretation: Validation decision recorded

Part: Weeks 35 and 36

Evidence or action: Frozen test and defense

Interpretation: Evidence plus limitations

The data dictionary lists record ID, group ID, width in cm, height in cm and reference class. IDs track provenance and splitting; they are not automatic predictive inputs. Check uniqueness, units, missing values, class coverage and group separation. Fit imputation or scaling only on training.

Explain why record ID, group ID and measured width have different roles. Explain the steps or evidence behind your response.

Apply the connected idea: Capstone models and baselines

Capstone models and baselines at a glance

Part · Evidence or action · Interpretation

Part: Training

Evidence or action: Baseline always clear

Interpretation: 30 clear and 10 blocked

Part: Validation baseline

Evidence or action: 14 correct of 20

Interpretation: 6 blocked cases missed

Part: Validation candidate

Evidence or action: 16 correct of 20

Interpretation: 2 false alarms 2 misses

The candidate gains two correct cases while introducing two false alarms and reducing misses from six to two. Whether that tradeoff is acceptable depends on the predeclared classroom criteria. Do not choose a threshold or metric after the final test. If using a regression alternative, compare with a training-derived constant and report MAE in target units.

Compute the worked candidate accuracy, precision and recall. Explain the steps or evidence behind your response.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time.

Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Capstone Dataset and Baseline

Plan the plant capstone around independent groups and a baseline before collecting more rows.

The facts we will use

Toy proposed dataset: 8 plants, 3 photos each. Development groups A–F; final groups G, H. Target is visible-spot status, with review for hidden leaves.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-4/34

Capstone Dataset and Baseline

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Define target

Write visible-spot and review rules before annotation.



2. Split by groups

Keep all 18 A-F views in development and all 6 G/H views for final evaluation.



3. Plan baseline

Fit majority label only from development training; record metrics and error types.

CHANGE ONE THING

A derived crop of plantG is added to training.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Define target

What happens and why: Write visible-spot and review rules before annotation.

Step: 2. Split by groups

What happens and why: Keep all 18 A–F views in development and all 6 G/H views for final evaluation.

Step: 3. Plan baseline

What happens and why: Fit majority label only from development training; record metrics and error types.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Fit majority label only from development training; record metrics and error types. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

A well-planned split does not create sufficient sample size; two held-out plants support only a very narrow claim.

Read the labelled picture: What provenance field prevents the crop from appearing independent? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Change one thing: A derived crop of plantG is added to training. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.



COMPARE • DIAGNOSE • REPAIR

Tempting claim: Capstone work should begin by training the most advanced available model. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: passes

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: defined behavior

Actual: _____

Likely cause / next test: _____

Evidence record: missing case

Expected: safe fallback

Actual: _____

Likely cause / next test: _____

Evidence record: shifted case

Expected: measured limit

Actual: _____

Likely cause / next test: _____

CLAIM TO CHALLENGE Capstone work should begin by training the most advanced available model.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

Submit a one-page proposal, data dictionary, split-membership record and risk/limitations note. The teacher approves feasibility and synthetic-data scope before modelling. If there are too few valid records for an independent test, use a clearly labelled demonstration and explicitly limit the claim rather than inventing evidence.

What should the team do if it cannot obtain a valid untouched final test?

Apply the connected idea: Capstone models and baselines

The deliverable is a runnable or fully traceable baseline/candidate comparison, a validation table and a signed-off freeze record. If the baseline wins, retain it and explain why. If a pipeline fails, record the failure and fix it on development data before requesting final testing.

List what must be saved before the teacher releases final-test labels.

8. Practise together

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



FREEZE THE EXPERIMENT

Record question, intended use, data version, grouped split, preprocessing, features, model settings, seed, metric, predictions, errors, subgroup results, and human review before claiming improvement.

Experiment record

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/preprocessing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

Acceptance criteria describe the process even if the model loses: no split leakage; predictions for every planned case or documented failures; the same metric for baseline and candidate; precision/recall with denominators; a model card with limits. Improvement is a research outcome, not a grade requirement.

Apply the connected idea: Capstone models and baselines

Save the data version, feature order, preprocessing values, model settings, tie policy and predictions. A prediction ledger includes row ID, split, reference, baseline output, candidate output and error type. Test labels remain held by the teacher. A peer should be able to reproduce one row by hand.

Practise with less help: Define fields

Use workbook W2 for the connected example “Capstone data and requirements”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Capstone data and requirements. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Practise the connected topic: Capstone models and baselines

Use its named workbook W2. Identify the given inputs, try the middle steps with less help, then explain your trace. Check this claim before group discussion: A final answer is enough

Explain the picture

What provenance field prevents the crop from appearing independent? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Capstone Gate 1: peer-audit dataset card, leakage, split, baseline calculations, and acceptance tests; repair before build.

1. Write the hypothesis and expected evidence before running.
2. Capstone Gate 1: peer-audit dataset card, leakage, split, baseline calculations, and acceptance tests; repair before build.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

Case: Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the example.



ML BUILDER MASTERY
1 Define • 2 Calculate • 3 Trace code • 4 Run experiment • 5 Diagnose errors • 6 Improve one cause • 7 Defend limits

DEFINE Use all four terms precisely: freeze, acceptance test, baseline result, evidence bundle.

CALCULATE Reproduce the worked evidence with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE Capstone work should begin by training the most advanced available model.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed evidence.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

11. Connect your project

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same evidence-based capstone.

**RESPONSIBLE PLANT CLASSIFIER**

Publish the frozen Plant Classifier design-and-data bundle with version IDs and approval record.

THIS WEEK'S CHECKPOINT Publish the frozen Plant Classifier design-and-data bundle with version IDs and approval record.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My evidence-linked project decision:

Evidence for your project

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



INDEPENDENT ML BUILDER PROOF
Freeze the dataset card, split, and baseline results before training.

REQUIRED PROOF Freeze the dataset card, split, and baseline results before training.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent evidence and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

NEXT BRIDGE Carry the experiment evidence into: Capstone Train, Analyze, Improve.

13. Study a complete case

Week 34 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Capstone has 60 independent leaves, several photos per leaf, healthy/spotted labels.

The question

Plan grouping and baseline.

Worked explanation

Keep all views together in train/validation/test partitions. Define labels/use, fit a majority baseline on training labels and evaluate declared metrics.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Begin the capstone with independent groups

Evidence or stage · Value or result

Evidence or stage: Dataset

Value or result: Sixty leaves, multiple views each

Evidence or stage: Group

Value or result: Keep views of one leaf together

Evidence or stage: Partition

Value or result: Separate train, validation and test

Evidence or stage: Baseline

Value or result: Fit majority choice on training labels

Capstone has 60 independent leaves, several photos per leaf, healthy/spotted labels.

Plan grouping and baseline.

Keep all views together in train/validation/test partitions. Define labels/use, fit a majority baseline on training labels and evaluate declared metrics.

14. Try a new case independently

Independent case: Apply independently

A proposed 80-row dataset has 40 related pairs, and the team splits individual rows randomly then uses pair ID as a feature. Revise its plan.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 34 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Your capstone dataset includes duplicate photographs in both training and validation. What should be repaired before measuring the baseline?

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Publish the frozen Plant Classifier design-and-data bundle with version IDs and approval record.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to

keep your practice evidence together.

Transfer practice from the original programme

A capstone has two views of each of 40 leaves. Specify a 24/8/8 leaf split and baseline procedure. When may final labels be consulted?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Plan the plant capstone around independent groups and a baseline before collecting more rows.

By the end, I can · How I will show it

By the end, I can: Define a feasible capstone question and acceptance criteria

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Create a data and split plan before modelling

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Specify evidence, privacy and a fallback

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Define a feasible capstone question and acceptance criteria

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Plan the plant capstone around independent groups and a baseline before collecting more rows.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Fit majority label only from development training; record metrics and error types.

1. Define target
2. Split by groups
3. Plan baseline

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Plan baseline Fit majority label only from development training; record metrics and error types. Read the picture in order. Fit majority label only from development training; record metrics and error types. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed-case practice: A derived crop of plantG is added to training. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future input.
2. We can decide the result without examining the changed input or the procedure.
3. The final group separation is violated.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: The final group separation is violated. The crop retains the same source plant identity even with a new file name.

Repair a missing building block

Review Model Cards and Human Review (ai-4/33). Goal: Write a model card whose claims match evidence. Short practice: Write a bounded replacement for the publicity sentence. Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Subgroup Performance (ai-4/31). Goal: Calculate subgroup results with sample sizes. Short practice: Why should the report retain subgroup rates alongside the total? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Review Learning Curves (ai-4/28). Goal: Read training-size learning curves. Short practice: What comparison is valid if the validation set changes between sizes? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual output or error, change one input, then run again. Keep code, predictions, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.