

Failure budgets and service objectives

Project: Grounded Learning Service

1. Your mission

Your learning target

I can explain the mechanism and terminology of failure budgets and service objectives.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Evaluation pipelines. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Testing model-dependent behaviour. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Authentication and authorisation. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

This week you will practise:

Explain the mechanism and terminology of failure budgets and service objectives

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Evaluation pipelines. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

My starting explanation

This week's end goal

Explain failure budgets and service objectives using the deciding step in this fictional service.

2. Notice the evidence

Service objectives define measured reliability over a stated interval. A failure budget is meaningful only after success and eligible requests are defined.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

List the given facts and one fact that is not supplied.

3. See how it works

For a fictional objective at least 98% of 200 eligible requests must pass all contract checks. Allowed failures are $2\% \times 200 = 4$. Count every eligible failure once; report excluded requests separately.

Failure budgets and service objectives — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: In the interval 200 requests are eligible and 5 fail.

Check or calculation: For a fictional objective at least 98% of 200 eligible requests must pass all contract checks.

Conclusion and limit: $195/200 = 97.5\%$, below 98%; failures exceed budget 4 by one. This is the measured interval only.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for

qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week’s visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

Compare a familiar case with a changed case

In the interval 200 requests are eligible and 5 fail. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change: Repair one failed request into a success in this window.
Prediction: 98 successes and 2 failures meet the stated window target.
Reason: One recorded outcome changes while the denominator stays 100.

5. Words that unlock the idea

Word · Meaning

Word: Service objective
Meaning: A declared measured target over a specified scope

Word: Failure budget

Meaning: The failures allowed under that target

Word: Eligible request

Meaning: A request included under the declared denominator rule

Use two terms to explain a step in this week's example.

6. Follow a worked example

In the interval 200 requests are eligible and 5 fail.

$195/200=97.5\%$, below 98%; failures exceed budget 4 by one. This is the measured interval only.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Failure budgets and service objectives

A reliability allowance. A practice service requires at least 98 successes in each window of 100 eligible requests.

The facts we will use

Current window has 97 successes and 3 failures. Success includes a correct refusal within the agreed time limit.

Failure count in one 100-request window


failed requests out of 100

Allowed maximum



2

Observed



3

Bar length shows the supplied value; the marked baseline is zero.

Failure budgets and service objectives

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Define success

Use the same predeclared correctness and timing criteria.



2. Compute allowance

The target permits at most 2 failures in 100 requests.



3. Compare record

Three failures misses the target by one request.

CHANGE ONE THING

Repair one failed request into a success in this window.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Define success

What happens and why: Use the same predeclared correctness and timing criteria.

Step: 2. Compute allowance

What happens and why: The target permits at most 2 failures in 100 requests.

Step: 3. Compare record

What happens and why: Three failures misses the target by one request.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

An objective needs a measurement window, denominator and success definition. An honest refusal can be success under an agreed contract.

What this example does not establish

Meeting one window does not guarantee the next; monitor repeated windows and distinguish failure types.

Read the labelled picture: Calculate the maximum allowed failures among 100 requests. Does 97 successes and 3 failures meet the target, and what changes after one failure becomes a success?

Change one thing: Repair one failed request into a success in this window. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

Meeting one interval objective does not establish every future interval or zero critical failures.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself. The first may require a correction; the second requires an explicitly revised method and new evidence. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: Meeting one interval objective does not establish every future interval or zero critical failures. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

8. Practise together

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Failure budgets and service objectives”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Failure budgets and service objectives. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Calculate the maximum allowed failures among 100 requests. Does 97 successes and 3 failures meet the target, and what changes after one failure becomes a success?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

Predict, investigate and preserve the evidence

In the interval 200 requests are eligible and 5 fail. Show the intermediate steps and give the conclusion with its scope.

Record · Your evidence

Record: Given input and fixed rule

Your evidence: _____

Record: Prediction before checking

Your evidence: _____

Record: Actual result, or “not run”

Your evidence: _____

Record: First mismatch and one explanation

Your evidence: _____

Record: Boundary or missing input and expected response

Your evidence: _____

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

Explain → apply → challenge

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

A report omits this qualification: Meeting one interval objective does not establish every future interval or zero critical failures. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Explain which evidence supports your conclusion and which claim remains unproved.

11. Connect your project

Add a labelled failure budgets and service objectives evidence sheet to Grounded Learning Service. Show how you can explain the mechanism and terminology of failure budgets and service objectives. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence · Record

Project evidence: Component and version

Record: _____

Project evidence: Inputs permitted at prediction time

Record: _____

Project evidence: Trace and comparison with earlier work

Record: _____

Project evidence: Failure, limit and human review

Record: _____

Evidence for your project

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.

12. Show what you know

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer. For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

13. Study a complete case

Complete evidence record

Failure budgets and service objectives — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: In the interval 200 requests are eligible and 5 fail.

Check or calculation: For a fictional objective at least 98% of 200 eligible requests must pass all contract checks.

Conclusion and limit: $195/200=97.5\%$, below 98%; failures exceed budget 4 by one. This is the measured interval only.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the input through the stated procedure to its result. Cover the result first, predict it, then explain

every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

14. Try a new case independently

Independent case: Apply a new case independently

Objective 95% over 80 eligible requests. Five fail. Compute allowed failures and observed success.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Objective 95% over 80 eligible requests. Five fail. Compute allowed failures and observed success.

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A reliability allowance. A practice service requires at least 98 successes in each window of 100 eligible requests.

By the end, I can · How I will show it

By the end, I can: Explain the mechanism and terminology of failure budgets and service objectives

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Apply the stated procedure to a new case with a traceable result

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Identify an assumption or limitation and design a revealing follow-up

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Explain the mechanism and terminology of failure budgets and service objectives

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A reliability allowance. A practice service requires at least 98 successes in each window of 100 eligible requests.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Three failures misses the target by one request.

1. Define success
2. Compute allowance
3. Compare record

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Compare record Three failures misses the target by one request. An objective needs a measurement window, denominator and success definition. An honest refusal can be success under an agreed contract.

Practice 2: explain the deciding evidence

Changed-case practice: Repair one failed request into a success in this window. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future input.
2. 98 successes and 2 failures meet the stated window target.
3. We can decide the result without examining the changed input or the procedure.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: 98 successes and 2 failures meet the stated window target. One recorded outcome changes while the denominator stays 100.

Repair a missing building block

Review Evaluation pipelines (ai-6/10). Goal: Explain the mechanism and terminology of evaluation pipelines. Short practice: Calculate A's and B's correct rates on all four cases. Identify their shared failure and explain why removing that case after scoring changes the honesty of the comparison.. Return to this week and explain what you changed.

Review Testing model-dependent behaviour (ai-6/8). Goal: Explain the mechanism and terminology of testing model-dependent behaviour. Short practice: Score "Friday in room B" and "Friday in room D" against both mandatory criteria. Would a correct 25-word response pass, and why?. Return to this week and explain what you changed.

Review Authentication and authorisation (ai-6/5). Goal: Explain the mechanism and terminology of authentication and authorisation. Short practice: Explain why Jo's valid volunteer login does not permit editing C. Which trusted role change allows the action, and why is a role written in the request insufficient?.

Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.