

Privacy and data governance

Project: Reproducible AI Research Study

1. Your mission

Your learning target

I can explain the mechanism and terminology of privacy and data governance.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Research ethics and consent. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Sensitivity analysis. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Statistical tests and assumptions. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

This week you will practise:

Explain the mechanism and terminology of privacy and data governance

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Research ethics and consent. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

My starting explanation

This week's end goal

Explain privacy and data governance using the records and boundaries of this fictional investigation.

2. Notice the evidence

Data governance specifies who may use which records, for what purpose and for how long. Coded data can still be reidentifiable.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

List the given facts and one fact that is not supplied.

3. See how it works

For fictional records separate participant-code table from analysis values; limit access and retention. Remove unnecessary fields and small-group details before a permitted aggregate export.

Privacy and data governance — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: Export has coded ID, exact birth date, classroom and rare condition. Team calls it anonymous because names are removed.

Check or calculation: For fictional records separate participant-code table from analysis values; limit access and retention. Remove unnecessary fields and small-group details before a permitted aggregate export.

Conclusion and limit: The combination can remain identifying; coded is not necessarily anonymous. Minimise fields and assess disclosure under the declared policy.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

Compare a familiar case with a changed case

Export has coded ID, exact birth date, classroom and rare condition. Team calls it anonymous because names are removed. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change: Publish the identity key with the analysis table.

Prediction: The records become directly linkable to names and breach this access design.

Reason: Separation only helps while the linkage key remains restricted.

5. Words that unlock the idea

Word · Meaning

Word: Data governance

Meaning: Rules for purpose, access, quality and lifetime

Word: Pseudonym

Meaning: A code replacing direct identification

Word: Disclosure risk

Meaning: The possibility of learning identifying or sensitive facts

Use two terms to explain a step in this week's example.

6. Follow a worked example

Export has coded ID, exact birth date, classroom and rare condition. Team calls it anonymous because names are removed.

The combination can remain identifying; coded is not necessarily anonymous. Minimise fields and assess disclosure under the declared policy.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Privacy and data governance

Govern data by purpose and access. A fictional project needs task scores and random participant codes, but not names.

The facts we will use

The analysis table holds codes and scores. A separate restricted key links codes to names only for authorised withdrawal handling.

Privacy and data governance

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Separate tables

Keep analysis records apart from the identity key.



2. Limit access

Analysts receive scores and codes, not the name linkage.



3. Define retention

Apply the approved deletion schedule to both stores and listed copies.

CHANGE ONE THING

Publish the identity key with the analysis table.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Separate tables

What happens and why: Keep analysis records apart from the identity key.

Step: 2. Limit access

What happens and why: Analysts receive scores and codes, not the name linkage.

Step: 3. Define retention

What happens and why: Apply the approved deletion schedule to both stores and listed copies.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Pseudonymous codes reduce routine exposure but are not the same as irreversible anonymity.
Governance specifies purpose, readers, locations and retention.

What this example does not establish

Small groups or unusual records may still be identifiable without names; evaluate re-identification risk.

Read the labelled picture: Point to the analysis table and the restricted identity key. Why are the codes pseudonymous rather than guaranteed anonymous, and what changes if the key is published?

Change one thing: Publish the identity key with the analysis table. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

A size threshold or coding scheme alone does not guarantee privacy.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself. The first may require a correction; the second requires an explicitly revised method and new evidence. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: A size threshold or coding scheme alone does not guarantee privacy.
Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

8. Practise together

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Privacy and data governance”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Privacy and data governance. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Point to the analysis table and the restricted identity key. Why are the codes pseudonymous rather than guaranteed anonymous, and what changes if the key is published?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

Predict, investigate and preserve the evidence

Export has coded ID, exact birth date, classroom and rare condition. Team calls it anonymous because names are removed. Show the intermediate steps and give the conclusion with its scope.

Record · Your evidence

Record: Given input and fixed rule

Your evidence: _____

Record: Prediction before checking

Your evidence: _____

Record: Actual result, or “not run”

Your evidence: _____

Record: First mismatch and one explanation

Your evidence: _____

Record: Boundary or missing input and expected response

Your evidence: _____

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

Explain → apply → challenge

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

A report omits this qualification: A size threshold or coding scheme alone does not guarantee privacy. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Explain which evidence supports your conclusion and which claim remains unproved.

11. Connect your project

Add a labelled privacy and data governance evidence sheet to Reproducible AI Research Study. Show how you can explain the mechanism and terminology of privacy and data governance. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence · Record

Project evidence: Component and version

Record: _____

Project evidence: Inputs permitted at prediction time

Record: _____

Project evidence: Trace and comparison with earlier work

Record: _____

Project evidence: Failure, limit and human review

Record: _____

Evidence for your project

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

12. Show what you know

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer. For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

13. Study a complete case

Complete evidence record

Privacy and data governance — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: Export has coded ID, exact birth date, classroom and rare condition. Team calls it anonymous because names are removed.

Check or calculation: For fictional records separate participant-code table from analysis values; limit access and retention. Remove unnecessary fields and small-group details before a permitted aggregate export.

Conclusion and limit: The combination can remain identifying; coded is not necessarily anonymous. Minimise fields and assess disclosure under the declared policy.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the input through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

14. Try a new case independently

Independent case: Apply a new case independently

Aggregate contains one member in a subgroup; policy forbids subgroup reports smaller than 5. Decide.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Aggregate contains one member in a subgroup; policy forbids subgroup reports smaller than 5. Decide.

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: Govern data by purpose and access. A fictional project needs task scores and random participant codes, but not names.

By the end, I can · How I will show it

By the end, I can: Explain the mechanism and terminology of privacy and data governance

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Apply the stated procedure to a new case with a traceable result

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Identify an assumption or limitation and design a revealing follow-up

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Explain the mechanism and terminology of privacy and data governance

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.

17. Supported practice, repair and portfolio

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Govern data by purpose and access. A fictional project needs task scores and random participant codes, but not names.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Apply the approved deletion schedule to both stores and listed copies.

1. Define retention
2. Separate tables
3. Limit access

My selected conclusion, deciding fact and explanation

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

After your attempt, compare with the supported explanation: Define retention Apply the approved deletion schedule to both stores and listed copies. Pseudonymous codes reduce routine exposure but are not the same as irreversible anonymity. Governance specifies purpose, readers, locations and retention.

Practice 2: explain the deciding evidence

Changed-case practice: Publish the identity key with the analysis table. Which conclusion is supported by the supplied facts?

1. The records become directly linkable to names and breach this access design.
2. We can decide the result without examining the changed input or the procedure.
3. This one example guarantees correct results for every future input.

My selected conclusion, deciding fact and explanation

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

After your attempt, compare with the supported explanation: The records become directly linkable to names and breach this access design. Separation only helps while the linkage key remains restricted.

Repair a missing building block

Review Research ethics and consent (ai-7/19). Goal: Explain the mechanism and terminology of research ethics and consent. Short practice: Identify which uses the drawing consent permits and excludes. Can the unrelated project reuse the drawings under this agreement, and what new authorisation would be needed?. Return to this week and explain what you changed.

Review Sensitivity analysis (ai-7/17). Goal: Explain the mechanism and terminology of sensitivity analysis. Short practice: Classify 0.4, 0.6 and 0.8 at cutoffs 0.5, 0.7 and exactly 0.6. Which equality rule decides the boundary, and can these unlabelled scores identify the best cutoff?. Return to this week and explain what you changed.

Review Statistical tests and assumptions (ai-7/14). Goal: Explain the mechanism and terminology of

statistical tests and assumptions. Short practice: Calculate each paired difference and the observed sum. Count null arrangements with absolute sum at least four, compute p , and explain the decision at threshold 0.05.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run evidence. Open the HTML copy to read or print it. Drafts stay in this browser when storage is available; clear drafts on a shared device.