

# Rules or Learned Patterns?

Project: Helpful Classroom Sorter

## 1. Rules or Learned Patterns?

### Teach the learning cycle

Primary target: Execute a stated rule including its boundary

#### Session · Sequence and minutes · Resources

**Session:** Session 1 · Understand · 45 min

**Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

## Retrieval answer guidance

### Sensors Are Messengers

Without opening the old lesson, explain one key idea from Sensors Are Messengers. Give an example and a mistake that the idea helps you avoid.

Look for: Describe a measurement using its quantity, value, unit and conditions

Reference example, not the only acceptable wording: Keep the observed value 24 and approximate time lunchtime; mark the unit, exact time if needed, location, exposure and device identity as unknown or to be checked. A suitable completed record needs air temperature, value, unit and relevant conditions. Invented degrees C or shade is not an observation.

### AI or Not?

Without opening the old lesson, explain one key idea from AI or Not?. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish an observed result from an explanation of how it was produced

Reference example, not the only acceptable wording: Observations include that the door opened when the visitor approached and that its label says intelligent entrance. A useful question asks whether a written sensor threshold, a model fitted on examples or a person controls opening. The label is an observed marketing claim, not mechanism evidence.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

### What the learner must demonstrate

Sorter A follows 'red left, blue right'. Sorter B was trained using labelled red and blue cards. Both send a purple card left. Does their shared output show that they used the same process? What evidence is missing?

### Concept to explain

Fixed instructions and learned behavior can look similar but arise differently.

#### Term · Meaning

**Term:** fixed rule

**Meaning:** instruction written directly in advance

---

**Term:** learned pattern

**Meaning:** relationship fitted from examples

---

**Term:** training

**Meaning:** process that adjusts a model from examples

---

**Term:** inference

**Meaning:** using the finished model on a new input

---

## Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

## Preparation for the connected explanation

This is a genuine small fitting procedure: choose among candidate thresholds by empirical disagreement count. It is intentionally executable on paper. Do not equate all AI with machine learning or all handwritten rules with non-AI; the lesson isolates fitting versus execution. The fictional label convention avoids implying that size words have universal numerical definitions.

## Readiness answer

The warning stays off at exactly 28. Check that the reading is the intended quantity in degrees C and is relevant to the time and conditions.

Width and length cards with labels on a separate sheet

Two candidate-threshold cards for each exercise

A trace-table frame with input, prediction, supplied label and disagreement columns

## End goal for the pictorial case

By the end, I can distinguish choosing a rule from applying an already chosen rule.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

# 2. Explain the mechanism

## Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT a motion value or image values

PROCESS run an explicit if/then rule or a learned classifier

OUTPUT turn on a light or predict an animal label

CORE IDEA Fixed instructions and learned behavior can look similar but arise differently.

UNDER THE HOOD A fixed program's decision logic is specified directly by people. A learned model's parameters are fitted from examples. Both are software, both may be complex, and both can fail; the distinction is how the decision behavior was produced.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE A motion light and an animal recognizer both react to input, but one checks a written condition while the other uses patterns learned from examples.

STEP 1 — OBSERVE a motion value or image values

STEP 2 — TRACE run an explicit if/then rule or a learned classifier

STEP 3 — CONCLUDE turn on a light or predict an animal label

MODEL REASONING The motion light follows a directly written sensor condition. The animal recogniser uses a model fitted on labelled examples. Observing that both react to input does not tell us how their decisions were produced.

DO NOT OVERCLAIM Do not use complicated versus simple as a substitute for fixed versus learned.

What new evidence could change this answer?

## Teacher precision note

This course concentrates on modern machine learning. AI also includes symbolic and rule-based approaches. A simple automatic switch or robot body is not, by itself, evidence of AI. Discuss how the system reasons or learns, rather than judging appearance.

## Concrete teaching case

Sorter A follows a written red-card-left rule. Sorter B is fitted using labelled leaves.

How were their decision processes obtained? Where should A send blue cards?

## Exact explanation to model

A was explicitly programmed; B learned parameters from examples. Blue-card handling is unspecified, so request a rule. Both systems can fail.

## Explain the added worked example

A paper sorting task describes imaginary cards. Each card has a width in centimetres and a recorded label, narrow or wide. One person writes a rule from a design requirement: label a card wide when its width is at least 5 cm. Another person compares several candidate thresholds with labelled examples and chooses the one with fewest disagreements. Both may end up using the same threshold, but they selected it in different ways.

Executing a rule means applying it to an input. Fitting means using examples to select or adjust the rule or model. A fitted model can be very simple. We do not need a brain-like picture or a complicated computer to study the difference between selecting a rule and using it.

In this exercise the labels are supplied by the task designer. They are not a universal definition of wide, and a centimetre value alone would not determine every possible meaning of that word. State what the recorded labels mean in the task before counting disagreements.

For threshold  $t$ , our rule predicts wide when width is at least  $t$  and narrow otherwise. At least includes equality: with  $t=5$ , width 5 is wide. Changing at least to greater than changes the rule and may change the error count.

A fitting procedure also contains choices people made: the feature, candidate thresholds, label definition and way of counting errors. Calling a threshold learned does not remove human responsibility for those choices.

## Key terms

### Term · Meaning

**Term:** Feature

**Meaning:** A recorded property used as an input to a decision or model

---

**Term:** Label

**Meaning:** A recorded category or target associated with an example

---

**Term:** Threshold

**Meaning:** A boundary value used in a comparison

---

**Term:** Fitting

**Meaning:** Choosing or adjusting a model using examples

---

**Term:** Error count

**Meaning:** The number of predictions that disagree with the comparison labels

---

## Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

**2 · narrow · narrow · narrow**

**2:** 4

**narrow:** narrow

**narrow:** wide

**narrow:** narrow

---

**2:** 6

**narrow:** wide

**narrow:** wide

**narrow:** wide

---

**2:** 8

**narrow:** wide

**narrow:** wide

**narrow:** wide

---

Apply threshold 3 to each width before checking the label. Only width 4 disagrees, so its error count is 1. Threshold 5 agrees on all four examples, so its error count is 0. Of these two candidates, this procedure selects 5. Zero disagreements here means it fits these four labels; it is not a guarantee about all future cards.

There can be ties. Threshold 6 also agrees on these four examples because 6 is included by at least. Thresholds 5 and 6 predict differently for width 5, which is absent from the fitting set. The available examples therefore do not uniquely determine how that width should be labelled. A procedure needs an explicit tie rule, and we should record the unresolved case.

**Thinking move · Teacher prompt**

**Thinking move:** Plan

**Teacher prompt:** What is given? What is the question? Which procedure fits these facts?

---

**Thinking move:** Do

**Teacher prompt:** Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

---

**Thinking move:** Check

**Teacher prompt:** Does the output answer the question? Which assumption or limitation prevents a larger claim?

---

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

## A pictorial worked case: Rules or Learned Patterns?

A fictional paper sorter learns a size boundary for toy pebbles.

### The facts we will use

Training diameters are 1,3,5,7 cm with labels small,small,large,large.

Compare large-at-least-3 with large-at-least-5; choose fewer errors.

AI ACADEMY / AI-1/4

## Training errors by candidate boundary

disagreements

Boundary 3



Boundary 5



Bar length shows the supplied value; the marked baseline is zero.

## Rules or Learned Patterns?

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. Training examples

Diameters 1,3,5,7 have reference labels S,S,L,L.



#### 2. Candidate 3

Predictions S,L,L,L: one disagreement at 3.



#### 3. Candidate 5

Predictions S,S,L,L: zero disagreements.



#### 4. New pebble

Selected boundary 5 predicts small for a new diameter 4.

### CHANGE ONE THING

Give a new pebble diameter 5 instead of 4.

Explain the changed result using the matching lesson.

## Read the picture one step at a time

### Step · What happens and why

**Step:** 1. Training examples

**What happens and why:** Diameters 1,3,5,7 have reference labels S,S,L,L.

---

**Step:** 2. Candidate 3

**What happens and why:** Predictions S,L,L,L: one disagreement at 3.

---

### Step: 3. Candidate 5

**What happens and why:** Predictions S,S,L,L: zero disagreements.

---

### Step: 4. New pebble

**What happens and why:** Selected boundary 5 predicts small for a new diameter 4.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

## Why this result follows

The learning procedure compares candidate rules against supplied examples and selects boundary 5. Applying that boundary to diameter 4 is a later prediction step. An explicit threshold can be selected from data; being easy to write does not make its origin unknowable.

## What this example does not establish

Zero training disagreements do not prove every future pebble receives the correct label.

## Change one thing in the pictured case

Change: Give a new pebble diameter 5 instead of 4.

Prediction: The selected rule predicts large.

Reason: At least includes equality, so 5 meets the boundary.

## Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

# 3. Demonstrate and guide practice

## Demonstrate and guide practice

### Board sequence

Write the given facts: Sorter A follows a written red-card-left rule. Sorter B is fitted using labelled leaves.

Write the question to explain: How were their decision processes obtained? Where should A send blue cards?

Reveal after predictions: A was explicitly programmed; B learned parameters from examples. Blue-card handling is unspecified, so request a rule. Both systems can fail.

Keep for an independent attempt: System A uses the written rule green means go. System B learns fruit labels from example photographs. Who supplies A's rule? What changes when B is trained on different examples?

## Classroom dialogue

**Ask:** Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

**Say:** Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

## Model these guided questions

For widths 1,3,5,7, threshold 3 predicts narrow,wide,wide,wide and has one error; threshold 5 predicts narrow,narrow,wide,wide and has zero. The choice establishes a lower fitting error among these candidates on these examples. The exit distinction is selecting a parameter using labelled examples versus keeping the parameter fixed while making a prediction on a new input.

## Case-specific teaching sequence

### Stage · Teacher action

**Stage:** Session 1 start 0 to 7 minutes

**Teacher action:** Retrieve the equality boundary from the temperature rule. Compare greater than with at least.

---

**Stage:** 7 to 20 minutes

**Teacher action:** Contrast a requirement-selected threshold with an example-selected threshold. Read the fitting and use diagram.

---

**Stage:** 20 to 33 minutes

**Teacher action:** Work through all rows for candidates 3 and 5. Count errors only after writing predictions.

---

**Stage:** 33 to 45 minutes

**Teacher action:** Pairs complete W1 and W2. Ask each learner to explain where the fitting decision occurs.

---

**Stage:** Session 2 start 0 to 8 minutes

**Teacher action:** Show the tie between 5 and 6. Ask for an input that makes them disagree.

---

**Stage:** 8 to 23 minutes

**Teacher action:** Complete W3 and discuss what the fitting data does not determine.

---

**Stage:** 23 to 38 minutes

**Teacher action:** Collect W4 independently with comparison labels for the new case hidden.

---

**Stage:** 38 to 45 minutes

**Teacher action:** Discuss W5 and the exit explanation. Save the selected rule and its known limitations.

---

## Reduce help deliberately

Completion task: Widths 1, 3, 5, 7 have labels narrow, narrow, wide, wide. For candidates 3 and 5, list all predictions using wide when width is at least the candidate. Count disagreements and select the lower-error candidate.

Teacher check: Threshold 3: narrow, wide, wide, wide; one disagreement at 3. Threshold 5: narrow, narrow, wide, wide; zero disagreements. Select 5 among these candidates based on these examples only.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

## Individual reasoning check

Use the worked case for Rules and learned patterns. Proposed explanation: “A learned rule cannot be written simply”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: The selection procedure can fit a single threshold. Complexity is not the definition of fitting.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

## Pictorial practice question

Show which stage used labels and which stage used only the new measurement.

### Reasoned teacher answer

Selection used all four training labels. The new prediction compares diameter with 5 without seeing its reference label.

Changed-case reasoning: The selected rule predicts large. At least includes equality, so 5 meets the boundary.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

## 4. Run the weekly evidence lab

### Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Compare a motion light with an animal recognizer.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

### Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

#### Record · What to capture

**Record:** Input or evidence

**What to capture:** Exact data, instruction or claim

---

**Record:** Expected result

**What to capture:** Answer or safe fallback declared before the run

---

**Record:** Observed result

**What to capture:** Actual result, including errors

---

**Record:** Explanation

**What to capture:** Rule, calculation or evidence explaining the outcome

---

**Record:** Next test

**What to capture:** One justified change and a new prediction

---

## Diagnose and reteach

CLAIM TO REPAIR Every rule must have been learned from data.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

## Address these additional misconceptions

A learned rule cannot be written simply: The selection procedure can fit a single threshold. Complexity is not the definition of fitting.

Zero fitting errors means the model is correct everywhere: Use thresholds 5 and 6, then input 5. Identical fitting scores leave different unseen predictions.

The label is available when predicting: Cover the new case's label until the prediction is recorded. Separate information available at fitting time from prediction time.

## Match the support to the first error

### What the response shows · Next teaching action

**What the response shows:** Missing or misread facts

**Next teaching action:** Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

---

**What the response shows:** Wrong procedure

**Next teaching action:** Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

---

**What the response shows:** Arithmetic or implementation error

**Next teaching action:** Trace intermediate values or lines; preserve the first mismatch and retry that step.

---

**What the response shows:** Correct result without a reason

**Next teaching action:** Ask for a trace and a changed case before marking independent understanding.

---

**What the response shows:** An unsupported wider claim

**Next teaching action:** Ask which supplied evidence supports the claim and which further observation would be needed.

---

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

## 5. Assess and explain the answers

### Assess and explain the answers

#### Worked case answer

A was explicitly programmed; B learned parameters from examples. Blue-card handling is unspecified, so request a rule. Both systems can fail.

#### Independent question

System A uses the written rule green means go. System B learns fruit labels from example photographs. Who supplies A's rule? What changes when B is trained on different examples?

#### Expected independent answer

A's designer writes the rule. Training examples can change B's learned behaviour. A new set of examples does not automatically improve B; test it on separate examples.

#### What counts as evidence

Criterion · 0 points · 1 point · 2 points

**Criterion:** Result

**0 points:** Incorrect or absent

**1 point:** Partly correct

**2 points:** Correct with necessary conditions

---

**Criterion:** Reasoning

**0 points:** No supporting trace

**1 point:** Some steps

**2 points:** Clear mechanism, calculation or source support

---

**Criterion:** Limit

**0 points:** Overclaims certainty

**1 point:** Vague limitation

**2 points:** Relevant uncertainty or missing fact

---

**Criterion:** Transfer

**0 points:** Copies without adapting

**1 point:** Adapts with prompts

**2 points:** Solves a changed case independently

---

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

## Feedback

Ask the learner to find the evidence that challenges this claim: “Every rule must have been learned from data.” Keep the first attempt and an uncoached retry separate.

## Original transfer answer

No. A follows supplied instructions but purple handling is unspecified; B applies a learned pattern. Inspect A's complete rule and B's training and prediction process. The same output can arise from different mechanisms and neither result establishes correctness without a purple-card policy.

## Explanations for the additional workbook examples

## W1 Execute before fitting

Use wide when width is at least 5 cm. Predict the label for widths 4, 5 and 6. Then state what changes if the rule uses greater than 5 instead.

At least 5 gives narrow, wide, wide. Greater than 5 gives narrow, narrow, wide. Only the equality case changes among these inputs.

## W2 Complete the supported comparison

Widths 1, 3, 5, 7 have labels narrow, narrow, wide, wide. For candidates 3 and 5, list all predictions using wide when width is at least the candidate. Count disagreements and select the lower-error candidate.

Threshold 3: narrow, wide, wide, wide; one disagreement at 3. Threshold 5: narrow, narrow, wide, wide; zero disagreements. Select 5 among these candidates based on these examples only.

## W3 Make a tie visible

For the worked widths 2, 4, 6, 8 with labels narrow, narrow, wide, wide, compare thresholds 5 and 6. Give a width where they predict differently. Explain why the four fitting examples cannot decide that case.

Both thresholds have zero disagreements. At width 5, threshold 5 predicts wide while threshold 6 predicts narrow. No fitting example is width 5 or otherwise distinguishes these thresholds; their equal fitting score does not establish a unique answer there.

## W4 Fit a new paper classifier

A fictional sorting task has lengths 2, 5, 7, 9 cm with labels short, short, long, long. Candidate rules predict long when length is at least 5 or at least 7. List predictions and errors for both, choose one, and predict a new length of 6 before any label is revealed. State one limit of your conclusion.

Threshold 5 predicts short, long, long, long: one error at 5. Threshold 7 predicts short, short, long, long: zero errors. Choose 7 and predict short for 6. This fits these supplied labels among these two candidates; the new label, labels at other lengths and general performance are not established.

## W5 Keep the check honest

A learner sees that their final-check card was predicted incorrectly, changes the threshold to match it and reports the same card as an unseen test. Explain the problem and propose a valid next check.

The revealed check label influenced the revised threshold, so it became part of development. Record the revision and use a different, unrevealed set after fixing the rule. Do not report the adapted-to case as an independent final test.

## Assess independent transfer

Selected case: A fictional sorting task has lengths 2, 5, 7, 9 cm with labels short, short, long, long. Candidate rules predict long when length is at least 5 or at least 7. List predictions and errors for both, choose one, and predict a new length of 6 before any label is revealed. State one limit of your conclusion.

## Selected case answer

Threshold 5 predicts short, long, long, long: one error at 5. Threshold 7 predicts short, short, long, long: zero errors. Choose 7 and predict short for 6. This fits these supplied labels among these two candidates; the new label, labels at other lengths and general performance are not established.

### Dimension · Evidence required

**Dimension:** Explanation

**Evidence required:** Names the applicable idea or procedure and ties it to the supplied facts.

---

**Dimension:** Trace and result

**Evidence required:** Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

---

**Dimension:** Limits

**Evidence required:** States the assumptions, missing evidence or conditions under which the result would change.

---

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

## Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

# 6. Connect and extend learning

## Connect and extend learning

### Helpful Classroom Sorter

Draw a fixed-rule version and a learned-pattern version of the Classroom Sorter; state what evidence would justify the learned version.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

## Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

## Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

## Bridge to the next week

Next: Week 5: Pictures Become Numbers. Retrieve today's evidence and identify what carries forward and what is new.

## Support and fresh reassessment

Use a number line with a closed dot at the threshold and arrows to the long or wide region. Permit oral explanation with a completed prediction table. Extension: ask learners to find every whole-number threshold tied for zero errors in the worked example and explain what a tie-breaking rule does.

W4 is secure when both prediction lists and counts are correct, threshold 7 is selected, length 6 is predicted short and the learner limits the claim to available evidence. An arithmetic correction alone is insufficient if the fitting versus prediction distinction is missing. Retest with different lengths and thresholds after reteaching.

Week 5 asks how an image becomes numerical input and what spatial information must be preserved before a model can use it.

## Plan the delayed return

Suggested return points in this level: ai-1/5, ai-1/7, ai-1/10. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

### Record · Teacher evidence

**Record:** Learner code and date

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Concept and case used; prior exposure

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Explanation / trace / limits

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Support and first repair

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Changed case and delayed outcome

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Next teaching action

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

### Project evidence from this case

Document whether the sorter's rules were teacher-written or chosen from examples, retaining candidate errors.

## 7. Prepare, teach and assess

Teaching target: Execute a stated rule including its boundary

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

### Session · Plan · Resources

**Session:** Session 1 · Understand · 45 min

**Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

\_\_\_\_\_

**Session:** Session 2 · Practise · 45 min

**Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

Before class, solve the supported practice: Widths 1, 3, 5, 7 have labels narrow, narrow, wide, wide. For candidates 3 and 5, list all predictions using wide when width is at least the candidate. Count disagreements and select the lower-error candidate.

Reasoned practice answer: Threshold 3: narrow, wide, wide, wide; one disagreement at 3. Threshold 5: narrow, narrow, wide, wide; zero disagreements. Select 5 among these candidates based on these examples only.

Check every learner before discussion: Use the worked case for Rules and learned patterns. Proposed explanation: “A learned rule cannot be written simply”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: The selection procedure can fit a single threshold. Complexity is not the definition of fitting.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Give a new pebble diameter 5 instead of 4. Require a prediction and a reason before comparing. Expected result: The selected rule predicts large. Reason: At least includes equality, so 5 meets the boundary.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

**Criterion · Not yet · With support · Independent**

**Criterion:** Explanation

**Not yet:** Names an answer without a deciding fact

**With support:** Uses a hint to link fact and decision

**Independent:** Explains the deciding fact in own words

---

**Criterion:** Trace or test

**Not yet:** Cannot connect input and result

**With support:** Completes steps with prompts

**Independent:** Traces or tests a changed case accurately

---

**Criterion:** Limits and revision

**Not yet:** Claims more than evidence supports

**With support:** Names a limit after a prompt

**Independent:** States a defensible limit and useful next test

---

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

## 8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.