

Generate, Retrieve, or Calculate?

Project: Helpful Classroom Sorter

1. Generate, Retrieve, or Calculate?

Teach the learning cycle

Primary target: Distinguish retrieving a record, calculating from inputs and generating wording

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Privacy by Choosing Less

Without opening the old lesson, explain one key idea from Privacy by Choosing Less. Give an example and a mistake that the idea helps you avoid.

Look for: Justify which information a stated task needs and remove unnecessary fields

Reference example, not the only acceptable wording: Keep topic choice; remove name, full date of birth, address and photograph. The totals do not require identity or contact details. Collecting extra fields creates copies and exposure to manage even if those fields are later ignored or deleted.

Missing and Unbalanced Examples

Without opening the old lesson, explain one key idea from Missing and Unbalanced Examples. Give an example and a mistake that the idea helps you avoid.

Look for: Name the target collection, selection list and cases actually assessed

Reference example, not the only acceptable wording: The target is all 24 specified cards across four conditions. The sample is the 6 bright-circle cards. Dim circles, bright squares and dim squares are absent. A frame containing only bright-circle IDs excludes every other condition, regardless of how randomly IDs are drawn from it.

Similarity

Without opening the old lesson, explain one key idea from Similarity. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate similarity using explicitly selected features and a stated scoring rule

Reference example, not the only acceptable wording: A: 1, 1, 0 gives 2. B: 0, 0, 1 gives 1. C: 1, 0, 0 gives 1. A is the only highest scoring candidate among A, B and C under equal weights.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Three tasks are: invent a school motto, find the exact fire-drill meeting point in a supplied handbook, and divide 84 stickers among 7 teams. Choose generation, retrieval or calculation for each. Which outputs need checking?

Concept to explain

Different systems create, look up, or compute answers in different ways.

Term · Meaning

Term: generate

Meaning: create a new output from learned patterns

Term: retrieve

Meaning: find and return stored information

Term: calculate

Meaning: apply defined operations to values

Term: provenance

Meaning: where an output or claim came from

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Keep operations distinct without presenting three mutually exclusive product categories. A modern system can retrieve records, call a calculator and generate a final response. Lewis and colleagues provide a primary example combining retrieval and generation: Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks (2020), <https://arxiv.org/abs/2005.11401>. Use this as teacher background, not required pupil reading. The fictional notices and arithmetic here are independent classroom examples.

Readiness answer

The task needs the three totals, not pupil identities. Use the least information needed and follow the teacher's approved tool and data rules.

The fictional N1 and N2 notice details printed in the student lesson

Paper for three-column traces labelled source facts, calculation and wording

The independent library record B in W4; no online account is needed

End goal for the pictorial case

By the end, I can separate retrieval, calculation and generated wording.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT question and available sources or rules

PROCESS generate patterns, retrieve records, or calculate

OUTPUT answer with mechanism-appropriate checking

CORE IDEA Different systems create, look up, or compute answers in different ways.

UNDER THE HOOD Generation synthesizes outputs from learned distributions, retrieval selects stored records, and calculation applies formal operations. Products often combine all three; verification should match the component that produced each claim.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE A story generator creates new wording, a library search retrieves a stored title, and a calculator computes a result from stated operations.

STEP 1 — OBSERVE question and available sources or rules

STEP 2 — TRACE generate patterns, retrieve records, or calculate

STEP 3 — CONCLUDE answer with mechanism-appropriate checking

MODEL REASONING Check generated claims against independent evidence, check retrieved facts against the cited record and freshness, and recompute calculations or inspect the operation. Mixed outputs need more than one check.

DO NOT OVERCLAIM Fluent wording does not reveal whether a fact was retrieved, generated, or calculated.

What new evidence could change this answer?

Concrete teaching case

A learner needs a new poem, $18+7$, and a passage from the class handbook.

Choose the operation for each.

Exact explanation to model

Generate the poem, calculate 25, retrieve the actual passage. Inventing a fluent passage is not retrieval.

Explain the added worked example

Three tasks can produce similar-looking text while doing different work. Retrieval finds existing information. Calculation applies mathematical operations to input values. Generation produces content using a model and the context it receives. A single application can combine all three, so the label AI does not tell you which step happened.

Our fictional makers club has a current notice N2: Wednesday, Room 4, six tables with four places at each table, and three places reserved for helpers. An older notice N1 says Room 2. N2 explicitly replaces N1 for this event. These records are invented for this lesson; no search, account or real booking is needed.

To answer “Which room does the current notice list?”, find N2 and return Room 4 with the record identifier. That is retrieval. To answer “How many places remain after the helper reservation?”, use $6 \times 4 - 3 = 21$. That is calculation. To suggest a friendly invitation, generate wording and check that its factual details agree with N2.

Retrieving N1 accurately would still give an outdated room for this task. Successful retrieval means finding a record, not proving that every record is correct or current. Check the event, source and version. Here the explicit replacement statement tells us which notice governs the classroom example.

A calculator given 6×4 correctly returns 24, but 24 is the total capacity, not the number remaining after three reserved places. Correct arithmetic on an incomplete expression answers the wrong question. Explain the input values, units and operations before accepting a number.

Key terms

Term · Meaning

Term: Retrieval

Meaning: Finding and returning existing information from a collection

Term: Calculation

Meaning: Applying specified mathematical operations to input values

Term: Generation

Meaning: Producing content using a model and its input context

Term: Source record

Meaning: An existing item whose content and origin can be inspected

Term: Trace

Meaning: A record of the inputs, operations and outputs used in a task

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Meet Wednesday in Room 4 · Current notice N2 · Supported by the record

Meet Wednesday in Room 4: There are 21 non-helper places

Current notice N2: $6 \times 4 - 3$ from N2

Supported by the record: Supported by calculation

Meet Wednesday in Room 4: Free snacks will be provided

Current notice N2: Not stated in N2

Supported by the record: Remove or verify separately

A generated invitation might add free snacks because that detail fits a familiar invitation pattern. Plausible wording is not evidence that snacks are provided. Remove that claim or obtain an appropriate confirming source before including it. Generated content can be useful and can contain correct facts; its fluent style alone does not verify those facts.

Generation also does not guarantee originality. A response may repeat wording already present in its context or elsewhere. Retrieval and calculation can feed a generator, and a generator can propose a calculation for another tool. Keep the evidence path visible instead of assuming that every sentence came from the same operation.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Generate, Retrieve, or Calculate?

A fictional craft invitation combines three different operations.

The facts we will use

Approved record C: Tuesday, Hall 4, three tables with four learner places each.

Two places are reserved for helpers; no snack information is supplied.

Generate, Retrieve, or Calculate?

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Retrieve facts

Read Tuesday, Hall 4 and 3 x 4 places from approved C.



2. Calculate

12 total places minus 2 reserved = 10 learner places.



3. Generate wording

Draft a friendly invitation using only those supported details.



4. Check claims

A sentence promising snacks has no supporting record.

CHANGE ONE THING

Reserve four places instead of two, keeping the room and day unchanged.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Retrieve facts

What happens and why: Read Tuesday, Hall 4 and 3x4 places from approved C.

Step: 2. Calculate

What happens and why: 12 total places minus 2 reserved = 10 learner places.

Step: 3. Generate wording

What happens and why: Draft a friendly invitation using only those supported details.

Step: 4. Check claims

What happens and why: A sentence promising snacks has no supporting record.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Retrieval copies relevant source information; calculation follows arithmetic; generation proposes wording. These jobs can cooperate, but one does not validate the others. A friendly generated sentence can still contain an invented detail. Keep the approved source beside the draft and check each factual claim separately.

What this example does not establish

The fictional source must itself be current and authoritative; retrieval alone does not ensure a record is correct.

Change one thing in the pictured case

Change: Reserve four places instead of two, keeping the room and day unchanged.

Prediction: Eight learner places remain.

Reason: $3 \times 4 - 4 = 8$; this changes capacity for learners, not the retrieved date or location.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A learner needs a new poem, $18+7$, and a passage from the class handbook.

Write the question to explain: Choose the operation for each.

Reveal after predictions: Generate the poem, calculate 25, retrieve the actual passage. Inventing a fluent

passage is not retrieval.

Keep for an independent attempt: Choose a method for each task: invent a dragon story; find the library's posted hours; compute 7 plus 5. Explain why the methods differ.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Correct Thursday to Wednesday using N2; Room 4 is supported. Remove free snacks unless independently verified. Replace 24 remaining with 21 from $6 \times 4 - 3$. One sentence: The makers club meets Wednesday in Room 4, with 21 places after the helper reservation. Exit: $6 \times 4 - 5 = 19$; day, room, table count and places per table stay the same. The changed reservation invalidates the old remaining count.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start 0 to 7 minutes

Teacher action: Retrieve the minimal-input principle from Week 24.

Stage: 7 to 20 minutes

Teacher action: Compare the three operations using N2 and complete W1.

Stage: 20 to 33 minutes

Teacher action: Trace the diagram and complete W2. Ask what the result's unit and meaning are.

Stage: 33 to 45 minutes

Teacher action: Complete W3 and separate a retrieved record from a current record.

Stage: Session 2 start 0 to 8 minutes

Teacher action: Retrieve why correct arithmetic can still answer the wrong question.

Stage: 8 to 23 minutes

Teacher action: Complete the guided correction. Require evidence for each factual claim.

Stage: 23 to 38 minutes

Teacher action: Collect W4 independently, with source, expression, result and unsupported detail.

Stage: 38 to 45 minutes

Teacher action: Complete W5 and the exit. Discuss identical outputs with different or unknown methods.

Reduce help deliberately

Completion task: A calculator correctly returns 24 for 6×4 . A pupil reports this as the number of non-helper places available. Explain the problem and write the correct expression, result and meaning.

Teacher check: 24 is total capacity before the three helper places are reserved. The requested remaining count is $6 \times 4 - 3 = 21$ non-helper places. The calculator can execute the supplied expression correctly while that expression omits a required step.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Generation retrieval and calculation. Proposed explanation: “Retrieving a record proves it is current”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Check event and version; N1 is superseded by N2 in this example.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Label each arrow with its operation. Can the system add snacks because invitations often mention them?

Reasoned teacher answer

The arrows are retrieval, calculation and generation. No: snacks need confirmation; familiar wording is not evidence.

Changed-case reasoning: Eight learner places remain. $3 \times 4 - 4 = 8$; this changes capacity for learners, not the retrieved date or location.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Classify nine outputs by mechanism and verification need.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

CLAIM TO REPAIR Generating plausible text is the same as retrieving a fact.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Retrieving a record proves it is current: Check event and version; N1 is superseded by N2 in this example.

A correct calculator result always answers the task: The expression must include the required reservation and correct units.

Fluent generated details are verified facts: Free snacks and transport need evidence; wording alone is insufficient.

The final sentence reveals the method: Matching outputs do not establish matching operations; inspect records and traces.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed

incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Generate the poem, calculate 25, retrieve the actual passage. Inventing a fluent passage is not retrieval.

Independent question

Choose a method for each task: invent a dragon story; find the library's posted hours; compute 7 plus 5. Explain why the methods differ.

Expected independent answer

Generate the story, retrieve the posted hours, and calculate 12. Creativity, source lookup and arithmetic require different evidence and checking.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “Generating plausible text is the same as retrieving a fact.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Generate a motto and inspect suitability; retrieve and cite the actual handbook passage for the meeting point; calculate $84/7=12$ stickers each and check $12 \times 7=84$. All need task-appropriate checks. A fluent invented location cannot substitute for the handbook.

Explanations for the additional workbook examples

W1 Name the operation and its evidence

For each task name the main operation and a suitable check: find the room listed in N2; work out six tables of four places minus three reserved places; suggest an inviting title for the event. Can an application combine these operations?

Room: retrieval, checked against the right source N2 and event. Remaining places: calculation, checked as $6 \times 4 - 3 = 21$ with correct inputs. Title: generation, checked for the requested style and unsupported factual details. An application can combine them; the labels describe operations rather than exclusive types of application.

W2 Separate a correct sum from a correct answer

A calculator correctly returns 24 for 6×4 . A pupil reports this as the number of non-helper places available. Explain the problem and write the correct expression, result and meaning.

24 is total capacity before the three helper places are reserved. The requested remaining count is $6 \times 4 - 3 = 21$ non-helper places. The calculator can execute the supplied expression correctly while that expression omits a required step.

W3 Inspect a record and a draft

N1 lists Room 2. N2 explicitly replaces N1 for this event and lists Wednesday in Room 4. A draft says Thursday in Room 2 with free snacks. Identify the supported corrections and the unsupported detail. Explain why finding N1 successfully would not settle the current-room question.

Use Wednesday and Room 4 from N2. Free snacks are unsupported and should be removed or verified with a suitable source. N1 is an existing record but is superseded for this event, so retrieving it does not establish the current room.

W4 Trace a new library workshop

Current fictional record B lists a library workshop on Friday in Room 5: five tables with six places each, with four places reserved for helpers. B replaces old record A, which lists Room 3. A draft says “Thursday in Room 3, with 30 places remaining and a free bus home.” Retrieve the current day and room, calculate the non-helper places, write a corrected factual sentence and identify the detail that cannot be supported by B.

Retrieve Friday and Room 5 from B. Calculate $5 \times 6 - 4 = 26$ non-helper places. A suitable sentence is: The workshop is Friday in Room 5 with 26 places after the helper reservation, according to B and the capacity calculation. The free bus is unsupported and must be removed or verified separately. The draft’s 30 is total capacity before reservation.

W5 Do not infer a method from its output

Two applications both display “26 places remain.” Only one provides record B and a trace showing $5 \times 6 - 4$. What can and cannot be concluded from their matching sentences? Describe how you would check the numerical claim without relying on either application’s assurance.

The visible numerical outputs match, but that alone does not reveal the second application’s method or

prove that either checked the right task. Inspect current B, confirm the inputs and independently calculate $5 \times 6 - 4 = 26$. The first trace supports inspection; a verbal assurance of checking is not equivalent to inspectable evidence.

Assess independent transfer

Selected case: Current fictional record B lists a library workshop on Friday in Room 5: five tables with six places each, with four places reserved for helpers. B replaces old record A, which lists Room 3. A draft says “Thursday in Room 3, with 30 places remaining and a free bus home.” Retrieve the current day and room, calculate the non-helper places, write a corrected factual sentence and identify the detail that cannot be supported by B.

Selected case answer

Retrieve Friday and Room 5 from B. Calculate $5 \times 6 - 4 = 26$ non-helper places. A suitable sentence is: The workshop is Friday in Room 5 with 26 places after the helper reservation, according to B and the capacity calculation. The free bus is unsupported and must be removed or verified separately. The draft's 30 is total capacity before reservation.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design

prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Helpful Classroom Sorter

Label every sorter component as generate, retrieve, calculate, fixed rule, learned prediction, or human decision.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 26: Prompts Are Design Instructions. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use three coloured cards for recorded fact, derived quantity and suggested wording. Work with counters for total and reserved places. Extension: explain which steps should be repeated if only the room changes versus if the number of tables changes.

W4 requires Friday, Room 5, record B, $5 \times 6 - 4 = 26$, a consistent corrected sentence and rejection of the unsupported free bus. After support change B to reserve seven helper places: require 23 remaining with the same day and room, and continued rejection of the transport claim. A numerical result without its source and expression is incomplete evidence.

Week 26 turns a vague request into a clear prompt with supplied evidence, output requirements and tests.

Plan the delayed return

Suggested return points in this level: ai-1/26, ai-1/28, ai-1/31. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Use the sorter's approved catalogue for facts, explicit calculations for scores and checked prose for explanations.

7. Prepare, teach and assess

Teaching target: Distinguish retrieving a record, calculating from inputs and generating wording

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: A calculator correctly returns 24 for 6×4 . A pupil reports this as the number of non-helper places available. Explain the problem and write the correct expression, result and meaning.

Reasoned practice answer: 24 is total capacity before the three helper places are reserved. The requested remaining count is $6 \times 4 - 3 = 21$ non-helper places. The calculator can execute the supplied expression correctly while that expression omits a required step.

Check every learner before discussion: Use the worked case for Generation retrieval and calculation.

Proposed explanation: “Retrieving a record proves it is current”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Check event and version; N1 is superseded by N2 in this example.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Reserve four places instead of two, keeping the room and day unchanged. Require a prediction and a reason before comparing. Expected result: Eight learner places remain. Reason: $3 \times 4 - 4 = 8$; this

changes capacity for learners, not the retrieved date or location.

Independent assessment: withhold the reserved answer until the learner has attempted the new case.
Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, evidence, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.