

Recommendation Scores

Project: Transparent Book Recommender

1. Recommendation Scores

Teach the learning cycle

Primary target: Compute a weighted score

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Nearest Neighbor Reasoning

Without opening the old lesson, explain one key idea from Nearest Neighbor Reasoning. Give an example and a mistake that the idea helps you avoid.

Look for: Compute absolute distances and rank training neighbours

Reference example, not the only acceptable wording: Distances to A,B,C,D,E are 1,1,5,7,9 cm. A and B are equally far from 3 on the numeric feature; their labels do not enter the distance calculation.

Repair Bias in Data

Without opening the old lesson, explain one key idea from Repair Bias in Data. Give an example and a mistake that the idea helps you avoid.

Look for: Identify selection and coverage bias

Reference example, not the only acceptable wording: Afternoon or evening visitors, and people unable to attend in the morning.

Noise and Outliers

Without opening the old lesson, explain one key idea from Noise and Outliers. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate mean and median

Reference example, not the only acceptable wording: Sum 30 divided by 5 gives 6.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Score= $3 \times \text{genreMatch} + 2 \times \text{short} + \text{illustrated}$. Compute A=[1,0,1], B=[0,1,1], C=[1,1,0]. A reader now requires illustrations. Which book wins after applying that constraint?

Concept to explain

A weighted score expresses priorities but also embeds choices.

Term · Meaning

Term: weight

Meaning: A multiplier controlling how strongly a feature or value contributes to a calculation.

Term: score

Meaning: A numerical value assigned using a specified rule; it is not automatically a probability.

Term: rank

Meaning: Place candidates in an order using a declared comparison rule.

Term: tradeoff

Meaning: A situation where improving one desired property can make another harder to achieve.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach Week 23 as a two-session investigation using fictional data. A fictional activity chooser uses enjoyment and learning ratings from 0 to 5. Its score is 2 times enjoyment plus learning. The activity must also take at most 20 minutes. Duration is a hard requirement; a high score cannot compensate for exceeding it. Assess the three stated outcomes through the independent task, not by copying the worked result.

Readiness answer

A gap of 2.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional input records from this lesson; no real student identifiers

End goal for the pictorial case

By the end, I can rank only eligible options with a transparent weighted score.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Score = $3 \times \text{genre match} + 2 \times \text{difficulty match} + 1 \times \text{length match}$.

2. Book A matches genre and length: $3+0+1=4$.

3. Book B matches difficulty and length: $0+2+1=3$.

4. A ranks first for these weights—not as a universal best book.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

Score = 2 times genre match + length match. A matches both, B genre only, C length only.

Score and rank.

Exact explanation to model

A=3, B=2, C=1. Weights encode a chosen preference, not universal reader truth.

Explain the added worked example

A fictional activity chooser uses enjoyment and learning ratings from 0 to 5. Its score is 2 times enjoyment plus learning. The activity must also take at most 20 minutes. Duration is a hard requirement; a high score cannot compensate for exceeding it.

Only A is printed, with score 10. If B took 20 minutes it would qualify and have the higher score 11. The inclusive boundary matters. Ratings and weights are invented for practice and require justification before use in a real decision.

Key terms

Term · Meaning

Term: Weight

Meaning: A multiplier expressing the importance assigned to a feature

Term: Score

Meaning: A number calculated to compare options

Term: Constraint

Meaning: A requirement an option must meet

Term: Tradeoff

Meaning: Improving one preference while giving up another

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

If enjoyment weight becomes 1 and learning weight becomes 2, find both scores before applying the same duration limit.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Recommendation Scores

A fictional book-activity chooser has a 14-minute limit.

The facts we will use

Score=2×interest+practice. A=(interest3,practice2,time14); B=(4,3,15); C=(2,5,12).

Require whole nonnegative feature values; time must be at most the limit. Highest score wins; tie by ID.

AI ACADEMY / AI-2/23

Time filtering and scores

	Minutes	Score	Status
A	14	8	eligible
B	15	11	excluded
C	12	9	eligible

Read a cell using both its row and column labels.

Recommendation Scores

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Eligibility first

A and C fit time; B takes 15 and is excluded.



2. Scores

A: $2 \times 3 + 2 = 8$. C: $2 \times 2 + 5 = 9$.



3. Choose

C wins at score 9 among eligible activities.



4. Explain exclusion

B's score 11 cannot override its failed time requirement.

CHANGE ONE THING

Change interest weight from 2 to 3, keeping time limit 14.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Eligibility first

What happens and why: A and C fit time; B takes 15 and is excluded.

Step: 2. Scores

What happens and why: A: $2 \times 3 + 2 = 8$. C: $2 \times 2 + 5 = 9$.

Step: 3. Choose

What happens and why: C wins at score 9 among eligible activities.

Step: 4. Explain exclusion

What happens and why: B's score 11 cannot override its failed time requirement.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A score combines preferences according to explicitly chosen weights; it does not erase hard constraints. Computing a high score for an excluded item can be useful in an audit, but it must not allow that item back into the candidate set. Store both eligibility reasons and score components for explanations.

What this example does not establish

Toy interest scores are supplied inputs, not measured enjoyment or a universal definition of a good activity.

Change one thing in the pictured case

Change: Change interest weight from 2 to 3, keeping time limit 14.

Prediction: A scores 11; C also scores 11; tie-by-ID chooses A.

Reason: B remains too long; changing preferences changes only ranking of A and C.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: $\text{Score} = 2 \times \text{genre match} + \text{length match}$. A matches both, B genre only, C length only.

Write the question to explain: Score and rank.

Reveal after predictions: A=3, B=2, C=1. Weights encode a chosen preference, not universal reader truth.

Keep for an independent attempt: A recommender gives 3 points for topic match and 1 for difficulty match. Book A matches topic only; B matches difficulty only. Compute scores and justify the ranking.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

A scores 8 and B scores 13. B remains excluded at 25 minutes. Exit: First scores A 9, B 8 so A wins. Second scores A 6, B 10 so B wins. Explain the preference change.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and explain the purpose in the opening section.

Stage: 7 to 20 minutes

Teacher action: Read the worked example and diagram; ask learners to trace each step aloud.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2, then compare predictions with observed results.

Stage: 33 to 45 minutes

Teacher action: Collect the guided prediction before running; discuss a mismatch and its cause.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the main rule without showing the previous answer.

Stage: 8 to 20 minutes

Teacher action: Use W3 to diagnose and repair the stated failure; rerun an earlier case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, including code or plan, predictions and explanations, before hints.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit; use the fresh retry when support was needed.

Reduce help deliberately

Completion task: Which durations 19, 20, 21 qualify under at most 20?

Teacher check: 19 and 20 qualify; 21 does not.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Weighted scores and constraints. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Weights represent preferences, not a discovered truth. Explain who chose them and test whether small changes alter the recommendation. Avoid claiming that a larger score proves greater educational value.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Why does B not become the winner when its score is largest?

Reasoned teacher answer

Its time 15 exceeds the 14-minute maximum, so it is ineligible before ranking.

Changed-case reasoning: A scores 11; C also scores 11; tie-by-ID chooses A. B remains too long; changing preferences changes only ranking of A and C.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Create two reader profiles with different weights, calculate every term, total, rank, and explain why the order changes.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A successful run proves the conclusion: Weights represent preferences, not a discovered truth. Explain who chose them and test whether small changes alter the recommendation. Avoid claiming that a larger score proves greater educational value.

Matching the example is enough: Require the new W4 case, explicit predictions and an explanation. Fresh retry: limit 10, X (fun 1, learning 5, minutes 9), Y (3,2,10), Z (5,5,11). Scores 7, 8, 15; choose Y, exclude Z.

A convenient shortcut preserves meaning: Choosing the highest score and only then ignoring its duration breaks the requirement. Filter for eligibility first. If no item qualifies, report no eligible option instead of relaxing a requirement silently.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

A=3, B=2, C=1. Weights encode a chosen preference, not universal reader truth.

Independent question

A recommender gives 3 points for topic match and 1 for difficulty match. Book A matches topic only; B matches difficulty only. Compute scores and justify the ranking.

Expected independent answer

A scores 3 and B scores 1, so A ranks first. The ranking reflects the chosen weights; different priorities could change them.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: "Recommendation scores are objective preferences of all readers." Keep the first attempt and an uncoached retry separate.

Original transfer answer

Scores A=4, B=3, C=5. With illustrated required, C is excluded and A wins. A high score cannot compensate for a mandatory requirement unless the requirement has explicitly changed.

Explanations for the additional workbook examples

W1 Calculate a score

An eligible activity has fun 2 and learning 4. Use $2 * \text{fun} + \text{learning}$.

Score 8.

Substitute each rating into its named role: $2 * \text{fun} + \text{learning} = 2 * 2 + 4 = 4 + 4 = 8$. Eligibility is supplied in this task, so this calculation ranks an already permitted option. The score is a result of the chosen preference rule, not a measured educational benefit.

W2 Check a boundary

Which durations 19, 20, 21 qualify under at most 20?

19 and 20 qualify; 21 does not.

At most 20 means minutes ≤ 20 . The value 19 is below the limit and 20 is exactly at it, so both qualify. The value 21 is above it and is excluded. An answer that rejects 20 has changed the inclusive requirement into a strict one.

W3 Repair selection

An ineligible item scores 15 and an eligible item scores 9. Which should be offered under the stated policy?

Offer the eligible item with score 9. The constraint is applied before ranking.

W4 Choose independently

Limit is 15 minutes. A has fun 3, learning 4, minutes 15; B has 5, 1, 16; C has 2, 5, 12. Calculate scores with $2 * \text{fun} + \text{learning}$ and choose.

Scores A 10, B 11, C 9. B is excluded. A is highest among eligible options.

W5 Test sensitivity

For eligible A (fun 4, learning 1) and B (fun 2, learning 4), compare weights (2,1) with (1,2).

First scores A 9, B 8 so A wins. Second scores A 6, B 10 so B wins. Explain the preference change.

Assess independent transfer

Selected case: Limit is 15 minutes. A has fun 3, learning 4, minutes 15; B has 5, 1, 16; C has 2, 5, 12. Calculate scores with $2 * \text{fun} + \text{learning}$ and choose.

Selected case answer

Scores A 10, B 11, C 9. B is excluded. A is highest among eligible options.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Transparent Book Recommender

Publish the features, weights, raw scores, and reason for the top result.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 24: Feedback Loops. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use separate eligibility and score columns. Extension: add a documented tie rule and test tied eligible

items.

Independent W4 evidence: Scores A 10, B 11, C 9. B is excluded. A is highest among eligible options.

Record whether the learner needed no help, a hint or explanation. Fresh retry: limit 10, X (fun 1, learning 5, minutes 9), Y (3,2,10), Z (5,5,11). Scores 7, 8, 15; choose Y, exclude Z.

Next week: Implementing a recommender. Reuse this week's explicit contracts and evidence.

Plan the delayed return

Suggested return points in this level: ai-2/24, ai-2/26, ai-2/29. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Publish the recommender's constraints, score formula and tie rule; include component-level reasons in each suggestion.

7. Prepare, teach and assess

Teaching target: Compute a weighted score

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Which durations 19, 20, 21 qualify under at most 20?

Reasoned practice answer: 19 and 20 qualify; 21 does not.

Check every learner before discussion: Use the worked case for Weighted scores and constraints.

Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is

supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Weights represent preferences, not a discovered truth. Explain who chose them and test whether small changes alter the recommendation. Avoid claiming that a larger score proves greater educational value.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Change interest weight from 2 to 3, keeping time limit 14. Require a prediction and a reason before comparing. Expected result: A scores 11; C also scores 11; tie-by-ID chooses A. Reason: B remains too long; changing preferences changes only ranking of A and C.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.