

Capstone Expo

Project: Transparent Book Recommender

1. Capstone Expo

Teach the learning cycle

Primary target: Defend an application using reproducible evidence

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Improve and Challenge

Without opening the old lesson, explain one key idea from Improve and Challenge. Give an example and a mistake that the idea helps you avoid.

Look for: Repair a specific observed failure

Reference example, not the only acceptable wording: Strict less-than excludes equality; at most requires $\leq$.

Build the Recommender

Without opening the old lesson, explain one key idea from Build the Recommender. Give an example and a mistake that the idea helps you avoid.

Look for: Implement a deterministic recommender

Reference example, not the only acceptable wording: Both score 8 and qualify; A is alphabetically first under the tie rule.

Agents and Tools

Without opening the old lesson, explain one key idea from Agents and Tools. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of state machines for bounded agents

Reference example, not the only acceptable wording: Teacher explanation: A bounded agent uses explicit states and finite action limits. A state machine makes invalid transitions visible. States are ready, looking_up, review, done. ready may start lookup; lookup may finish done or request review; review may finish done after authorised evidence. done is terminal. Maximum two lookup attempts.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Present a recommender that gets 8/10 final requests right. One failure invents a title; another violates a hard page limit. Is '80%, ready for everyone' justified? Propose release criteria.

Concept to explain

Ownership is demonstrated by a fresh recommendation and evidence-based defense.

Term · Meaning

Term: capstone

Meaning: A final project combining skills and evidence developed across the course.

Term: defense

Meaning: An explanation of a project decision supported by evidence and an account of its limitations.

Term: transfer

Meaning: Apply an idea or skill to a new case rather than copy the worked example.

Term: limitation

Meaning: A condition or missing capability that restricts what a result can establish or a system can safely do.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach Week 36 as a two-session investigation using fictional data. Finish the fictional activity chooser with a short evidence-based presentation and a reproducible handover. Show the purpose, contract, pipeline, one ordinary trace, one boundary or failure case, improvements and remaining limits. A working demonstration supports a software claim, not a claim of proven learning benefit. Assess the three stated outcomes through the independent task, not by copying the worked result.

Readiness answer

Identified inputs, code/configuration, rules and expected outputs that another person can rerun.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional input records from this lesson; no real student identifiers

End goal for the pictorial case

By the end, I can defend a complete recommendation with validation, eligibility and reproducible ranking.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Demo one known reader profile end to end.
2. Recalculate one book score in front of the audience.
3. Accept an unseen profile and predict before running.
4. State one limitation, one fairness check, and one responsible next improvement.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

An expo claim says the recommender knows everybody's favourite book after twelve tests.

Rewrite the defence.

Exact explanation to model

Explain trait-based ranking, report the twelve outcomes and limits, and demonstrate no-match handling. It cannot know unstated preferences.

Explain the added worked example

Finish the fictional activity chooser with a short evidence-based presentation and a reproducible handover. Show the purpose, contract, pipeline, one ordinary trace, one boundary or failure case, improvements and remaining limits. A working demonstration supports a software claim, not a claim of proven learning benefit.

The example report prints A 8 and its counts are internally consistent. These checks do not prove A is the correct winner; the input records and scoring trace are also needed. Keep raw fictional data, source code, settings, test results and change log together.

Key terms

Term · Meaning

Term: Defense

Meaning: An explanation supported by evidence and questions

Term: Evidence bundle

Meaning: The records needed to check a project claim

Term: Demonstration

Meaning: Showing the application on specified inputs

Term: Handover

Meaning: Giving another person enough information to use or check the work

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

A demonstration shows only the winning name. Name two pieces of evidence needed to explain that choice.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Capstone Expo

A fictional team presents its transparent book recommender on a reserved catalogue.

The facts we will use

Request maximum 120 pages; $\text{score} = 2 \times \text{interest} + \text{illustrated}$, where illustrated is 1 for True and 0 for False; tie by ID.

A pages120 interest3 True; B pages100 interest4 False; C pages121 interest5 True; D pages90 interest"4" True. Numeric fields require exact integers.

Capstone Expo

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Validate

D has text interest and is rejected; A,B,C have valid fields.



2. Filter

A and B meet the page limit; C exceeds it.



3. Rank

A scores 7; B scores 8, so B wins.



4. Defend evidence

Explain two eligible items, one page-limit exclusion and one type rejection.

CHANGE ONE THING

An authorised repair converts D's interest to integer 4.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Validate

What happens and why: D has text interest and is rejected; A,B,C have valid fields.

Step: 2. Filter

What happens and why: A and B meet the page limit; C exceeds it.

Step: 3. Rank

What happens and why: A scores 7; B scores 8, so B wins.

Step: 4. Defend evidence

What happens and why: Explain two eligible items, one page-limit exclusion and one type rejection.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A presentation should let someone rebuild the result from the stated contract. A's equality is accepted; D is not silently converted; C's high preference score cannot override the page requirement. Reversing rows must preserve B because it has the unique highest eligible score. Keep the reserved case distinct from practice demonstrations.

What this example does not establish

A defensible algorithmic trace does not prove B will be liked or that classroom learning improved.

Change one thing in the pictured case

Change: An authorised repair converts D's interest to integer 4.

Prediction: D becomes eligible and scores 9, so it wins.

Reason: The evidence-backed input repair changes validation and then ranking; record this as a new case/version.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: An expo claim says the recommender knows everybody's favourite book after twelve tests.

Write the question to explain: Rewrite the defence.

Reveal after predictions: Explain trait-based ranking, report the twelve outcomes and limits, and demonstrate no-match handling. It cannot know unstated preferences.

Keep for an independent attempt: Your demo recommends the right book once. An audience member asks why they should trust it. Name evidence and one limitation you should present.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

The input records and eligibility/scoring/tie trace; also show the policy/version and rejection counts. Exit: All possible input correctness and educational benefit remain unproven. Add varied independent cases or propose a teacher-approved usability pilot with a defined question; do not claim outcomes before collecting evidence.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and explain the purpose in the opening section.

Stage: 7 to 20 minutes

Teacher action: Read the worked example and diagram; ask learners to trace each step aloud.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2, then compare predictions with observed results.

Stage: 33 to 45 minutes

Teacher action: Collect the guided prediction before running; discuss a mismatch and its cause.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the main rule without showing the previous answer.

Stage: 8 to 20 minutes

Teacher action: Use W3 to diagnose and repair the stated failure; rerun an earlier case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, including code or plan, predictions and explanations, before hints.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit; use the fresh retry when support was needed.

Reduce help deliberately

Completion task: A report says supplied 5, accepted 4 and rejected 2. Identify the inconsistency.

Teacher check: Accepted plus rejected is 6, not 5. Investigate double counting or reporting before presenting it.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Defending the data application. Proposed explanation: "A successful run proves the conclusion". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: The final independent task must be attempted before hints. Record support honestly and use a new case after support. Keep teacher answers separate from student materials and do not publish private credentials or real student records in the handover.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Give the original winning ID, its score, and counts of eligible, excluded and invalid rows.

Reasoned teacher answer

B wins with 8. Two rows eligible, one valid-but-too-long row excluded, one type-invalid row rejected.

Changed-case reasoning: D becomes eligible and scores 9, so it wins. The evidence-backed input repair changes validation and then ranking; record this as a new case/version.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Present the working recommender, evidence table, test record, and limitation; answer a fresh calculation and a 'what could fail?' question.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A successful run proves the conclusion: The final independent task must be attempted before hints. Record support honestly and use a new case after support. Keep teacher answers separate from student materials and do not publish private credentials or real student records in the handover.

Matching the example is enough: Require the new W4 case, explicit predictions and an explanation. Fresh retry after support: limit 12; M (minutes 12, fun 3, learning 3), N (11,4,1), O (13,5,5), P (10,-1,2). Counts 4 supplied, 3 accepted, 1 rejected, 2 eligible. M/N tie at 9; M wins in either order.

A convenient shortcut preserves meaning: A polished presentation can conceal missing evidence. Replace claims such as works for everyone with the exact requirements met, cases executed and known limitations. Show one prior failure and its repair rather than deleting it from the story.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Explain trait-based ranking, report the twelve outcomes and limits, and demonstrate no-match handling. It cannot know unstated preferences.

Independent question

Your demo recommends the right book once. An audience member asks why they should trust it. Name evidence and one limitation you should present.

Expected independent answer

Show the scoring rule, test preferences, expected and observed outputs, failures and revisions. Explain the limited test coverage and when no match or human review is needed.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “A successful live example replaces an evaluation record.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

No. Report 8/10 on the specified set, but invented titles and constraint violations fail essential criteria. Repair and retest those behaviours, preserve a no-match path and gather broader evidence. The system ranks declared traits; it does not know unstated preferences.

Explanations for the additional workbook examples

W1 Assemble evidence

List the files or records a peer needs to reproduce the chooser result.

Fictional raw dataset, schema, code version, settings, run instructions, tests with expected/actual results, rejection reasons and change log.

W2 Check report consistency

A report says supplied 5, accepted 4 and rejected 2. Identify the inconsistency.

Accepted plus rejected is 6, not 5. Investigate double counting or reporting before presenting it.

W3 Repair a claim

A presentation says the project proves students learn better. What claim does a successful rule-based demo support instead?

It supports that the tested version follows specified selection rules on the tested cases. Learning benefit needs separate classroom evidence.

W4 Defend a new case independently

Limit is 10. A has minutes 10, fun 2, learning 4; B has 9,3,2; C has 11,5,5; D has 8,"4",2. Validate, rank, give counts, explain the winner, then reverse the input order. Present without hints.

4 supplied, 3 accepted, 1 rejected D for rating type, 2 eligible A/B. Both score 8; A wins alphabetically. C is valid but over-limit. Reversal preserves counts and A. Explain the policy and its limits.

W5 State the next evidence need

After passing the new case, what remains unproven and what is a reasonable next step?

All possible input correctness and educational benefit remain unproven. Add varied independent cases or propose a teacher-approved usability pilot with a defined question; do not claim outcomes before collecting evidence.

Assess independent transfer

Selected case: Limit is 10. A has minutes 10, fun 2, learning 4; B has 9,3,2; C has 11,5,5; D has 8,"4",2. Validate, rank, give counts, explain the winner, then reverse the input order. Present without hints.

Selected case answer

4 supplied, 3 accepted, 1 rejected D for rating type, 2 eligible A/B. Both score 8; A wins alphabetically. C is valid but over-limit. Reversal preserves counts and A. Explain the policy and its limits.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Transparent Book Recommender

Final evidence bundle: brief, data, scoring logic, tests, improvement record, and product card.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Review the full project evidence and choose concepts needing another independent attempt before the next level. One expo is not proof of mastery of all AI.

Support and fresh reassessment

Offer a presentation outline only after the initial independent attempt and record support. Extension: let a peer supply a new valid case and require a prediction before running. Assess explanation, not decorative slide polish.

Independent W4 evidence: 4 supplied, 3 accepted, 1 rejected D for rating type, 2 eligible A/B. Both score 8; A wins alphabetically. C is valid but over-limit. Reversal preserves counts and A. Explain the policy and its limits. Record whether the learner needed no help, a hint or explanation. Fresh retry after support: limit 12; M (minutes 12, fun 3, learning 3), N (11,4,1), O (13,5,5), P (10,-1,2). Counts 4 supplied,3 accepted,1 rejected,2 eligible. M/N tie at 9; M wins in either order.

Grade 7 is complete when the learner can independently explain and defend the application. Use readiness evidence and recorded support to plan the next level.

Plan the delayed return

Suggested return points in this level: plan a review after the level ends. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Present the Transparent Book Recommender's code, baseline, full-case traces, reserved results and limitations, without claiming fictional results as pupil work.

7. Prepare, teach and assess

Teaching target: Defend an application using reproducible evidence

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: A report says supplied 5, accepted 4 and rejected 2. Identify the inconsistency.

Reasoned practice answer: Accepted plus rejected is 6, not 5. Investigate double counting or reporting before presenting it.

Check every learner before discussion: Use the worked case for Defending the data application. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: The final independent task must be attempted before hints. Record support honestly and use a new case after support. Keep teacher answers separate from student materials and do not publish private credentials or real student records in the handover.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: An authorised repair converts D’s interest to integer 4. Require a prediction and a reason before comparing. Expected result: D becomes eligible and scores 9, so it wins. Reason: The evidence-backed input repair changes validation and then ranking; record this as a new case/version.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with evidence.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.