

Structured Output and Schemas

Project: Verified Study Buddy

1. Structured Output and Schemas

Teach the learning cycle

Primary target: Separate JSON parsing, schema validation and source support checks

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Iterative Prompting

Without opening the old lesson, explain one key idea from Iterative Prompting. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of controlled prompt experiments

Reference example, not the only acceptable wording: Teacher explanation: A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings. Evaluate both prompts on paired cases with fixed model/version, source records, output contract and scoring rubric. Use development results for selection, then reserve new final cases. Score each case rather than counting attractive sentences.

Prompt as a Contract

Without opening the old lesson, explain one key idea from Prompt as a Contract. Give an example and a mistake that the idea helps you avoid.

Look for: Write a prompt specification with observable response criteria

Reference example, not the only acceptable wording: Teacher explanation: Fields status,room,capacity,source_ids. Status supported or needs_review. supported requires matching current approval and current capacity for the same room; no unresolved conflict.

A Distribution of Possibilities

Without opening the old lesson, explain one key idea from A Distribution of Possibilities. Give an example and a mistake that the idea helps you avoid.

Look for: Check whether a next-token table is a valid probability distribution

Reference example, not the only acceptable wording: Teacher explanation: Entries are nonnegative and sum to 1. Not ready has mass $0.3+0.2 = 0.5$, including busy and unknown.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Schema requires title:text and pages:number. Output is {"title":"Cloud","pages":"80"}. Fix its structural error. Would the repaired object prove the book really has 80 pages?

Concept to explain

Week 8: Structured Output and Schemas

Term · Meaning

Term: schema

Meaning: A specification of required fields, types and structural rules for data.

Term: field

Meaning: A named item of information in a record or structured message.

Term: type

Meaning: The category of a value, such as text, number or Boolean.

Term: validation

Meaning: Checking data or behaviour against rules; in ML, validation data is used to choose settings or models, separately from final testing.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Use two 45-minute sessions. All model outputs and probability tables are constructed classroom examples. No hosted AI service, external API or student account is needed. Distinguish a model objective from factual support and system permissions. Collect independent work before discussing its solutions.

Readiness answer

No. Parse and validate the returned value, then check its claims and permitted actions against the evidence and contract.

Printed lesson and workbook; paper and pencil

Calculator; optional local Python 3 interpreter

Prepare the independent task and fresh retry without displaying solutions

End goal for the pictorial case

By the end, I can validate structured output in layers: syntax, schema and source meaning.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Schema fields: answer=text; evidence=list; confidence=low/medium/high.
2. Output omits evidence: validation fails.
3. Confidence=97 is the wrong type and allowed-value set.
4. Reject, repair, or request again before downstream use.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

Schema requires title text and pages number. Output is {"title":"River","pages":"80"}.

Diagnose the shape error.

Exact explanation to model

Pages is a string, not a number. Use numeric 80. Structure validation does not verify the real page count.

Explain the added worked example

A response may be valid JSON and still violate the schema or sources. First parse the text. Then check the exact object fields and types. Finally check source support and domain meaning. These checks answer different questions. Do not call a successful parser a complete validator.

Use the Week 11 closed object: exactly status,room,capacity,source_ids. status is supported or needs_review. source_ids is a list of distinct known source-ID strings. For supported, room is a nonempty string and capacity a nonnegative integer. For needs_review, room and capacity are null. Boolean values are not capacities under this contract.

These fragments illustrate failures, not complete candidate objects. A real check receives the whole object and verifies every required field. Do not repair a string capacity automatically unless a separate documented conversion policy permits it; otherwise report validation failure. A null value differs from

missing a field.

Key terms

Term · Meaning

Term: Syntax validation

Meaning: Checking whether text can be parsed under the format grammar

Term: Schema validation

Meaning: Checking fields, types and allowed combinations in a parsed value

Term: Semantic validation

Meaning: Checking meaning and consistency with sources or domain rules

Term: Closed schema

Meaning: A contract rejecting fields beyond the stated set

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Suppose sources P and Q approve room B and give capacity 12. The complete object `{"status":"supported","room":"B","capacity":99,"source_ids":["P","Q"]}` parses and satisfies the stated field types, but its capacity is unsupported by Q. Reject it at semantic validation. Listing a real source ID does not prove that source supports the associated claim.

An object with `needs_review` and room B violates the conditional schema rule even if its source IDs are real. An object with `supported`, room B and capacity 12 but source ID Z fails the known-source rule. Require the linked current approval and capacity records to support the same room.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Structured Output and Schemas

A fictional Study Buddy returns a machine-readable book fact.

The facts we will use

Schema: exactly title text, pages integer, source_id text. Approved record R: River Notes, 64 pages.

X={"title":"River Notes","pages":64,"source_id":"R"}; Y uses pages:"64"; Z uses pages:46 with otherwise identical fields.

Structured Output and Schemas

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Parse

Each shown object is valid JSON syntax.



2. Schema check

Y fails because its pages value is text, not an integer.



3. Meaning check

Z fits field types but contradicts R's page count.



4. Accept X

X passes syntax, declared schema and source comparison.

CHANGE ONE THING

Add an extra field "rating":5 to X under the exactly-fields schema.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Parse

What happens and why: Each shown object is valid JSON syntax.

Step: 2. Schema check

What happens and why: Y fails because its pages value is text, not an integer.

Step: 3. Meaning check

What happens and why: Z fits field types but contradicts R's page count.

Step: 4. Accept X

What happens and why: X passes syntax, declared schema and source comparison.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Parsing establishes that text forms a structured object. Schema checks establish required fields and types. Semantic validation compares their meaning with the approved source. These are different layers: a parseable, well-shaped object can still contain a false fact. Report the first failing layer without treating format success as factual success.

What this example does not establish

Source agreement does not establish that the approved catalogue itself is correct or complete.

Change one thing in the pictured case

Change: Add an extra field "rating":5 to X under the exactly-fields schema.

Prediction: The changed object fails schema despite keeping the correct page count.

Reason: Exactly means additional fields are not allowed in this contract.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: Schema requires title text and pages number. Output is {"title":"River","pages":"80"}.

Write the question to explain: Diagnose the shape error.

Reveal after predictions: Pages is a string, not a number. Use numeric 80. Structure validation does not verify the real page count.

Keep for an independent attempt: A required schema has title as text and count as an integer. The output is {"title":"Seeds","count":"three"}. Identify the error and give a valid replacement.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: D/8 with P/Q passes syntax, schema and source consistency. Zero is a permitted integer but is supported only if Q says zero. Exit: schema must reject Boolean capacity and extra fields; no action authority exists.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and distinguish a numerical claim from its interpretation.

Stage: 7 to 18 minutes

Teacher action: Read section 1 and complete W1; ask for a reason alongside each answer.

Stage: 18 to 32 minutes

Teacher action: Trace the worked case in section 2 and complete W2.

Stage: 32 to 45 minutes

Teacher action: Discuss the diagram and complete W3 in pairs; record support.

Stage: Session 2 start to 8 minutes

Teacher action: Complete the guided response before sharing the answer.

Stage: 8 to 20 minutes

Teacher action: Read the remaining sections and trace another constructed case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, requiring calculations and a bounded conclusion.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit response. Provide feedback and a fresh retry.

Reduce help deliberately

Completion task: Why do string "12", boolean true, missing capacity and an extra action field violate this contract?

Teacher check: Teacher explanation: Capacity must be an integer for supported and null for needs_review, with the field present. A Boolean is explicitly excluded. Extra fields violate the closed schema; string values are not silently converted.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Structured outputs and validation. Proposed explanation: "Valid JSON means correct answer". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: JSON syntax says nothing about schema or source truth.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Which object demonstrates that valid JSON and valid types are insufficient for truth?

Reasoned teacher answer

Z: its pages is an integer and syntax is valid, but 46 contradicts approved 64.

Changed-case reasoning: The changed object fails schema despite keeping the correct page count. Exactly means additional fields are not allowed in this contract.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Validate six output cards for required fields, types, allowed values, and evidence support; explain each rejection.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Valid JSON means correct answer: JSON syntax says nothing about schema or source truth.

Python treats bool as int, so it is acceptable: The contract explicitly excludes Booleans; an implementation must check accordingly.

A valid report authorises a side effect: Reporting and booking have different permissions.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Pages is a string, not a number. Use numeric 80. Structure validation does not verify the real page count.

Independent question

A required schema has title as text and count as an integer. The output is {"title":"Seeds","count":"three"}. Identify the error and give a valid replacement.

Expected independent answer

The count value is text instead of an integer. A valid replacement is {"title":"Seeds","count":3}. Valid structure still does not prove factual correctness.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “JSON that looks tidy necessarily satisfies the schema.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Use {"title":"Cloud","pages":80}. This satisfies the stated types but the page count still needs a reliable edition-specific source. Reject malformed or missing fields explicitly rather than assuming a successful-looking response is valid.

Explanations for the additional workbook examples

W1 Distinguish the layers

Explain what parsing, schema checks and source support each establish.

Teacher explanation: Parsing establishes grammatical JSON; schema checks enforce fields/types/conditional rules; semantic checks match the claims to sources and domain meaning. None alone establishes all three.

W2 Audit types and fields

Why do string "12",boolean true,missing capacity and an extra action field violate this contract?

Teacher explanation: Capacity must be an integer for supported and null for needs_review, with the field present. A Boolean is explicitly excluded. Extra fields violate the closed schema; string values are not silently converted.

W3 Check a citation-like ID

Sources P,Q support B capacity 12. A schema-valid object cites P,Q but gives 99. Which layer rejects it?

Teacher explanation: Semantic/source validation rejects unsupported capacity 99. Existing source IDs do not establish entailment.

W4 Validate new objects independently

Sources A approve room F and B register F capacity 9. Object X has supported,F,9,[A,B] with exactly the required fields. Y replaces 9 with "9". Z keeps integer 9 but names room G. Trace the first failing layer for each and explain the difference.

Teacher explanation: X passes parsing, schema and source validation. Y parses but fails schema because capacity is a string. Z parses and satisfies field types but fails semantic support because sources name F, not G. Assuming these values are encoded as proper JSON, syntax is not the failure.

W5 Keep permissions separate

A fully valid supported reporting object is returned. May the application automatically book the room? Explain.

Teacher explanation: No. The specification is read-only; validation of a report does not grant action permission. Booking requires a separately authorised action contract and application controls.

Assess independent transfer

Selected case: Sources A approve room F and B register F capacity 9. Object X has supported,F,9,[A,B] with exactly the required fields. Y replaces 9 with "9". Z keeps integer 9 but names room G. Trace the first failing layer for each and explain the difference.

Selected case answer

Teacher explanation: X passes parsing, schema and source validation. Y parses but fails schema because capacity is a string. Z parses and satisfies field types but fails semantic support because sources name F, not G. Assuming these values are encoded as proper JSON, syntax is not the failure.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Verified Study Buddy

Require answer, source snippet, citation, uncertainty, and next-question fields.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Provide one short approved passage; separate instruction, input, output and evidence. Stretch: introduce an unsupported claim or conflicting source and validate claim by claim with a fallback.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 9: Prompt Evaluation. Retrieve today’s evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide labelled intermediate columns and allow a calculator. Ask students to state the meaning and denominator of a value before interpreting it. Extension: implement the classroom calculation locally and test boundary cases without using personal data.

W4 requires X passes all, Y schema failure, Z semantic failure. Fresh retry: sources approve H capacity 0. Object H/0 passes; H/null with supported fails schema; H/1 with integer capacity passes schema but fails semantic support. Preserve legitimate zero.

Week 13 compares prompt specifications using fixed development cases, observable criteria and reserved evaluation.

Plan the delayed return

Suggested return points in this level: ai-3/9, ai-3/11, ai-3/14. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Validate Study Buddy outputs before another program consumes them; retain source IDs and separate syntax/type/support failures.

7. Prepare, teach and assess

Teaching target: Separate JSON parsing, schema validation and source support checks

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the

week includes a coding lab.

Before class, solve the supported practice: Why do string "12", boolean true, missing capacity and an extra action field violate this contract?

Reasoned practice answer: Teacher explanation: Capacity must be an integer for supported and null for needs_review, with the field present. A Boolean is explicitly excluded. Extra fields violate the closed schema; string values are not silently converted.

Check every learner before discussion: Use the worked case for Structured outputs and validation.

Proposed explanation: "Valid JSON means correct answer". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: JSON syntax says nothing about schema or source truth.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Add an extra field "rating":5 to X under the exactly-fields schema. Require a prediction and a reason before comparing. Expected result: The changed object fails schema despite keeping the correct page count. Reason: Exactly means additional fields are not allowed in this contract.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Make a transparent first version. Keep a trace of how one input becomes an output; explain the rule or learned component.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.