

Learning Curves

Project: Responsible Plant Classifier

1. Learning Curves

Teach the learning cycle

Primary target: Read training-size learning curves

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Overfitting

Without opening the old lesson, explain one key idea from Overfitting. Give an example and a mistake that the idea helps you avoid.

Look for: Compare training and validation evidence for model capacity

Reference example, not the only acceptable wording: Teacher explanation: Choose the line with validation MAE 3. The curve training MAE 0 does not compensate for validation MAE 8.

Metrics Match Consequences

Without opening the old lesson, explain one key idea from Metrics Match Consequences. Give an example and a mistake that the idea helps you avoid.

Look for: Apply a declared score threshold including equality

Reference example, not the only acceptable wording: Teacher explanation: At .5: A, B, C. At .3: A, B, C, D, E, including equality.

Train a Regression Model

Without opening the old lesson, explain one key idea from Train a Regression Model. Give an example and a mistake that the idea helps you avoid.

Look for: Fit a line from a declared training candidate set

Reference example, not the only acceptable wording: Teacher explanation: A 5 B 3 C 0; choose m 2 b 1.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Training sizes 20,40,80 yield validation accuracies 62%,70%,73%. Is doubling again guaranteed to yield 76%? Describe a defensible next experiment.

Concept to explain

Learning curves plot performance against training size or effort and help distinguish underfitting, overfitting, and data limitation.

Term · Meaning

Term: learning curve

Meaning: performance across training sizes

Term: bias

Meaning: systematic underfitting

Term: variance

Meaning: sensitivity to particular samples

Term: plateau

Meaning: little improvement from added data

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on learning curves and variability. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer. Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

Evidence about examples that did not fit the model parameters.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank evidence table

Saved classroom project records for critique; no personal student dataset required

End goal for the pictorial case

By the end, I can explain learning curves using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Interpret three curve patterns and select a targeted next experiment.

MODEL IDEA Learning curves plot performance against training size or effort and help distinguish underfitting, overfitting, and data limitation.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Both train and validation scores are low and close: likely underfitting. Train high, validation much lower: likely high variance or overfitting.

Draw a fresh data → model → prediction → evaluation trace:

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

STEP 1 Both train and validation scores are low and close: likely underfitting.

STEP 2 Train high, validation much lower: likely high variance or overfitting.

STEP 3 Validation improves as data grows and gap narrows: more representative data may help.

STEP 4 Curves suggest hypotheses; confirm with controlled experiments and error slices.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

Concrete teaching case

With 20, 40, 80 training leaves, fixed-set validation accuracy is 60%, 70%, 78%.

Interpret the curve and uncertainty.

Exact explanation to model

These runs improve with more data. Further representative data may help, but gains are not guaranteed. Controlled repeats reveal variability.

Explain the added worked example

A learning curve asks how performance changes as the amount of training evidence grows. Keep the validation protocol, model settings and metric comparable. Use subsets of training only; never add validation rows into the training subsets. Multiple repeats reveal sensitivity to sample selection or model randomness.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines learning curves and variability.

At training sizes 10, 20, 40, validation MAEs across three declared repeats are [7, 9, 8], [5, 7, 6], [4, 6, 5].

Means are 8, 6, 5 and ranges 2, 2, 2. Mean training MAEs are 1, 2, 3. Validation improves as training grows, while training error rises because fitting more varied examples can be harder.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

Key terms

Term · Meaning

Term: Learning curve

Meaning: Performance plotted against training sample size

Term: Repeat

Meaning: Another run under a recorded procedure

Term: Variability

Meaning: How much results differ between runs

Term: Range

Meaning: Maximum minus minimum of observed values

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Learning curves and variability at a glance

Part · Evidence or action · Interpretation

Part: 10 training rows

Evidence or action: Validation 7 9 8

Interpretation: Mean 8 range 2

Part: 20 training rows

Evidence or action: Validation 5 7 6

Interpretation: Mean 6 range 2

Part: 40 training rows

Evidence or action: Validation 4 6 5

Interpretation: Mean 5 range 2

The decreasing gap is encouraging in this experiment. It does not establish that doubling again will halve error. A range from three repeats is a descriptive spread, not a confidence interval or a guarantee that future results fall inside it. Repeated runs can share records and therefore are not independent studies.

Why can training error rise while validation error falls? Explain the steps or evidence behind your response.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Learning Curves

Read a learning curve with repeated-run spread rather than drawing a certainty arrow.

The facts we will use

At 10 training plants validation errors across 3 runs are [6, 5, 7]; at 20 plants errors [4, 5, 3], on the same 10-case validation set.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-4/28

Learning Curves

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Summarise first size

Mean 6 errors; range 5-7, corresponding to mean 40% accuracy.



2. Summarise larger size

Mean 4 errors; range 3-5, corresponding to mean 60% accuracy.



3. State bounded pattern

More training plants improved the average in these supplied runs; variability remains.

CHANGE ONE THING

A 30-plant experiment gives errors [4, 4, 4].

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step - What happens and why

Step: 1. Summarise first size

What happens and why: Mean 6 errors; range 5–7, corresponding to mean 40% accuracy.

Step: 2. Summarise larger size

What happens and why: Mean 4 errors; range 3–5, corresponding to mean 60% accuracy.

Step: 3. State bounded pattern

What happens and why: More training plants improved the average in these supplied runs; variability remains.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. More training plants improved the average in these supplied runs; variability remains. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

These toy runs do not establish that data quantity alone caused improvement; collection quality and conditions matter.

Change one thing in the pictured case

Change: A30-plant experiment gives errors [4, 4, 4].

Prediction: Mean remains 4; this additional size does not improve the observed mean over 20 plants.

Reason: Learning curves are measured patterns, not a guarantee of improvement at every data size.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: With 20, 40, 80 training leaves, fixed-set validation accuracy is 60%, 70%, 78%.

Write the question to explain: Interpret the curve and uncertainty.

Reveal after predictions: These runs improve with more data. Further representative data may help, but gains are not guaranteed. Controlled repeats reveal variability.

Keep for an independent attempt: As training examples grow from 50 to 100 to 200, validation accuracy is 60%, 72%, 78%. What does the curve suggest, and what does it not guarantee?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: More varied training cases may be harder to fit exactly while giving a pattern that generalizes better. Exit response: It only describes the smallest and largest observed repeats; no coverage-probability calculation or independent-sampling argument was supplied.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: What does validation loss add to training loss? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Read the opening and model the worked evidence. Ask students to identify learning curve in context.

Stage: 18 to 32 minutes

Teacher action: Complete W 1 and W 2 with support: summarize repeats; read both curves. Require the evidence, not only the final response.

Stage: 32 to 45 minutes

Teacher action: Read the visual row by row. Collect the guided explanation and compare reasoning in pairs. Connect each conclusion to the stated evidence.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between learning curve and repeat. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Discuss the application and complete W 3: Can the 40-row result guarantee a mean MAE of 2.5 at 80 rows?

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently before giving hints. Assess these outcomes: Read training-size learning curves; Describe variability across repeated development runs. Record any support used.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Completion task: Why can training error rise while validation error falls?

Teacher check: Teacher explanation: More varied training cases may be harder to fit exactly while giving a pattern that generalizes better.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Learning curves and variability. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: $\text{Mean}(5+7+6)/3=6$; range $7-5=2$.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

What comparison is valid if the validation set changes between sizes? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

The raw change is confounded by changed evaluation cases. Prefer a fixed appropriately reserved validation set and record repeated-run variation. Changed-case check: Mean remains 4; this additional size does not improve the observed mean over 20 plants. Learning curves are measured patterns, not a guarantee of improvement at every data size.

Changed-case reasoning: Mean remains 4; this additional size does not improve the observed mean over 20 plants. Learning curves are measured patterns, not a guarantee of improvement at every data size.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected evidence before running.
2. Curve Clinic: match three graphs to diagnoses, challenge each diagnosis, and propose the smallest informative experiment.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each

pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR Every learning curve that rises proves more data will solve the problem.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Mean $(5+7+6)/3=6$; range $7-5=2$.

A stronger claim makes a stronger project: It only describes the smallest and largest observed repeats; no coverage-probability calculation or independent-sampling argument was supplied.

The new case can be copied from the example: The independent task changes the evidence. Require a fresh explanation: Means 7 and 6; ranges 2 and 3. The larger condition improves the mean by 1 but has greater observed spread in these three repeats.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

These runs improve with more data. Further representative data may help, but gains are not guaranteed. Controlled repeats reveal variability.

Independent question

As training examples grow from 50 to 100 to 200, validation accuracy is 60%, 72%, 78%. What does the curve suggest, and what does it not guarantee?

Expected independent answer

More representative data helped over these measured sizes, with smaller later gains. It does not guarantee continued improvement or performance in untested conditions.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “An improving learning curve guarantees unlimited future gains.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

No. Gains need not be linear or continue. Keep validation fixed, add representative training examples, record exact subsets and repeat stochastic runs. Compare variation and collection costs; do not imply the line predicts an unmeasured size.

Explanations for the additional workbook examples

W1 Summarize repeats

Calculate the mean and range for the 20-row condition.

Teacher explanation: $\text{Mean}(5+7+6)/3=6$; range $7-5=2$.

For the stated 20-row condition, add the run results 5, 7 and 6 to obtain 18 and divide by three to obtain mean 6. Range is largest minus smallest: $7 - 5 = 2$. Keep the number of repeated runs distinct from the number of data rows.

W2 Read both curves

Why can training error rise while validation error falls?

Teacher explanation: More varied training cases may be harder to fit exactly while giving a pattern that generalizes better.

W3 Avoid extrapolation

Can the 40-row result guarantee a mean MAE of 2.5 at 80 rows?

Teacher explanation: No. The observed trend does not establish a fixed proportional improvement.

W4 Apply independently

At sizes 12 and 24, validation errors are [6, 8, 7] and [4, 7, 7]. Calculate means/ranges and a careful comparison.

Teacher explanation: Means 7 and 6; ranges 2 and 3. The larger condition improves the mean by 1 but has greater observed spread in these three repeats.

W5 Explain the spread

Why is an observed range not a confidence interval?

Teacher explanation: It only describes the smallest and largest observed repeats; no coverage-probability calculation or independent-sampling argument was supplied.

Assess independent transfer

Selected case: At sizes 12 and 24, validation errors are [6, 8, 7] and [4, 7, 7]. Calculate means/ranges and a careful comparison.

Selected case answer

Teacher explanation: Means 7 and 6; ranges 2 and 3. The larger condition improves the mean by 1 but has greater observed spread in these three repeats.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Responsible Plant Classifier

Plot Plant Classifier train/validation performance at several training sizes and document the chosen next

action.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.
Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 29: Feature Engineering. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank evidence table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use learning curve and repeat in full sentences. Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Means 7 and 6; ranges 2 and 3. The larger condition improves the mean by 1 but has greater observed spread in these three repeats. Fresh retry errors [3, 5, 7]: mean 5, range 4. Require the description to say three observed runs rather than a guaranteed future interval. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Feature engineering. Carry forward the saved evidence and the distinction between development choices and justified claims.

Plan the delayed return

Suggested return points in this level: ai-4/29, ai-4/31, ai-4/34. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Read training-size learning curves

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Why can training error rise while validation error falls?

Reasoned practice answer: Teacher explanation: More varied training cases may be harder to fit exactly while giving a pattern that generalizes better.

Check every learner before discussion: Use the worked case for Learning curves and variability. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: $\text{Mean}(5+7+6)/3=6$; $\text{range } 7-5=2$.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: A30-plant experiment gives errors [4, 4, 4]. Require a prediction and a reason before comparing. Expected result: Mean remains 4; this additional size does not improve the observed mean over 20 plants. Reason: Learning curves are measured patterns, not a guarantee of improvement at every data size.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, evidence, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.