

Feature Engineering

Project: Responsible Plant Classifier

1. Feature Engineering

Teach the learning cycle

Primary target: Create features available at prediction time

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Learning Curves

Without opening the old lesson, explain one key idea from Learning Curves. Give an example and a mistake that the idea helps you avoid.

Look for: Read training-size learning curves

Reference example, not the only acceptable wording: Teacher explanation: $\text{Mean}(5+7+6)/3=6$; range $7-5=2$.

Reproducible Experiments

Without opening the old lesson, explain one key idea from Reproducible Experiments. Give an example and a mistake that the idea helps you avoid.

Look for: Record enough detail to reproduce a run

Reference example, not the only acceptable wording: Teacher explanation: Mean 70 percent; range $80-60=20$ percentage points, across the three declared runs.

Hold Out Test Data

Without opening the old lesson, explain one key idea from Hold Out Test Data. Give an example and a mistake that the idea helps you avoid.

Look for: Freeze the full evaluation procedure before testing

Reference example, not the only acceptable wording: Teacher explanation: Accuracy 15/20, precision 3/5, recall 3/6. Report TN 12 FP 2 FN 3 TP 3 and blocked positive.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Length=12 cm, width=30 mm. Compute length/width using matching units. Explain handling for zero or missing width and where learned scaling is fitted.

Concept to explain

Feature engineering transforms raw inputs into useful structure while preserving prediction-time availability and avoiding leakage.

Term · Meaning

Term: transformation

Meaning: rule converting raw values

Term: derived feature

Meaning: new input calculated from existing inputs

Term: aspect ratio

Meaning: width divided by length

Term: feature pipeline

Meaning: fixed ordered transformations

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on feature engineering. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer. Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

Evaluation values must not influence the learned transformation.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank evidence table

Saved classroom project records for critique; no personal student dataset required

Apply the connected idea: Relationships and confounding

Teach Week 21 as a two-session investigation using fictional data. In a fictional log, groups that practiced longer also scored higher: 1 hour with 4 points, 2 hours with 6 and 3 hours with 8. This pattern is an association. Prior experience could affect both practice choices and scores. The table alone cannot establish the effect of adding practice time. Assess the three stated outcomes through the independent

task, not by copying the worked result.

Readiness answer

No; selection and coverage limit the claim.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional input records from this lesson; no real student identifiers

End goal for the pictorial case

By the end, I can explain feature engineering using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Create and justify two plant measurement features.

MODEL IDEA Feature engineering transforms raw inputs into useful structure while preserving prediction-time availability and avoiding leakage.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Raw leaf length=8 cm and width=4 cm. Derived aspect_ratio = $4 \div 8 = 0.5$.

Draw a fresh data → model → prediction → evaluation trace:

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

STEP 1 Raw leaf length=8 cm and width=4 cm.

STEP 2 Derived aspect_ratio = $4 \div 8 = 0.5$.

STEP 3 Color histogram summarizes pixel ranges without using the target label.

STEP 4 Fit transformation settings on training data only; document unit, purpose, availability, and leakage check.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

Concrete teaching case

Features are leaf length and width in cm; add length/width.

Compute for 8 and 2; state boundary checks.

Exact explanation to model

Ratio=4, unitless with matching units. Guard zero/missing width; fit learned transforms on training only.

Explain the added worked example

A useful feature represents information available when the prediction is made. In a fictional parcel task, length and width are measured before packing, so $\text{area} = \text{length} \times \text{width}$ is available. The final delivery delay is not available when predicting dispatch time. A strong correlation cannot make a future value legitimate.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines feature engineering.

Training rectangles have lengths [2, 4, 6] and widths [3, 2, 1], so areas are [6, 8, 6] square cm. Training mean area is $20/3$. A validation rectangle length 5 width 2 has area 10 and centered area $10 - 20/3 = 10/3$. Freeze the training mean; do not recompute it with validation.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

Key terms

Term · Meaning

Term: Feature engineering

Meaning: Constructing model inputs from available measurements

Term: Derived feature

Meaning: An input computed from other inputs

Term: Leakage

Meaning: Information entering a model that would not be available legitimately

Term: Availability

Meaning: Whether a value exists when a prediction is needed

Apply the connected idea: Relationships and confounding

In a fictional log, groups that practiced longer also scored higher: 1 hour with 4 points, 2 hours with 6 and 3 hours with 8. This pattern is an association. Prior experience could affect both practice choices and scores. The table alone cannot establish the effect of adding practice time.

The numbers rise together in these three invented records. A description such as higher practice hours went with higher scores is supported. A claim that one extra hour guarantees two more points goes beyond the observations. No statistical calculation is required to see this limit.

Prior experience, motivation or available support could plausibly affect both. Explain the connection to each. Exit: Small size, constructed data, conditions and measured outcome; do not generalize broadly or claim classroom effectiveness.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Feature engineering at a glance

Part · Evidence or action · Interpretation

Part: Raw measurements

Evidence or action: Length and width

Interpretation: Available before prediction

Part: Derived area

Evidence or action: Multiply length by width

Interpretation: Units square cm

Part: Centering

Evidence or action: Subtract training mean

Interpretation: Reuse frozen value

Area is a deterministic transformation; it adds a representation, not a new measured fact. It may help a limited model express a relationship, or may do nothing useful. Compare original versus extended features under the same split, metric

and development policy.

Center the validation area using the frozen training mean. Explain the steps or evidence behind your response.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Feature Engineering

Engineer a feature with a transformation defined before evaluating a new leaf.

The facts we will use

Training rectangular leaf cards have areas [2, 6, 10] cm². Area=length×width; center by training mean. Query length 2, width 4 cm.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Feature Engineering

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Construct area

Query area = $2 \times 4 = 8 \text{ cm}^2$.



2. Fit centering

Training mean = $(2+6+10)/3 = 6 \text{ cm}^2$.



3. Apply unchanged transform

Centered query feature = $8 - 6 = 2 \text{ cm}^2$.

CHANGE ONE THING

Include the query in the centering mean.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Construct area

What happens and why: Query area = $2 \times 4 = 8 \text{ cm}^2$.

Step: 2. Fit centering

What happens and why: Training mean = $(2+6+10)/3 = 6 \text{ cm}^2$.

Step: 3. Apply unchanged transform

What happens and why: Centered query feature= $8-6=2$ cm².

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Centered query feature= $8-6=2$ cm². The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Area is a geometric toy feature. Useful predictive relationships need separate evaluation, and real leaves need a suitable measurement definition.

Change one thing in the pictured case

Change: Include the query in the centering mean.

Prediction: Mean becomes $26/4=6.5$ cm² and query feature 1.5 cm²; this changes the fitted transformation.

Reason: A held-out input should not silently redefine a training-fitted preprocessing step.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: Features are leaf length and width in cm; add length/width.

Write the question to explain: Compute for 8 and 2; state boundary checks.

Reveal after predictions: Ratio=4, unitless with matching units. Guard zero/missing width; fit learned transforms on training only.

Keep for an independent attempt: A feature is leaf_length divided by leaf_width. A row has width zero. What should the preprocessing rule do before division?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: Area 10; centered $10-20/3=10/3$ square cm. Validation does not change the fitted mean. Exit response: Compare with and without area on the same validation records, fitting all transformations on training and reporting the declared metric and feature availability.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: Why must preprocessing be fitted on training only? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Read the opening and model the worked evidence. Ask students to identify feature engineering in context.

Stage: 18 to 32 minutes

Teacher action: Complete W 1 and W 2 with support: compute features; transform validation. Require the evidence, not only the final response.

Stage: 32 to 45 minutes

Teacher action: Read the visual row by row. Collect the guided explanation and compare reasoning in pairs. Connect each conclusion to the stated evidence.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between feature engineering and derived feature. Invite a

counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Discuss the application and complete W 3: Why is delivery delay invalid for a prediction made before dispatch?

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently before giving hints. Assess these outcomes: Create features available at prediction time; Fit feature transformations using training evidence only. Record any support used.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Teach the connected idea

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and explain the purpose in the opening section.

Stage: 7 to 20 minutes

Teacher action: Read the worked example and diagram; ask learners to trace each step aloud.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2, then compare predictions with observed results.

Stage: 33 to 45 minutes

Teacher action: Collect the guided prediction before running; discuss a mismatch and its cause.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the main rule without showing the previous answer.

Stage: 8 to 20 minutes

Teacher action: Use W3 to diagnose and repair the stated failure; rerun an earlier case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, including code or plan, predictions and explanations, before hints.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit; use the fresh retry when support was needed.

Reduce help deliberately

Completion task: Center the validation area using the frozen training mean.

Teacher check: Teacher explanation: Area 10; centered $10 - 20/3 = 10/3$ square cm. Validation does not change the fitted mean.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Feature engineering. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: Areas 6, 8, 6 square cm; training mean $20/3$ square cm.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Connected teaching cycle: Relationships and confounding

Target: Describe associations without claiming cause

Reserve further sessions for this topic; the 135-minute primary plan does not absorb all added content.

Completion practice: Explain how prior experience could relate to both practice time and score.

Teacher check: Experienced learners may choose different practice amounts and also score higher even without additional practice.

Individual check: For Relationships and confounding, use its worked case to evaluate this proposed explanation: “A successful run proves the conclusion”. Explain the deciding step.

Expected correction: A fairer comparison could offer the same task, instructions and assessment and randomly assign fictional groups to practice conditions. In real classrooms, a teacher must approve any activity and protect equal learning opportunities; this lesson uses a paper plan.

Apply the same support, independent transfer and delayed-review decisions to the named connected-topic workbook tasks.

Pictorial practice question

What should be saved so another group transforms the query identically? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

The area definition, cm^2 units and training mean 6; the correct declared centered feature is 2 cm^2 .

Changed-case check: Mean becomes $26/4=6.5 \text{ cm}^2$ and query feature 1.5 cm^2 ; this changes the fitted transformation. A held-out input should not silently redefine a training-fitted preprocessing step.

Changed-case reasoning: Mean becomes $26/4=6.5 \text{ cm}^2$ and query feature 1.5 cm^2 ; this changes the fitted transformation. A held-out input should not silently redefine a training-fitted preprocessing step.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected evidence before running.
2. Feature Workshop: design two transformations, compute examples, audit leakage, and compare one controlled validation result.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR Creating many features automatically gives the model more useful information.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Areas 6, 8, 6 square cm; training mean $20/3$ square cm.

A stronger claim makes a stronger project: Compare with and without area on the same validation records, fitting all transformations on training and reporting the declared metric and feature availability.

The new case can be copied from the example: The independent task changes the evidence. Require a

fresh explanation: Training mean 8 square cm; new area 12 square cm; centered feature 4 square cm.

Check these misconceptions

A successful run proves the conclusion: A fairer comparison could offer the same task, instructions and assessment and randomly assign fictional groups to practice conditions. In real classrooms, a teacher must approve any activity and protect equal learning opportunities; this lesson uses a paper plan.

Matching the example is enough: Require the new W4 case, explicit predictions and an explanation. Fresh retry: a log links more library visits with higher reading scores. Reading interest may influence both. Require a supported association statement and a fairer comparison plan.

A convenient shortcut preserves meaning: A chart title Practice causes success overstates the evidence. Replace it with Practice time and scores in three fictional records, and describe the possible confounder. Better wording does not repair the study, but it makes the report honest.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Ratio=4, unitless with matching units. Guard zero/missing width; fit learned transforms on training only.

Independent question

A feature is leaf_length divided by leaf_width. A row has width zero. What should the preprocessing rule do before division?

Expected independent answer

Detect zero or invalid width, investigate or handle it using a documented rule, and avoid division by zero. Apply preprocessing consistently without learning from test data.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “A feature formula is safe for every row just because it works on typical examples.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Width=3 cm, ratio=4 and unitless. Zero width makes division undefined; missing width is not zero. Use a documented validation/fallback policy. Fit learned scaling only on training data and apply it unchanged to other partitions.

Explanations for the additional workbook examples

W1 Compute features

Compute the worked areas and their training mean.

Teacher explanation: Areas 6, 8, 6 square cm; training mean $20/3$ square cm.

W2 Transform validation

Center the validation area using the frozen training mean.

Teacher explanation: Area 10; centered $10 - 20/3 = 10/3$ square cm. Validation does not change the fitted mean.

W3 Reject leakage

Why is delivery delay invalid for a prediction made before dispatch?

Teacher explanation: The value is only known later, so using it would not match the information available at prediction time.

W4 Apply independently

Training areas [4, 8, 12]. A new rectangle has length 3 width 4. Compute the training mean and centered new feature; state units.

Teacher explanation: Training mean 8 square cm; new area 12 square cm; centered feature 4 square cm.

W5 Plan a fair comparison

How would you test adding area without claiming it must help?

Teacher explanation: Compare with and without area on the same validation records, fitting all transformations on training and reporting the declared metric and feature availability.

Relationships and confounding — W1 Describe the evidence

State the pattern in the three worked records without using caused or guaranteed.

Higher recorded practice hours are associated with higher scores in these three records.

Relationships and confounding — W2 Identify a confounder

Explain how prior experience could relate to both practice time and score.

Experienced learners may choose different practice amounts and also score higher even without additional practice.

Relationships and confounding — W3 Repair an overclaim

A learner predicts every student gains 2 points per extra hour. Explain why that is unsupported.

The three observations do not establish a universal causal rule or predict every individual; other factors and variation are unmeasured.

Relationships and confounding — W4 Plan independently

A fictional dataset links more hints used with lower scores. Give a noncausal explanation and plan a fairer comparison of whether hints help.

Learners finding tasks harder may use more hints and score lower. Use comparable tasks and starting skill, a teacher-approved or paper random-assignment plan, same outcome measure and report uncertainty; do not deny needed support.

Relationships and confounding — W5 State a remaining limit

Even a better comparison has only four fictional groups. What should be reported?

Small size, constructed data, conditions and measured outcome; do not generalize broadly or claim classroom effectiveness.

Assess independent transfer

Selected case: Training areas [4, 8, 12]. A new rectangle has length 3 width 4. Compute the training mean

and centered new feature; state units.

Selected case answer

Teacher explanation: Training mean 8 square cm; new area 12 square cm; centered feature 4 square cm.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Responsible Plant Classifier

Add only justified Plant Classifier features, with formula, source fields, expected benefit, and leakage test.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 30: Improve Generalization. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank evidence table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use feature engineering and derived feature in full sentences. Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Training mean 8 square cm; new area 12 square cm; centered feature 4 square cm. Fresh retry training areas [3, 6, 9], new rectangle 2 by 5: training mean 6, new area 10, centered 4 square units. Require training-only fitting. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Experimental records and seeds. Carry forward the saved evidence and the distinction between development choices and justified claims.

Readiness and reassessment for Relationships and confounding

Draw arrows from the proposed confounder to both observed variables. Extension: explain why reversing cause and effect can also fit some observational patterns.

Independent W4 evidence: Learners finding tasks harder may use more hints and score lower. Use comparable tasks and starting skill, a teacher-approved or paper random-assignment plan, same outcome measure and report uncertainty; do not deny needed support. Record whether the learner needed no help, a hint or explanation. Fresh retry: a log links more library visits with higher reading scores. Reading interest may influence both. Require a supported association statement and a fairer comparison plan.

Plan the delayed return

Suggested return points in this level: ai-4/30, ai-4/32, ai-4/35. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before

checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Create features available at prediction time

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for

individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Center the validation area using the frozen training mean.

Reasoned practice answer: Teacher explanation: Area 10; centered $10 - 20/3 = 10/3$ square cm. Validation does not change the fitted mean.

Check every learner before discussion: Use the worked case for Feature engineering. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: Areas 6, 8, 6 square cm; training mean $20/3$ square cm.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Include the query in the centering mean. Require a prediction and a reason before comparing. Expected result: Mean becomes $26/4 = 6.5$ cm² and query feature 1.5 cm²; this changes the fitted transformation. Reason: A held-out input should not silently redefine a training-fitted preprocessing step.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, evidence, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.