

Capstone Dataset and Baseline

Project: Responsible Plant Classifier

1. Capstone Dataset and Baseline

Teach the learning cycle

Primary target: Define a feasible capstone question and acceptance criteria

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Model Cards and Human Review

Without opening the old lesson, explain one key idea from Model Cards and Human Review. Give an example and a mistake that the idea helps you avoid.

Look for: Write a model card whose claims match evidence

Reference example, not the only acceptable wording: Teacher explanation: Intended: compare toy classifiers on the documented fictional task. Not supported: real parcel handling, student assessment or decisions outside the evaluated setup.

Subgroup Performance

Without opening the old lesson, explain one key idea from Subgroup Performance. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate subgroup results with sample sizes

Reference example, not the only acceptable wording: Teacher explanation: A $2/20=10$ percent; B $3/5=60$ percent; pooled $5/25=20$ percent, a 50-point group gap.

Learning Curves

Without opening the old lesson, explain one key idea from Learning Curves. Give an example and a mistake that the idea helps you avoid.

Look for: Read training-size learning curves

Reference example, not the only acceptable wording: Teacher explanation: $\text{Mean}(5+7+6)/3=6$; range $7-5=2$.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A capstone has two views of each of 40 leaves. Specify a 24/8/8 leaf split and baseline procedure. When may final labels be consulted?

Concept to explain

A responsible capstone begins by freezing the problem, intended use, dataset documentation, grouped split, and baseline evidence.

Term · Meaning

Term: freeze

Meaning: lock a reviewed version for comparison

Term: acceptance test

Meaning: observable required behavior

Term: baseline result

Meaning: simple method's measured performance

Term: evidence bundle

Meaning: linked artifacts supporting a claim

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on capstone data and requirements. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer. Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

Task, data roles, metric, baseline, tie policy and intended use.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank evidence table

Saved classroom project records for critique; no personal student dataset required

Optional reproducible data kit: create IDs $i=0$ through 71, $\text{width}=2+(i \bmod 9)$ cm, $\text{height}=2+\text{floor}(i/9)$ cm, and group ID equal to i . Each record is a distinct fictional parcel. Reference label is blocked when $\text{width}+\text{height}$ is at least 12, otherwise clear. These are invented operational labels, not real parcel safety labels.

Split by $(5*i) \bmod 18$: values 0–9 go to training, 10–14 to validation, 15–17 to final test. This gives 40/20/12 rows. Prepare the kit before class, check both classes in each split, and distribute final-test features without labels. Keep the final key in teacher materials. The constructed split is not a random sample; students must report that limitation.

Apply the connected idea: Capstone models and baselines

Teach two 45-minute sessions. This week focuses on capstone models and baselines. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer. Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

Task, features, group-aware splits, metric, baseline and selection policy.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank evidence table

Optional Python 3 editor; no external packages or AI accounts required

End goal for the pictorial case

By the end, I can explain capstone dataset and baseline using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Freeze the dataset card, split, and baseline results before training.

MODEL IDEA A responsible capstone begins by freezing the problem, intended use, dataset documentation, grouped split, and baseline evidence.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Freeze dataset card v3 and grouped split s2 with no plant identity crossing sets. Test set remains sealed; validation supports model choices.

Draw a fresh data → model → prediction → evaluation trace:

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

STEP 1 Freeze dataset card v3 and grouped split s2 with no plant identity crossing sets.

STEP 2 Test set remains sealed; validation supports model choices.

STEP 3 Validation has 12 healthy and 8 spotted leaves. The always-healthy baseline scores $12/20=60\%$ accuracy and $0/8=0\%$ spotted recall. The rule has $TP=5$, $FN=3$, $TN=10$, $FP=2$: accuracy 75% and spotted recall 62.5%.

STEP 4 Acceptance requires valid citations, metric calculations, subgroup review, and safe escalation.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

Concrete teaching case

Capstone has 60 independent leaves, several photos per leaf, healthy/spotted labels.

Plan grouping and baseline.

Exact explanation to model

Keep all views together in train/validation/test partitions. Define labels/use, fit a majority baseline on training labels and evaluate declared metrics.

Explain the added worked example

The capstone is a classroom investigation, not a product launch. Choose the supplied fictional clear/blocked parcel task or an equally bounded teacher-approved synthetic task. Write a question that can be answered by comparing a simple model against a baseline. Do not use private student records or real safety decisions.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines capstone data and requirements.

Example proposal: can a small classifier improve validation accuracy over the training-majority baseline on fictional parcel measurements? Before modelling, assign 40 training, 20 validation and 12 final-test records, with related parcel groups kept together. Define blocked as positive, keep a fixed label rule, and reserve test labels with the teacher until Week 35.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

Your teacher can prepare the 72-record fictional grid described in the teacher guide, or approve another documented synthetic dataset. Each supplied record has an ID, group ID, width and height in cm. Training and validation labels are released for development; final-test labels stay with the teacher until the model is frozen. The numerical results in later worked examples are illustrative and are not expected scores for your project.

Key terms

Term · Meaning

Term: Requirement

Meaning: A concrete condition the project must meet

Term: Acceptance criterion

Meaning: Evidence that decides whether a requirement is met

Term: Data dictionary

Meaning: Definitions and units for dataset fields

Term: Milestone

Meaning: A review point with a stated deliverable

Apply the connected idea: Capstone models and baselines

Build the baseline before the candidate. For classification, use the most common training class, with a declared tie policy. Choose one simple candidate using techniques already learned, such as k-nearest neighbours with training-only scaling and a fixed k. Record every development attempt; complexity earns no automatic credit.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building process; this week examines capstone models and baselines.

Illustrative training has 30 clear and 10 blocked cases, so the baseline always predicts clear. On 20 validation cases with 14 clear and 6 blocked, its matrix is $\begin{bmatrix} 14 & 0 \\ 6 & 0 \end{bmatrix}$, accuracy 70 percent. Candidate matrix $\begin{bmatrix} 12 & 2 \\ 2 & 4 \end{bmatrix}$ gives accuracy 80 percent, precision $4/6$ and recall $4/6$. These are example results, not the student team results.

Trace the calculation on paper before running this optional Python check. Use the stated fictional inputs and compare intermediate values. The code checks this example; your independent workbook case uses different evidence.

Guided response: Accuracy $16/20=80$ percent; precision $4/6$ and recall $4/6$, both about 66.7 percent; FP 2 FN 2. Exit response: Model and preprocessing version, settings, feature order, split IDs, prediction/scoring rules, validation comparison, metric and decision record.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Capstone data and requirements at a glance

Part · Evidence or action · Interpretation

Part: Week 33

Evidence or action: Task data and split plan

Interpretation: Teacher checks feasibility

Part: Week 34

Evidence or action: Baseline and candidate

Interpretation: Validation decision recorded

Part: Weeks 35 and 36

Evidence or action: Frozen test and defense

Interpretation: Evidence plus limitations

The data dictionary lists record ID, group ID, width in cm, height in cm and reference class. IDs track provenance and splitting; they are not automatic predictive inputs. Check uniqueness, units, missing values, class coverage and group separation. Fit imputation or scaling only on training.

Explain why record ID, group ID and measured width have different roles. Explain the steps or evidence behind your response.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Capstone Dataset and Baseline

Plan the plant capstone around independent groups and a baseline before collecting more rows.

The facts we will use

Toy proposed dataset: 8 plants, 3 photos each. Development groups A–F; final groups G, H. Target is visible-spot status, with review for hidden leaves.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Capstone Dataset and Baseline

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Define target

Write visible-spot and review rules before annotation.



2. Split by groups

Keep all 18 A-F views in development and all 6 G/H views for final evaluation.



3. Plan baseline

Fit majority label only from development training; record metrics and error types.

CHANGE ONE THING

A derived crop of plantG is added to training.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Define target

What happens and why: Write visible-spot and review rules before annotation.

Step: 2. Split by groups

What happens and why: Keep all 18 A–F views in development and all 6 G/H views for final evaluation.

Step: 3. Plan baseline

What happens and why: Fit majority label only from development training; record metrics and error types.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Fit majority label only from development training; record metrics and error types. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

A well-planned split does not create sufficient sample size; two held-out plants support only a very narrow claim.

Change one thing in the pictured case

Change: A derived crop of plantG is added to training.

Prediction: The final group separation is violated.

Reason: The crop retains the same source plant identity even with a new file name.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: Capstone has 60 independent leaves, several photos per leaf, healthy/spotted labels.

Write the question to explain: Plan grouping and baseline.

Reveal after predictions: Keep all views together in train/validation/test partitions. Define labels/use, fit a majority baseline on training labels and evaluate declared metrics.

Keep for an independent attempt: Your capstone dataset includes duplicate photographs in both training and validation. What should be repaired before measuring the baseline?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: Record ID tracks rows, group ID keeps related records together, and width is a potential measured feature available before prediction; IDs are not automatic inputs. Exit response: Label the work as development or a demonstration, report the limitation and avoid an untouched-test claim; do not fabricate test data or results.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: Which evaluation choices should precede model selection? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Model the worked proposal, then introduce the prepared fictional dataset and its data dictionary. Students choose the supplied task or a bounded approved alternative.

Stage: 18 to 32 minutes

Teacher action: Teams draft their question, non-use statement and three process acceptance criteria. Use W1–W3 as prompts while preparing the proposal.

Stage: 32 to 45 minutes

Teacher action: Teams check IDs, units, missing values and split membership. Collect the proposal and identify repairs before any model fitting.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between requirement and acceptance criterion. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Complete the independent W4 split critique first. Then teams revise their own data plan and document group separation.

Stage: 20 to 35 minutes

Teacher action: Review each team proposal and data dictionary for feasibility. Confirm synthetic-data scope, task metric and baseline; reserve final-test labels before approving modelling.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Teach the connected idea

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: What must be fixed before the capstone comparison? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Trace the worked baseline/candidate comparison and check W1–W3 briefly. State that its numbers are illustrative, not target results.

Stage: 18 to 32 minutes

Teacher action: Teams fit their baseline from training only. Save training class counts, split IDs and baseline validation predictions.

Stage: 32 to 45 minutes

Teacher action: Teams build one candidate using the earlier k-nearest-neighbour procedure or an

approved simple alternative. Check preprocessing and trace one prediction.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between baseline and prediction ledger. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Teams evaluate on validation, record the full comparison and explain gains and regressions. Log every attempted setting.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, then review team freeze records. Resolve pipeline failures on development data before requesting final-test labels.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Completion task: Explain why record ID, group ID and measured width have different roles.

Teacher check: Teacher explanation: Record ID tracks rows, group ID keeps related records together, and width is a potential measured feature available before prediction; IDs are not automatic inputs.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Capstone data and requirements. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: Compare a simple classifier with a training-majority baseline on the fictional parcel evaluation; no real handling or student decisions are supported.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Connected teaching cycle: Capstone models and baselines

Target: Fit and compare a baseline and a simple candidate

Reserve further sessions for this topic; the 135-minute primary plan does not absorb all added content.

Completion practice: Compute the worked candidate accuracy, precision and recall.

Teacher check: Teacher explanation: Accuracy $16/20=80$ percent; precision $4/6$ and recall $4/6$, both about 66.7 percent; FP 2 FN 2.

Individual check: For Capstone models and baselines, use its worked case to evaluate this proposed explanation: “A final answer is enough”. Explain the deciding step.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: Always predict clear from the 30/10 training counts; validation accuracy $14/20=70$ percent.

Apply the same support, independent transfer and delayed-review decisions to the named connected-topic workbook tasks.

Pictorial practice question

What provenance field prevents the crop from appearing independent? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

Store original_plant_id=G and the parent image ID; all derived G records must remain with their assigned final group. Changed-case check: The final group separation is violated. The crop retains the same source plant identity even with a new file name.

Changed-case reasoning: The final group separation is violated. The crop retains the same source plant identity even with a new file name.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected evidence before running.
2. Capstone Gate 1: peer-audit dataset card, leakage, split, baseline calculations, and acceptance tests;

repair before build.

3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR Capstone work should begin by training the most advanced available model.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Compare a simple classifier with a training-majority baseline on the fictional parcel evaluation; no real handling or student decisions are supported.

A stronger claim makes a stronger project: Label the work as development or a demonstration, report the limitation and avoid an untouched-test claim; do not fabricate test data or results.

The new case can be copied from the example: The independent task changes the evidence. Require a fresh explanation: Keep both members of each pair in one split, exclude pair ID from predictive inputs, check group/class coverage and record split membership before training. Reserve final-test labels.

Check these misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Always predict clear from the 30/10 training counts; validation accuracy $14/20=70$ percent.

A stronger claim makes a stronger project: Model and preprocessing version, settings, feature order, split IDs, prediction/scoring rules, validation comparison, metric and decision record.

The new case can be copied from the example: The independent task changes the evidence. Require a fresh explanation: Baseline $9/12=75$ percent; candidate $10/12$ about 83.3 percent; precision $2/3$ and recall $2/3$. Candidate FP 1 FN 1 versus baseline FP 0 FN 3.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Keep all views together in train/validation/test partitions. Define labels/use, fit a majority baseline on training labels and evaluate declared metrics.

Independent question

Your capstone dataset includes duplicate photographs in both training and validation. What should be repaired before measuring the baseline?

Expected independent answer

Group duplicates or related examples so they do not cross the split; document the split and evaluate a baseline under the repaired protocol.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “Duplicate images in validation provide independent evidence because their filenames differ.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Keep paired views together: train=48 images, validation=16, test=16. Fit the majority label from training labels; choose metrics and model settings with training/validation. Consult final labels only after selecting the system for its final evaluation.

Explanations for the additional workbook examples

W1 State a question

Write a bounded question and a non-use statement for the supplied task.

Teacher explanation: Compare a simple classifier with a training-majority baseline on the fictional parcel evaluation; no real handling or student decisions are supported.

W2 Define fields

Explain why record ID, group ID and measured width have different roles.

Teacher explanation: Record ID tracks rows, group ID keeps related records together, and width is a potential measured feature available before prediction; IDs are not automatic inputs.

W3 Set criteria

Name three acceptance criteria that do not require the candidate to win.

Teacher explanation: Examples: no group overlap, all planned predictions accounted for, matched baseline comparison and documented limitations with denominators.

W4 Apply independently

A proposed 80-row dataset has 40 related pairs, and the team splits individual rows randomly then uses pair ID as a feature. Revise its plan.

Teacher explanation: Keep both members of each pair in one split, exclude pair ID from predictive inputs, check group/class coverage and record split membership before training. Reserve final-test labels.

W5 Prepare a fallback

What should the team do if it cannot obtain a valid untouched final test?

Teacher explanation: Label the work as development or a demonstration, report the limitation and avoid an untouched-test claim; do not fabricate test data or results.

Capstone models and baselines — W1 Build the baseline

State the worked training-majority rule and validation accuracy.

Teacher explanation: Always predict clear from the 30/10 training counts; validation accuracy $14/20=70$ percent.

Capstone models and baselines — W2 Evaluate the candidate

Compute the worked candidate accuracy, precision and recall.

Teacher explanation: Accuracy $16/20=80$ percent; precision $4/6$ and recall $4/6$, both about 66.7 percent; FP 2 FN 2.

Capstone models and baselines — W3 Explain the tradeoff

Compare errors rather than only headline accuracy.

Teacher explanation: Baseline FP 0 FN 6; candidate FP 2 FN 2. Candidate finds four more blocked cases while falsely flagging two clear cases.

Capstone models and baselines — W4 Apply independently

Training 18 clear/6 blocked; validation baseline[[9, 0],[3, 0]], candidate[[8, 1],[1, 2]]. Calculate accuracy for

each and candidate precision/recall.

Teacher explanation: Baseline $9/12=75$ percent; candidate $10/12$ about 83.3 percent; precision $2/3$ and recall $2/3$. Candidate FP 1 FN 1 versus baseline FP 0 FN 3.

Capstone models and baselines — W5 Freeze evidence

List what must be saved before the teacher releases final-test labels.

Teacher explanation: Model and preprocessing version, settings, feature order, split IDs, prediction/scoring rules, validation comparison, metric and decision record.

Assess independent transfer

Selected case: A proposed 80-row dataset has 40 related pairs, and the team splits individual rows randomly then uses pair ID as a feature. Revise its plan.

Selected case answer

Teacher explanation: Keep both members of each pair in one split, exclude pair ID from predictive inputs, check group/class coverage and record split membership before training. Reserve final-test labels.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now

and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Responsible Plant Classifier

Publish the frozen Plant Classifier design-and-data bundle with version IDs and approval record.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 35: Capstone Train, Analyze, Improve. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank evidence table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use requirement and acceptance criterion in full sentences.

Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Keep both members of each pair in one split, exclude pair ID from predictive inputs, check group/class coverage and record split membership before training. Reserve final-test labels.

Fresh retry: three images of the same fictional parcel must stay in one split. Ask the learner to identify the group and record a split-level check before modelling. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Capstone models and baselines. Carry forward the saved evidence and the distinction between development choices and justified claims.

Readiness and reassessment for Capstone models and baselines

Provide a blank evidence table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use baseline and prediction ledger in full sentences. Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Baseline 9/12=75 percent; candidate 10/12 about 83.3 percent; precision 2/3 and recall 2/3. Candidate FP 1 FN 1 versus baseline FP 0 FN 3. Fresh retry baseline[[8, 0],[4, 0]], candidate[[7, 1],[2, 2]]: accuracy 8/12 versus 9/12, candidate precision 2/3 and recall 2/4. Require the tradeoff and frozen settings. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Plan the delayed return

Suggested return points in this level: ai-4/35. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Define a feasible capstone question and acceptance criteria

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Explain why record ID, group ID and measured width have different roles.

Reasoned practice answer: Teacher explanation: Record ID tracks rows, group ID keeps related records together, and width is a potential measured feature available before prediction; IDs are not automatic inputs.

Check every learner before discussion: Use the worked case for Capstone data and requirements.

Proposed explanation: "A final answer is enough". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: Compare a simple classifier with a training-majority baseline on the fictional parcel evaluation; no real handling or student decisions are supported.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: A derived crop of plantG is added to training. Require a prediction and a reason before comparing. Expected result: The final group separation is violated. Reason: The crop retains the same source plant identity even with a new file name.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with evidence.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.