

# ML Builder Expo

Project: Responsible Plant Classifier

## 1. ML Builder Expo

### Teach the learning cycle

Primary target: Defend the project using traceable evidence

#### Session · Sequence and minutes · Resources

**Session:** Session 1 · Understand · 45 min

**Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

## Retrieval answer guidance

### Capstone Train, Analyze, Improve

Without opening the old lesson, explain one key idea from Capstone Train, Analyze, Improve. Give an example and a mistake that the idea helps you avoid.

Look for: Run a frozen final evaluation with complete accounting

Reference example, not the only acceptable wording: Teacher explanation: Candidate accuracy  $9/12=75$  percent, precision  $2/3$ , recall  $2/4$ ; baseline  $8/12$  about 66.7 percent, with all four blocked cases missed.

### Model Cards and Human Review

Without opening the old lesson, explain one key idea from Model Cards and Human Review. Give an example and a mistake that the idea helps you avoid.

Look for: Write a model card whose claims match evidence

Reference example, not the only acceptable wording: Teacher explanation: Intended: compare toy classifiers on the documented fictional task. Not supported: real parcel handling, student assessment or decisions outside the evaluated setup.

### Improve Generalization

Without opening the old lesson, explain one key idea from Improve Generalization. Give an example and a mistake that the idea helps you avoid.

Look for: Compare training and validation evidence for model capacity

Reference example, not the only acceptable wording: Teacher explanation: Choose the line with validation MAE 3. The curve training MAE 0 does not compensate for validation MAE 8.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

### What the learner must demonstrate

Final counts are  $TP=12, FN=3, FP=5, TN=20$ . Compute accuracy, precision and recall, then state one limitation and a review trigger for the model defense.

### Concept to explain

A builder defends the complete evidence chain: problem, data, code, model, metrics, errors, fairness, limitations, and human oversight.

#### Term · Meaning

**Term:** technical defense

**Meaning:** evidence-based explanation under questions

---

**Term:** traceability

**Meaning:** link claim to data, code, result, and decision

---

**Term:** transfer test

**Meaning:** fresh case not rehearsed

---

**Term:** release decision

**Meaning:** approve, limit, revise, or stop

---

## Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

## Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on machine learning project defense. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer. Award credit for traceable reasoning and bounded claims, including justified uncertainty.

## Readiness answer

A result describes observed evidence; a claim must not extend beyond what that evidence supports.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank evidence table

Saved classroom project records for critique; no personal student dataset required

## End goal for the pictorial case

By the end, I can explain ml builder expo using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics;

schedule its practice within the teaching cycle.

## 2. Explain the mechanism

### Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Recompute a fresh metric and answer an unseen failure case during the defense.

MODEL IDEA A builder defends the complete evidence chain: problem, data, code, model, metrics, errors, fairness, limitations, and human oversight.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Trace one leaf from source and split through preprocessing, model, prediction, and review. Recompute precision or recall from a fresh confusion matrix without notes.

Draw a fresh data → model → prediction → evaluation trace:

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

STEP 1 Trace one leaf from source and split through preprocessing, model, prediction, and review.

STEP 2 Recompute precision or recall from a fresh confusion matrix without notes.

STEP 3 Run an unseen low-light or missing-feature case and follow the documented fallback.

STEP 4 State intended use, do-not-use, subgroup limitation, provenance, and who remains accountable.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

### Concrete teaching case

Final classifier gets 16/20 correct; two of four errors are false negatives.

Report supported metrics and what is missing.

### Exact explanation to model

Accuracy 80%. Recall cannot be computed from FN alone; actual positives or TP are needed. Show full matrix, limits and review path.

### Explain the added worked example

The final defense tells a coherent story: question, data, method, comparison, errors and limits. A strong project may conclude that the baseline is preferable or evidence is insufficient. The aim is sound reasoning and a reproducible investigation, not an impressive headline or polished unsupported claim.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data

split visible as you reason. Earlier weeks supplied the model-building process; this week examines machine learning project defense.

Example opening: We compared a simple classifier with an always-clear training baseline on fictional parcels. We froze the procedure before a 12-case test. Candidate accuracy was 9/12 versus baseline 8/12; candidate FP 1 FN 2. These small synthetic results support a classroom comparison, not real parcel decisions. We would next investigate dim-condition coverage using new development data.

Before continuing, underline the decision rule and circle the evidence that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim. Keep the distinction between an observed result and a proposed next step.

## Key terms

### Term · Meaning

**Term:** Defense

**Meaning:** An explanation of decisions supported by inspectable evidence

---

**Term:** Traceability

**Meaning:** Ability to follow a claim back to its source

---

**Term:** Limitation

**Meaning:** A boundary on interpretation or supported use

---

**Term:** Reflection

**Meaning:** An account of learning and justified next steps

---

## Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

## Machine learning project defense at a glance

### Part · Evidence or action · Interpretation

**Part:** Show the process

**Evidence or action:** Task data splits versions

**Interpretation:** Explain one prediction

---

**Part:** Show the evidence

**Evidence or action:** Baseline metrics errors

**Interpretation:** Trace one reported number

---

**Part:** Show the limits

**Evidence or action:** Unsupported uses next step

**Interpretation:** Answer peer questions

---

Prepare a five-minute presentation with a one-page evidence summary and linked project files. Include the data dictionary, split record, run record, prediction ledger, model card and revision history. Demonstrate one prediction or arithmetic calculation live so the audience can follow the reasoning.

**Name the files needed to audit one reported accuracy figure. Explain the steps or evidence behind your response.**

---

---

---

---

**Thinking move · Teacher prompt**

**Thinking move:** Plan

**Teacher prompt:** What is given? What is the question? Which procedure fits these facts?

---

**Thinking move:** Do

**Teacher prompt:** Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

---

**Thinking move:** Check

**Teacher prompt:** Does the output answer the question? Which assumption or limitation prevents a larger

claim?

---

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

## **A pictorial worked case: ML Builder Expo**

Present a plant-classifier expo claim that another team could check.

### **The facts we will use**

Toy expo evidence: 15 held-out photos from 5 plants; candidate12 correct, baseline10 correct. Three candidate failures are recorded; no outdoor trial exists.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

## ML Builder Expo

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. Show denominator

Candidate  $12/15=80\%$ ; baseline  $10/15\approx 66.7\%$  on the same cases.



#### 2. Show independence

Explain five held-out plant identities and three related views per plant.



#### 3. Show failures

Present the three failure records and indoor-only limitation beside the headline rate.

### CHANGE ONE THING

The poster omits the baseline and calls the model "field ready".

Explain the changed result using the matching lesson.

### Read the picture one step at a time

#### Step · What happens and why

**Step:** 1. Show denominator

**What happens and why:** Candidate  $12/15=80\%$ ; baseline  $10/15\approx 66.7\%$  on the same cases.

---

**Step:** 2. Show independence

**What happens and why:** Explain five held-out plant identities and three related views per plant.

---

### Step: 3. Show failures

**What happens and why:** Present the three failure records and indoor-only limitation beside the headline rate.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

### Why this result follows

Read the picture in order. Present the three failure records and indoor-only limitation beside the headline rate. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

### What this example does not establish

Clear presentation helps review but does not increase the strength of a tiny or unrepresentative evaluation.

### Change one thing in the pictured case

Change: The poster omits the baseline and calls the model “field ready”.

Prediction: The headline exceeds the supplied evidence.

Reason: No outdoor evaluation is supplied, and the comparative benefit is obscured without the same-case baseline.

### Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

## 3. Demonstrate and guide practice

### Demonstrate and guide practice

#### Board sequence

Write the given facts: Final classifier gets 16/20 correct; two of four errors are false negatives.

Write the question to explain: Report supported metrics and what is missing.

Reveal after predictions: Accuracy 80%. Recall cannot be computed from FN alone; actual positives or TP are needed. Show full matrix, limits and review path.

Keep for an independent attempt: Your expo model succeeds on three demonstration plants. What evidence should accompany the demo and what limitation should you state?

## Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

## Model these guided questions

Guided response: Prediction ledger with references and outputs, split membership, frozen model/run record and metric definition; count correct rows over all scored rows under the saved policy. Exit response: A valid response links a documented limitation to new development evidence, records any revised version, and reserves fresh independent final-test evidence for a later frozen evaluation.

## Case-specific teaching sequence

### Stage · Teacher action

**Stage:** Session 1 start to 7 minutes

**Teacher action:** Use the prerequisite question: What is the difference between a result and a claim? Check the explanation before proceeding.

---

**Stage:** 7 to 18 minutes

**Teacher action:** Review the four rubric dimensions. Use W1–W3 to prepare a bounded opening and an auditable evidence summary.

---

**Stage:** 18 to 32 minutes

**Teacher action:** Teams prepare a five-minute defense and one-page summary. Check every claim against the saved project files and rehearse one prediction trace.

---

**Stage:** 32 to 45 minutes

**Teacher action:** Run peer rehearsals in pairs. Each reviewer records a question about data roles, a failure and the claim limits.

---

**Stage:** Session 2 start to 8 minutes

**Teacher action:** Complete W4 independently as a short critique of unsupported claims. Use the result to target final feedback.

---

**Stage:** 8 to 20 minutes

**Teacher action:** Begin defenses in parallel small groups: five minutes presenting plus two minutes of questions per team. Teacher samples evidence and collects all records.

---

**Stage:** 20 to 35 minutes

**Teacher action:** Continue defenses and record scores separately for data/splits, reproducibility, evaluation and communication. Use written evidence as well as the live explanation.

---

**Stage:** 35 to 45 minutes

**Teacher action:** Complete W5 as an individual reflection. Resolve or record peer feedback, identify a justified next step and use the fresh retry for learners who confuse model improvement with project success.

---

## Reduce help deliberately

Completion task: Name the files needed to audit one reported accuracy figure.

Teacher check: Teacher explanation: Prediction ledger with references and outputs, split membership, frozen model/run record and metric definition; count correct rows over all scored rows under the saved policy.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

## Individual reasoning check

Use the worked case for Machine learning project defense. Proposed explanation: "A final answer is enough". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: A valid response names the fictional task, reports an auditable baseline/candidate comparison with denominator, and restricts the claim to the evaluated setup.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step

for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

### Pictorial practice question

Which three supporting items should be visible at the expo? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

### Reasoned teacher answer

Show split/provenance, candidate-versus-baseline counts, and actual error records with the indoor-only scope. Changed-case check: The headline exceeds the supplied evidence. No outdoor evaluation is supplied, and the comparative benefit is obscured without the same-case baseline.

Changed-case reasoning: The headline exceeds the supplied evidence. No outdoor evaluation is supplied, and the comparative benefit is obscured without the same-case baseline.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

## 4. Run the weekly evidence lab

### Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected evidence before running.
2. Expo Defense: present the evidence bundle, accept a fresh calculation and transfer case, explain one failure, and defend a release decision.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

### Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

#### Record · What to capture

**Record:** Input or evidence

**What to capture:** Exact data, instruction or claim

---

**Record:** Expected result

**What to capture:** Answer or safe fallback declared before the run

---

**Record:** Observed result

**What to capture:** Actual result, including errors

---

**Record:** Explanation

**What to capture:** Rule, calculation or evidence explaining the outcome

---

**Record:** Next test

**What to capture:** One justified change and a new prediction

---

## Diagnose and reteach

MISCONCEPTION TO REPAIR A smooth prepared demo proves the model is reliable and ready for use.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

## Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: A valid response names the fictional task, reports an auditable baseline/candidate comparison with denominator, and restricts the claim to the evaluated setup.

A stronger claim makes a stronger project: A valid response links a documented limitation to new development evidence, records any revised version, and reserves fresh independent final-test evidence for a later frozen evaluation.

The new case can be copied from the example: The independent task changes the evidence. Require a fresh explanation: Request the baseline on the same cases, split/development history and full error counts/limits. A polished presentation cannot establish validity or supported use without auditable evidence.

## Match the support to the first error

**What the response shows · Next teaching action**

**What the response shows:** Missing or misread facts

**Next teaching action:** Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

---

**What the response shows:** Wrong procedure

**Next teaching action:** Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

---

**What the response shows:** Arithmetic or implementation error

**Next teaching action:** Trace intermediate values or lines; preserve the first mismatch and retry that step.

---

**What the response shows:** Correct result without a reason

**Next teaching action:** Ask for a trace and a changed case before marking independent understanding.

---

**What the response shows:** An unsupported wider claim

**Next teaching action:** Ask which supplied evidence supports the claim and which further observation would be needed.

---

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

## 5. Assess and explain the answers

### Assess and explain the answers

#### Worked case answer

Accuracy 80%. Recall cannot be computed from FN alone; actual positives or TP are needed. Show full matrix, limits and review path.

#### Independent question

Your expo model succeeds on three demonstration plants. What evidence should accompany the demo and what limitation should you state?

#### Expected independent answer

Present dataset and split records, baseline, held-out results, errors, subgroup checks, revisions and model-card limits. Three demonstrations do not establish performance across all plants.

## What counts as evidence

**Criterion · 0 points · 1 point · 2 points**

**Criterion:** Result

**0 points:** Incorrect or absent

**1 point:** Partly correct

**2 points:** Correct with necessary conditions

---

**Criterion:** Reasoning

**0 points:** No supporting trace

**1 point:** Some steps

**2 points:** Clear mechanism, calculation or source support

---

**Criterion:** Limit

**0 points:** Overclaims certainty

**1 point:** Vague limitation

**2 points:** Relevant uncertainty or missing fact

---

**Criterion:** Transfer

**0 points:** Copies without adapting

**1 point:** Adapts with prompts

**2 points:** Solves a changed case independently

---

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

## Feedback

Ask the learner to find the evidence that challenges this claim: “A smooth demonstration replaces an independent evaluation and model card.” Keep the first attempt and an uncoached retry separate.

## Original transfer answer

Total=40; accuracy=32/40=80%; precision=12/17≈70.6%; recall=12/15=80%. These describe the tested set only. Show conditions and subgroup counts, and route missing or out-of-scope inputs to review under a predefined policy.

## Explanations for the additional workbook examples

### W1 Write an opening

Draft a three-sentence opening with purpose, a result and a limit.

Teacher explanation: A valid response names the fictional task, reports an auditable baseline/candidate comparison with denominator, and restricts the claim to the evaluated setup.

### W2 Trace evidence

Name the files needed to audit one reported accuracy figure.

Teacher explanation: Prediction ledger with references and outputs, split membership, frozen model/run record and metric definition; count correct rows over all scored rows under the saved policy.

### W3 Answer critique

A peer asks whether your model works for every school. Give a supported response.

Teacher explanation: No universal conclusion is supported. State the actual synthetic dataset and conditions, missing coverage and what additional appropriate evidence would be needed.

### W4 Apply independently

Review a defense claiming 95 percent success on 20 cases but omitting the baseline, split history and errors. Give three revision requests and explain why polish is insufficient.

Teacher explanation: Request the baseline on the same cases, split/development history and full error counts/limits. A polished presentation cannot establish validity or supported use without auditable evidence.

### W5 Plan the next step

Write one next investigation tied to an observed limitation, and identify what must stay held out.

Teacher explanation: A valid response links a documented limitation to new development evidence, records any revised version, and reserves fresh independent final-test evidence for a later frozen evaluation.

## Assess independent transfer

Selected case: Review a defense claiming 95 percent success on 20 cases but omitting the baseline, split history and errors. Give three revision requests and explain why polish is insufficient.

## Selected case answer

Teacher explanation: Request the baseline on the same cases, split/development history and full error counts/limits. A polished presentation cannot establish validity or supported use without auditable evidence.

### Dimension · Evidence required

**Dimension:** Explanation

**Evidence required:** Names the applicable idea or procedure and ties it to the supplied facts.

---

**Dimension:** Trace and result

**Evidence required:** Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

---

**Dimension:** Limits

**Evidence required:** States the assumptions, missing evidence or conditions under which the result would change.

---

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

## Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

## 6. Connect and extend learning

### Connect and extend learning

#### Responsible Plant Classifier

Deliver the final Responsible Plant Classifier product card, live evidence trace, model card, and human-oversight commitment.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

## Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

## Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

## Bridge to the next week

Review the full project evidence and choose concepts needing another independent attempt before the next level. One expo is not proof of mastery of all AI.

## Support and fresh reassessment

Provide a blank evidence table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use defense and traceability in full sentences. Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Request the baseline on the same cases, split/development history and full error counts/limits. A polished presentation cannot establish validity or supported use without auditable evidence. Fresh retry: a learner says our baseline won, so the project failed. Ask for a defense explaining the valid comparison, retained baseline, limits and an evidence-based next investigation; do not reward invented improvement. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Grade 8 is complete. Use the project defense and independent work to assess readiness for the next level. Revisit split integrity, model fitting and evaluation before advancing if those foundations are not yet secure.

## Plan the delayed return

Suggested return points in this level: plan a review after the level ends. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

### Record · Teacher evidence

**Record:** Learner code and date

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Concept and case used; prior exposure

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Explanation / trace / limits

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Support and first repair

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Changed case and delayed outcome

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Next teaching action

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

### Project evidence from this case

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

## 7. Prepare, teach and assess

Teaching target: Defend the project using traceable evidence

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

### Session · Plan · Resources

**Session:** Session 1 · Understand · 45 min

**Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

Before class, solve the supported practice: Name the files needed to audit one reported accuracy figure.

Reasoned practice answer: Teacher explanation: Prediction ledger with references and outputs, split membership, frozen model/run record and metric definition; count correct rows over all scored rows under the saved policy.

Check every learner before discussion: Use the worked case for Machine learning project defense.

Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: A valid response names the fictional task, reports an auditable baseline/candidate comparison with denominator, and restricts the claim to the evaluated setup.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: The poster omits the baseline and calls the model “field ready”. Require a prediction and a reason before comparing. Expected result: The headline exceeds the supplied evidence. Reason: No outdoor evaluation is supplied, and the comparative benefit is obscured without the same-case baseline.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

**Criterion · Not yet · With support · Independent**

**Criterion:** Explanation

**Not yet:** Names an answer without a deciding fact

**With support:** Uses a hint to link fact and decision

**Independent:** Explains the deciding fact in own words

---

**Criterion:** Trace or test

**Not yet:** Cannot connect input and result

**With support:** Completes steps with prompts

**Independent:** Traces or tests a changed case accurately

---

**Criterion:** Limits and revision

**Not yet:** Claims more than evidence supports

**With support:** Names a limit after a prompt

**Independent:** States a defensible limit and useful next test

---

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with evidence.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

## 8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.