

Bias terms and decision boundaries

Project: Image-pattern Network Investigation

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Calculate a weighted score with a bias term

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Dot products and weighted sums

Without opening the old lesson, explain one key idea from Dot products and weighted sums. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate a dot product by matching feature positions

Reference example, not the only acceptable wording: Teacher explanation: Contributions are 6 and -5, so the score is 1.

Use two 45-minute sessions to connect signed arithmetic, linear equations and graph regions. Require the explicit equality policy each time. The classroom formula is hand-selected; it demonstrates prediction and parameter effects, not evidence of successful training.

Outcomes

Calculate a weighted score with a bias term

Locate and test a two-feature decision boundary

Explain how changing the bias shifts a boundary without training

Preparation

Printed lesson and workbook; paper and pencil

Calculator and optional local Python 3 editor; no packages or AI accounts needed

Use the fictional examples supplied; prepare the fresh retry before class

Prerequisite answer

The contributions are 6 and -5, giving dot product 1.

End goal for the pictorial case

By the end, I can explain bias terms and decision boundaries using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

Use the fictional parcel schema [width in cm, height in cm]. Our model computes $z = 2 \text{ times width} - \text{height} - 3$. The weights are $[2, -1]$; the bias b is -3 . Compute the weighted sum first, then add the bias once. The result is an affine score: a weighted sum plus a constant offset.

Now declare a classification rule: predict class 1 when z is at least 0, and class 0 when z is below 0. Equality belongs to class 1. These are invented categories for arithmetic practice, not a real parcel decision. The weights and bias are supplied, so this is a forward calculation, not training.

A bias is a mathematical parameter. It is not the same use of the word as unfair treatment; numerical offset alone does not establish whether a system is fair.

Set z to zero to locate the boundary: $2 \text{ times width} - \text{height} - 3 = 0$, so $\text{height} = 2 \text{ times width} - 3$. Plot width on the horizontal axis and height on the vertical axis. Boundary points include (2, 1), (3, 3) and (4, 5). Join them with a straight line and label the axes in cm.

At width 3, height 2 gives score 1 and class 1; height 3 gives score 0 and class 1; height 4 gives score -1 and class 0. Under this axis convention class 1 lies on or below the boundary. One point on each side checks that orientation.

The code assumes valid numerical measurements in the agreed units. Changing $\geq$ to $>$ changes the equality case, even though the drawn line remains in the same place.

Term · Meaning

Term: Bias term

Meaning: An additive parameter applied after a weighted sum

Term: Decision boundary

Meaning: Input locations where the declared classification rule changes class

Term: Affine function

Meaning: A weighted sum plus a constant offset

Term: Threshold rule

Meaning: A stated comparison that converts a score into a class

Hold the weights fixed while shifting the boundary

Bias · Score at [3, 3] · Boundary equation

Bias: b is -3

Score at [3, 3]: $6 - 3 - 3$ gives 0

Boundary equation: $\text{height} = 2 \text{ width} - 3$

Bias: b is -1

Score at [3, 3]: $6 - 3 - 1$ gives 2

Boundary equation: $\text{height} = 2 \text{ width} - 1$

Bias: Increase b by 2

Score at [3, 3]: Every score rises by 2

Boundary equation: Slope remains 2

The boundary moves parallel to itself because the weights stay fixed. An increased score does not always change a class: only inputs crossing the declared threshold change.

Guided [3, 4]: with $b = -3$, $z = -1$ and class 0 ; with $b = -1$, $z = 1$ and class 1 . Only b changed. Exit: test labels influenced the new bias, so the reused cases are development evidence for the revision. Preserve the original result and evaluate a frozen revision on fresh independent cases.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Hold the weights fixed while shifting the boundary

Bias · Score at [3, 3] · Boundary equation

Bias: b is -3

Score at [3, 3]: $6 - 3 - 3$ gives 0

Boundary equation: $\text{height} = 2 \text{ width} - 3$

Bias: b is -1

Score at [3, 3]: $6 - 3 - 1$ gives 2

Boundary equation: $\text{height} = 2 \text{ width} - 1$

Bias: Increase b by 2

Score at [3, 3]: Every score rises by 2

Boundary equation: Slope remains 2

The boundary moves parallel to itself because the weights stay fixed. An increased score does not always change a class: only inputs crossing the declared threshold change.

For [3, 4], compare z and prediction with bias -3 and bias -1. Explain which parameter changed.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Bias terms and decision boundaries

Move a toy boundary with a bias while keeping its input weights fixed.

The facts we will use

Score $z=2u-v-3$; predict class 1 when $z \geq 0$. Inputs $A=[2, 1]$, $B=[1, 1]$.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Input A reaches the inclusive boundary

Input 2 x weight 2 = 4

Input 1 x weight -1 = -1

Add the products and bias -3: total = 0

Keep the total (identity) -> output 0

Bias terms and decision boundaries

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Trace input A

A score= $4-1-3=0$, so class 1 at the declared inclusive boundary.



2. Trace input B

B score= $2-1-3=-2$, so class 0.



3. Read boundary

The boundary is $v=2u-3$; the bias sets its position.

CHANGE ONE THING

Change bias from -3 to -1.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Trace input A

What happens and why: A score= $4-1-3=0$, so class 1 at the declared inclusive boundary.

Step: 2. Trace input B

What happens and why: B score= $2-1-3=-2$, so class 0.

Step: 3. Read boundary

What happens and why: The boundary is $v=2u-3$; the bias sets its position.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

The bias adds the same offset after the input contributions. It moves the dividing line without changing the weights that set the line's orientation. Class 1 includes score zero under our stated rule. That is why B changes class when the bias rises by two: its score moves from minus two onto the included boundary.

What this example does not establish

A linear boundary is a toy classifier rule. Raw score size does not automatically describe confidence or probability.

Change one thing in the pictured case

Change: Change bias from -3 to -1.

Prediction: A score becomes 2 and B score 0; both predict class 1.

Reason: Increasing bias by 2 adds 2 to every score without changing the weights.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1 start to 7 minutes

Teacher action: Retrieve the dot product in the prerequisite question and review adding a negative constant.

Time or stage: 7 to 18 minutes

Teacher action: Trace all three table rows. Students circle the one addition of b and identify the equality case.

Time or stage: 18 to 32 minutes

Teacher action: Complete W1 and derive height = 2 width - 3. Plot the three boundary points on labelled axes.

Time or stage: 32 to 45 minutes

Teacher action: Use W2 and the guided bias comparison. Check both sides numerically before shading a class region.

Time or stage: Session 2 start to 8 minutes

Teacher action: Retrieve the rule $z \geq 0$. Run or trace the optional code and compare it with the plotted points.

Time or stage: 8 to 20 minutes

Teacher action: Complete W3. Distinguish moving the boundary from changing the class assigned at equality; discuss the extended origin.

Time or stage: 20 to 35 minutes

Teacher action: Collect W4 independently. Check scores, classes, rearranged equation and the effect of changing only b.

Time or stage: 35 to 45 minutes

Teacher action: Complete W5 and the exit response. Offer the fresh retry after feedback to assess the same ideas with a new boundary.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide graph paper and a partially labelled contribution table. If rearranging equations is difficult, find three zero-score points by substitution first. Extension: multiply all weights and b by positive 2 and explain why scores double while classifications under ≥ 0 stay the same.

Reduce help deliberately

Completion task: For the worked model, find boundary points at width 2 and width 4. Test [4, 4] and [4, 6] to identify the class on each side.

Teacher check: Teacher explanation: Boundary points (2, 1) and (4, 5). [4, 4] has $z = 1$ and class 1; [4, 6]

has $z = -1$ and class 0. With height vertical, class 1 is on or below the line.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Bias terms and decision boundaries. Proposed explanation: “Add bias to each contribution”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Compute the dot product, then add one b . Adding b twice implements a different formula.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Is B positive under the original or changed model? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

Originally B has score-2 and class 0; with bias-1 its score is 0 and class 1 because the boundary is inclusive. Changed-case check: A score becomes 2 and B score 0; both predict class 1. Increasing bias by 2 adds 2 to every score without changing the weights.

Changed-case reasoning: A score becomes 2 and B score 0; both predict class 1. Increasing bias by 2 adds 2 to every score without changing the weights.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

Add bias to each contribution: Compute the dot product, then add one b . Adding b twice implements a different formula.

Higher scores mean more correct: Correctness also needs target labels. A shifted boundary can trade one error type for another.

The bias term measures unfairness: This b is an additive parameter. Evaluating unfairness requires context and evidence about outcomes and use.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected

response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided [3, 4]: with $b = -3$, $z = -1$ and class 0; with $b = -1$, $z = 1$ and class 1. Only b changed. Exit: test labels influenced the new bias, so the reused cases are development evidence for the revision. Preserve the original result and evaluate a frozen revision on fresh independent cases.

W1 Trace the bias once

Use $z = 2 \text{ width} - \text{height} - 3$ at $[5, 4]$. Give the weighted sum, bias, final score and prediction under $z \geq 0$.

Teacher explanation: Weighted sum $10 - 4 = 6$; bias -3 ; score 3 ; prediction 1 . Add the bias once after summing.

W2 Plot and label the boundary

For the worked model, find boundary points at width 2 and width 4 . Test $[4, 4]$ and $[4, 6]$ to identify the class on each side.

Teacher explanation: Boundary points $(2, 1)$ and $(4, 5)$. $[4, 4]$ has $z = 1$ and class 1 ; $[4, 6]$ has $z = -1$ and class 0 . With height vertical, class 1 is on or below the line.

W3 Check the equality rule

At $[3, 3]$, compare prediction under $z \geq 0$ with prediction under $z > 0$. Does changing this comparison move the zero line?

Teacher explanation: Score is zero. The $\geq$ rule predicts 1 ; the $>$ rule predicts 0 . The zero line remains $\text{height} = 2 \text{ width} - 3$, but its assigned class changes.

W4 Analyse a new model independently

A new model has $w = [-1, 2]$, $b = -2$, inputs $[u, v]$ and class 1 when $z \geq 0$. Calculate scores and classes for $[2, 1]$, $[2, 2]$, $[2, 3]$. Write the boundary as v in terms of u . Then change only b to 0 and recompute $[2, 1]$.

Teacher explanation: Scores $-2, 0, 2$ give classes $0, 1, 1$. Boundary $-u + 2v - 2 = 0$ gives $v = u/2 + 1$. With $b = 0$, $[2, 1]$ scores 0 and class 1 . The score rose 2 and the boundary moved to $v = u/2$.

W5 Require evidence of improvement

A teammate says that raising b must improve the model because all scores rise. What information is needed before accepting an improvement claim?

Teacher explanation: Higher scores can fix some missed class-1 cases while creating false alarms. Compare with observed labels on the same valid evaluation set under a declared metric, keeping fitting and model choices separate from final testing.

Independent assessment and fresh retry

W4 should include all three scores and the equality class, with $v = u/2 + 1$ before the change. Fresh retry: $z = u + v - 5$, class 1 if $z \geq 0$. $[2, 2]$, $[2, 3]$, $[2, 4]$ give $-1, 0, 1$ and classes $0, 1, 1$; boundary $v = 5 - u$. With b changed from -5 to -4 , $[2, 2]$ reaches zero and class 1 .

Assess independent transfer

Selected case: A new model has $w = [-1, 2]$, $b = -2$, inputs $[u, v]$ and class 1 when $z \geq 0$. Calculate scores and classes for $[2, 1]$, $[2, 2]$, $[2, 3]$. Write the boundary as v in terms of u . Then change only b to 0 and

recompute [2, 1].

Selected case answer

Teacher explanation: Scores -2, 0, 2 give classes 0, 1, 1. Boundary $-u + 2v - 2 = 0$ gives $v = u/2 + 1$. With $b = 0$, [2, 1] scores 0 and class 1. The score rose 2 and the boundary moved to $v = u/2$.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

Add a labelled bias terms and decision boundaries evidence sheet to Image-pattern Network Investigation. Show how you can calculate a weighted score with a bias term. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide graph paper and a partially labelled contribution table. If rearranging equations is difficult, find three zero-score points by substitution first. Extension: multiply all weights and b by positive 2 and explain why scores double while classifications under ≥ 0 stay the same.

Week 4 compares identity, ReLU and sigmoid transforms of the score.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: ai-5/4, ai-5/6, ai-5/9. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Calculate a weighted score with a bias term

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: For the worked model, find boundary points at width 2 and width 4. Test $[4, 4]$ and $[4, 6]$ to identify the class on each side.

Reasoned practice answer: Teacher explanation: Boundary points $(2, 1)$ and $(4, 5)$. $[4, 4]$ has $z = 1$ and class 1; $[4, 6]$ has $z = -1$ and class 0. With height vertical, class 1 is on or below the line.

Check every learner before discussion: Use the worked case for Bias terms and decision boundaries.

Proposed explanation: “Add bias to each contribution”. Decide whether this explanation is supported. Point

to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Compute the dot product, then add one b . Adding b twice implements a different formula.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Change bias from -3 to -1. Require a prediction and a reason before comparing. Expected result: A score becomes 2 and B score 0; both predict class 1. Reason: Increasing bias by 2 adds 2 to every score without changing the weights.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.