

Training and validation curves

Project: Image-pattern Network Investigation

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Compute comparable training and validation losses at saved checkpoints

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Learning rate experiments

Without opening the old lesson, explain one key idea from Learning rate experiments. Give an example and a mistake that the idea helps you avoid.

Look for: Run a controlled comparison of learning rates

Reference example, not the only acceptable wording: Teacher explanation: First $v = 0.5$ with MSE 5.625. Second gradient -7.5 gives $v = 0.875$ and MSE 3.1640625. Distance is multiplied by 0.75 each step.

Training a small network

Without opening the old lesson, explain one key idea from Training a small network. Give an example and a mistake that the idea helps you avoid.

Look for: Trace repeated forward loss gradient and update steps

Reference example, not the only acceptable wording: Teacher explanation: Predictions [0, 0], errors [-2, -4], MSE 10, gradient -10 and new $v = 1$.

Slopes and local change

Without opening the old lesson, explain one key idea from Slopes and local change. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate an average rate of change over a stated interval

Reference example, not the only acceptable wording: Teacher explanation: Average slope is $(0 - 4) / 2 = -2$. The local slope at 2 is zero. They describe different locations or intervals.

Use two 45-minute sessions. Have students draw checkpoint number horizontally and MSE vertically, using one clearly labelled scale for both curves. Explicitly name the differing target rules in this synthetic example so the picture is not misrepresented as proof of a single overfitting mechanism. Keep checkpoint selection separate from parameter updates.

Outcomes

Compute comparable training and validation losses at saved checkpoints

Choose among observed checkpoints using a declared validation rule

Distinguish development evidence from final test evidence

Preparation

Printed lesson and workbook; paper and pencil

Calculator and optional local Python 3 editor; no packages or AI accounts needed

Use the fictional examples supplied; prepare the fresh retry before class

Prerequisite answer

Training loss measures fit to the examples used for updates. Independent performance needs suitable separate evidence, and settings selected using validation must not be presented as independent final testing.

End goal for the pictorial case

By the end, I can explain training and validation curves using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

Keep the restricted network $h = \text{ReLU}(x)$, $y = vh$, with only v trained. Training pairs remain (1, 2) and (2, 4). Start $v = 0$ and make four full-data updates at rate 0.1. Save states $v = 0, 1, 1.5, 1.75$ and 1.875 . At each saved state, evaluate both splits without changing v during evaluation.

For this deliberately constructed demonstration, validation pairs are (3, 4.5) and (4, 6). Their targets follow a different slope from the training pairs. This makes the two trends disagree visibly; it is not evidence that these few rows represent a real population. Validation labels do not enter the gradient.

Both columns use ordinary MSE in the same target units, evaluated on their own fixed rows. Training MSE is $2.5(v - 2)^2$; validation MSE is $12.5(v - 1.5)^2$. Different input values and target rules affect the loss levels. A gap alone does not identify its cause.

For checkpoint 3, $v = 1.75$. Training predictions are [1.75, 3.5], residuals [-0.25, -0.5], and MSE 0.15625. Validation predictions are [5.25, 7], residuals [0.75, 1], and MSE 0.78125. All four predictions must use the same saved value.

The code evaluates supplied checkpoints; it does not train on validation data. It assumes finite numeric pairs and selects the lowest observed validation MSE, breaking exact ties in favour of the earlier checkpoint. The rule is chosen before inspecting the values.

Term · Meaning

Term: Checkpoint

Meaning: Saved model parameters and the information needed to identify a training state

Term: Training curve

Meaning: A record of a training measure at successive saved states

Term: Validation curve

Meaning: A record of a development measure on separate examples at those states

Term: Selection rule

Meaning: A declared procedure for choosing among candidate models or checkpoints

Later updates improve only one split

Series · 2 · 3 · 4

Series: Training solid line

2: 0.625

3: 0.15625

4: 0.0390625

Series: Validation dashed line

2: 0

3: 0.78125

4: 1.7578125

This chart shows checkpoints 2 to 4 only, on one MSE scale from 0 to 2. Circles and a solid line mark training; squares and a dashed line mark validation. Lines connect measured checkpoints, not additional evaluations. The full table includes checkpoints 0 and 1.

Guided: training changes by $0.0390625 - 0.625 = -0.5859375$; validation changes by $1.7578125 - 0 = 1.7578125$. Select checkpoint 2 with $v = 1.5$. Exit: zero on selected validation examples is limited development evidence, and choosing with test results turns that test into development data. Freeze choices using training/validation, then evaluate once on suitable untouched test examples and report the scope.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Later updates improve only one split

Series · 2 · 3 · 4

Series: Training solid line

2: 0.625

3: 0.15625

4: 0.0390625

Series: Validation dashed line

2: 0

3: 0.78125

4: 1.7578125

This chart shows checkpoints 2 to 4 only, on one MSE scale from 0 to 2. Circles and a solid line mark training; squares and a dashed line mark validation. Lines connect measured checkpoints, not additional evaluations. The full table includes checkpoints 0 and 1.

Using the table, calculate the training and validation loss changes from checkpoint 2 to checkpoint 4. Which saved parameter does the selection rule choose?

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Training and validation curves

Plot training and validation loss for checkpoints before opening final cases.

The facts we will use

Supplied checkpoint losses: epoch 1 train4, val3; epoch 2 train2, val2; epoch 3 train1, val2.5. Selection: smallest validation loss.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/15

Checkpoint losses

	training	validation
epoch 1	4	3
epoch 2	2	2
epoch 3	1	2.5

Read a cell using both its row and column labels.

Training and validation curves

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Read training curve

Training loss falls 4 → 2 → 1.



2. Read validation curve

Validation loss falls 3 → 2 then rises to 2.5.



3. Choose checkpoint

Select epoch 2, not epoch 3, under the declared validation criterion.

CHANGE ONE THING

Epoch 3 validation loss is instead 1.5.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Read training curve

What happens and why: Training loss falls 4 → 2 → 1.

Step: 2. Read validation curve

What happens and why: Validation loss falls 3 → 2 then rises to 2.5.

Step: 3. Choose checkpoint

What happens and why: Select epoch 2, not epoch 3, under the declared validation criterion.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

The training curve measures fit to examples used for learning. The validation curve measures a separate set used to choose a checkpoint. The final training loss is smallest here, but its validation loss has risen. Under the supplied selection rule, keep checkpoint two. A later final test must remain outside both learning and checkpoint selection.

What this example does not establish

A single curve has sampling and run variability; validation-selected checkpoints still require untouched final evidence.

Change one thing in the pictured case

Change: Epoch3 validation loss is instead 1.5.

Prediction: Select epoch 3 under the unchanged criterion.

Reason: Its measured validation loss is now below epoch 2's; the training curve alone never settled selection.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1 start to 7 minutes

Teacher action: Retrieve why training performance alone cannot select for independent performance.

Time or stage: 7 to 18 minutes

Teacher action: Identify the two fixed splits and trace checkpoint 1; complete W1.

Time or stage: 18 to 32 minutes

Teacher action: Calculate checkpoint 3 by hand and plot all supplied points on one MSE scale.

Time or stage: 32 to 45 minutes

Teacher action: Run or trace the evaluation code, then use W2 to practise the exact tie rule.

Time or stage: Session 2 start to 8 minutes

Teacher action: Complete the guided comparison of checkpoints 2 and 4; identify the parameter to restore.

Time or stage: 8 to 20 minutes

Teacher action: Use W3 and W5 to examine metric comparability and alternative causes of a widening gap.

Time or stage: 20 to 35 minutes

Teacher action: Collect W4 independently with both loss columns and the explicit selection rule.

Time or stage: 35 to 45 minutes

Teacher action: Use the exit question and fresh retry; require a distinction between selection and untouched final testing.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide squared-error columns and labelled axes, allowing calculators. Extension: derive the two quadratic loss expressions and locate their different minima. Explain why this constructed mismatch makes the validation optimum occur before the training optimum.

Reduce help deliberately

Completion task: Observed validation MSE at checkpoints 0 to 4 is [5, 2, 1, 1, 1.2]. Lowest loss wins with earlier exact ties. Which checkpoint is selected? What if training loss is lowest at checkpoint 4?

Teacher check: Teacher explanation: Select checkpoint 2. The tie at 3 does not replace the earlier checkpoint. Lower training loss at 4 does not change a validation-based rule.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is

understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Training and validation curves. Proposed explanation: “The last checkpoint is always best”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Choose by the stated validation criterion and restore the saved parameters.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Can the original epoch 3 training loss 1 justify claiming best generalisation? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

No. Original validation loss 2.5 exceeded epoch 2's2. Freeze the selected checkpoint before final evaluation. Changed-case check: Select epoch 3 under the unchanged criterion. Its measured validation loss is now below epoch 2's2; the training curve alone never settled selection.

Changed-case reasoning: Select epoch 3 under the unchanged criterion. Its measured validation loss is now below epoch 2's2; the training curve alone never settled selection.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

The last checkpoint is always best: Choose by the stated validation criterion and restore the saved parameters.

A gap proves one specific cause: Check split composition, metrics and evaluation procedures; this demonstration has deliberately different target rules.

Validation is untouched final evidence: Once used to choose settings or checkpoints, it is development evidence.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided: training changes by $0.0390625 - 0.625 = -0.5859375$; validation changes by $1.7578125 - 0 = 1.7578125$. Select checkpoint 2 with $v = 1.5$. Exit: zero on selected validation examples is limited development evidence, and choosing with test results turns that test into development data. Freeze choices using training/validation, then evaluate once on suitable untouched test examples and report the scope.

W1 Recover a plotted point

At $v = 1$, compute both validation predictions, residuals and MSE on (3, 4.5) and (4, 6).

Teacher explanation: Predictions [3, 4], residuals [-1.5, -2], squares [2.25, 4], MSE 3.125.

W2 Use the declared rule

Observed validation MSE at checkpoints 0 to 4 is [5, 2, 1, 1, 1.2]. Lowest loss wins with earlier exact ties. Which checkpoint is selected? What if training loss is lowest at checkpoint 4?

Teacher explanation: Select checkpoint 2. The tie at 3 does not replace the earlier checkpoint. Lower training loss at 4 does not change a validation-based rule.

W3 Repair incompatible measures

A training report shows sum of squared errors 12 over six rows. Validation shows mean squared error 3 over two rows in the same target units. A learner says training error is four times larger. Repair the comparison.

Teacher explanation: Training MSE is $12 / 6 = 2$. Compare 2 with validation MSE 3, not sum 12 with mean 3. The split sizes and examples still limit interpretation.

W4 Evaluate new checkpoints independently

Use $h = \text{ReLU}(x)$, $y = vh$, candidate v values 1, 1.5 and 2. Training pairs are (1, 2), (2, 4); validation pairs are (1, 1), (2, 2). Calculate both MSE columns and select by minimum validation MSE. Explain the disagreement with selection by training loss.

Teacher explanation: For $v = 1$, train MSE 2.5 and validation MSE 0. For $v = 1.5$, both MSE values are 0.625. For $v = 2$, train MSE 0 and validation MSE 2.5. Validation chooses $v = 1$; training chooses $v = 2$. These constructed splits favour different slopes.

W5 Limit a curve diagnosis

Training loss falls while validation loss rises. Give two checks before declaring model complexity the cause, and explain why repeatedly selecting with validation makes it development evidence.

Teacher explanation: Possible checks include comparable loss definitions, unchanged preprocessing and evaluation settings, split representativeness, leakage and label quality. Repeated selection uses validation outcomes to guide choices, so final evaluation needs separate untouched examples.

Independent assessment and fresh retry

W4 requires all six MSE values and the validation choice $v = 1$. Fresh retry: candidates $v = 0.5, 1, 1.5$ and validation pairs (2, 2), (4, 4). MSE values are 2.5, 0 and 2.5, so choose $v = 1$. Ask what the result establishes and why it is not final test evidence after selection.

Assess independent transfer

Selected case: Use $h = \text{ReLU}(x)$, $y = vh$, candidate v values 1, 1.5 and 2. Training pairs are (1, 2), (2, 4); validation pairs are (1, 1), (2, 2). Calculate both MSE columns and select by minimum validation MSE. Explain the disagreement with selection by training loss.

Selected case answer

Teacher explanation: For $v = 1$, train MSE 2.5 and validation MSE 0. For $v = 1.5$, both MSE values are 0.625. For $v = 2$, train MSE 0 and validation MSE 2.5. Validation chooses $v = 1$; training chooses $v = 2$. These constructed splits favour different slopes.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

Add a labelled training and validation curves evidence sheet to Image-pattern Network Investigation. Show how you can compute comparable training and validation losses at saved checkpoints. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide squared-error columns and labelled axes, allowing calculators. Extension: derive the two quadratic loss expressions and locate their different minima. Explain why this constructed mismatch makes the validation optimum occur before the training optimum.

Week 16 introduces a weight penalty and a precise early-stopping policy.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: ai-5/16, ai-5/18, ai-5/21. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Compute comparable training and validation losses at saved checkpoints

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Observed validation MSE at checkpoints 0 to 4 is [5, 2, 1, 1, 1.2]. Lowest loss wins with earlier exact ties. Which checkpoint is selected? What if training loss is lowest at checkpoint 4?

Reasoned practice answer: Teacher explanation: Select checkpoint 2. The tie at 3 does not replace the earlier checkpoint. Lower training loss at 4 does not change a validation-based rule.

Check every learner before discussion: Use the worked case for Training and validation curves. Proposed

explanation: “The last checkpoint is always best”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Choose by the stated validation criterion and restore the saved parameters.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Epoch3 validation loss is instead 1.5. Require a prediction and a reason before comparing.

Expected result: Select epoch 3 under the unchanged criterion. Reason: Its measured validation loss is now below epoch 2's; the training curve alone never settled selection.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.