

Queues and asynchronous work

Project: Grounded Learning Service

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Explain the mechanism and terminology of queues and asynchronous work

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Caching and stale information

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of caching and stale information

Reference example, not the only acceptable wording: Teacher explanation: Caching reuses results but needs freshness and access-aware keys. A cached answer must not cross role or corpus-version boundaries. Cache key includes query, role, corpus version and procedure version. Entry valid only while $\text{age} < \text{TTL}$. At exact TTL it expires. Teacher and student results never share a role-agnostic key.

Sandboxing and resource limits

Without opening the old lesson, explain one key idea from Sandboxing and resource limits. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of sandboxing and resource limits

Reference example, not the only acceptable wording: Teacher explanation: Sandboxing and quotas constrain what a process may access or consume. They reduce possible operations but do not verify every result. The fictional job may read its fixture directory, write its output directory, use no network and run for at most 2 seconds with at most 10 queued tasks. Reject excess work before starting it.

Timeouts retries and cancellation

Without opening the old lesson, explain one key idea from Timeouts retries and cancellation. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of timeouts retries and cancellation

Reference example, not the only acceptable wording: Teacher explanation: Timeouts bound waiting; retries consume a finite budget. Cancellation should stop future work while accounting for operations already committed. Retry only declared transient failures. Use at most three attempts with waiting gaps 1 and 2 seconds; each attempt may run at most 4 seconds. Worst-case elapsed bound excluding overhead is $3 \times 4 + 1 + 2 = 15$ seconds.

Two 45-minute sessions. Queues separate acceptance from completion. Work may be redelivered, so consumers must preserve operation IDs and deduplicate committed effects. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Outcomes

Explain the mechanism and terminology of queues and asynchronous work

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

End goal for the pictorial case

Explain queues and asynchronous work using the deciding step in this fictional service.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

Queues separate acceptance from completion. Work may be redelivered, so consumers must preserve operation IDs and deduplicate committed effects.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

A queued job is pending, running, completed or failed. Acknowledge only after the declared durable completion step. A repeated completed ID returns its prior result; unknown status needs reconciliation.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Term · Meaning

Term: Queue

Meaning: A store of work awaiting processing

Term: Acknowledgement

Meaning: A signal allowing delivery completion

Term: Redelivery

Meaning: Receiving a previously delivered job again

Queues and asynchronous work — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: Worker commits job J then crashes before queue acknowledgement. J is delivered again.

Check or calculation: A queued job is pending, running, completed or failed. Acknowledge only after the declared durable completion step. A repeated completed ID returns its prior result; unknown status needs reconciliation.

Conclusion and limit: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count. Qualification: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Worker commits job J then crashes before queue acknowledgement. J is delivered again.

Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Queues and asynchronous work

Queued is not complete. A conversion service queues job J12 rather than processing it during submission.

The facts we will use

States: queued, running, succeeded, failed. Submission returns J12 with queued status.

Queues and asynchronous work

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Accept request

J12 acknowledges receipt, not completed conversion.



2. Start worker

The worker marks J12 running before processing.



3. Publish checked result

Only a checked output permits succeeded status.

CHANGE ONE THING

The worker crashes before producing checked output.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Accept request

What happens and why: J12 acknowledges receipt, not completed conversion.

Step: 2. Start worker

What happens and why: The worker marks J12 running before processing.

Step: 3. Publish checked result

What happens and why: Only a checked output permits succeeded status.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Asynchronous work separates submission from completion. Honest status and a job identifier let users track that difference.

What this example does not establish

Queue delivery and duplicate handling need their own policies; this sequence does not guarantee completion.

Change one thing in the pictured case

Change: The worker crashes before producing checked output.

Prediction: The job is failed or awaiting a controlled retry, not succeeded.

Reason: Receipt is not evidence that conversion finished.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Time or stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Time or stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate

steps.

Time or stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Time or stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Time or stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Time or stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Time or stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Reduce help deliberately

Completion task: Worker commits job J then crashes before queue acknowledgement. J is delivered again. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Queues and asynchronous work. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Explain what the queued J12 submission response proves and what it does not. Which event permits succeeded status, and what status is honest after a worker crash?

Reasoned teacher answer

J12 acknowledges receipt, not completed conversion. The worker marks J12 running before processing. Only a checked output permits succeeded status. Changed case: The job is failed or awaiting a controlled retry, not succeeded. Receipt is not evidence that conversion finished.

Changed-case reasoning: The job is failed or awaiting a controlled retry, not succeeded. Receipt is not evidence that conversion finished.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

The worked result establishes every future case: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count. Qualification: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Queues separate acceptance from completion. Work may be redelivered, so

consumers must preserve operation IDs and deduplicate committed effects. A queued job is pending, running, completed or failed. Acknowledge only after the declared durable completion step. A repeated completed ID returns its prior result; unknown status needs reconciliation.

W2 Trace the worked case

Worker commits job J then crashes before queue acknowledgement. J is delivered again. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count.

W3 Audit the limit

A report omits this qualification: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

Jobs A, B, C accepted; A completed, B failed, C pending. How many completed, and may success be claimed for all accepted?

Teacher explanation: One complete, one failed, one pending. Acceptance is not completion; report each state.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. Queue ordering and exactly-once properties must be declared, not assumed from a simple mock. The new case should test this particular mechanism rather than merely restate the original result.

Independent assessment and fresh retry

W4: One complete, one failed, one pending. Acceptance is not completion; report each state. Require intermediate reasoning and the stated scope. Fresh retry: Four accepted, two completed, one running, one failed. Expected reasoning: Two completed; running remains unresolved and failed remains explicit. No 4/4 success claim. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Assess independent transfer

Selected case: Jobs A, B, C accepted; A completed, B failed, C pending. How many completed, and may success be claimed for all accepted?

Selected case answer

Teacher explanation: One complete, one failed, one pending. Acceptance is not completion; report each state.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

Add a labelled queues and asynchronous work evidence sheet to Grounded Learning Service. Show how you can explain the mechanism and terminology of queues and asynchronous work. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Deployment environments. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: ai-6/23, ai-6/25, ai-6/28. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.

7. Prepare, teach and assess

Teaching target: Explain the mechanism and terminology of queues and asynchronous work

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Worker commits job J then crashes before queue acknowledgement. J is delivered again. Show the intermediate steps and give the conclusion with its

scope.

Reasoned practice answer: Teacher explanation: Consult durable job status; return committed result and acknowledge without repeating the effect. Delivery count is not effect count.

Check every learner before discussion: Use the worked case for Queues and asynchronous work.

Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Queue ordering and exactly-once properties must be declared, not assumed from a simple mock.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: The worker crashes before producing checked output. Require a prediction and a reason before comparing. Expected result: The job is failed or awaiting a controlled retry, not succeeded. Reason: Receipt is not evidence that conversion finished.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a

justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.