

# Capstone release review

Project: Grounded Learning Service

## 1. Prepare the purpose, prerequisites and materials

### Teach the learning cycle

Primary target: Explain the mechanism and terminology of capstone release review

#### Session · Sequence and minutes · Resources

**Session:** Session 1 · Understand · 45 min

**Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

## Retrieval answer guidance

### Capstone failure testing

Without opening the old lesson, explain one key idea from Capstone failure testing. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of capstone failure testing

Reference example, not the only acceptable wording: Teacher explanation: Capstone failure testing checks denied roles, missing evidence, invalid input, timeouts and stale data. Each expected outcome is written before the run. Use a failure matrix linking condition to expected response and forbidden calls. Test both visible result and operation trace. Preserve failed fixtures for regression checks.

### Documentation and operational readiness

Without opening the old lesson, explain one key idea from Documentation and operational readiness. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of documentation and operational readiness

Reference example, not the only acceptable wording: Teacher explanation: Operational documentation tells another person how to run, verify, observe and recover the service. A successful developer demo is not readiness. A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

### Performance and cost experiments

Without opening the old lesson, explain one key idea from Performance and cost experiments. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of performance and cost experiments

Reference example, not the only acceptable wording: Teacher explanation: Performance experiments compare matched workloads with declared timing boundaries and quality constraints. Averages can hide slow cases. Use the same cases and environment; record every duration and success. For a simple median sort values and average the middle pair for even counts. Keep failed requests visible.

Two 45-minute sessions. Release review combines correctness, access, failure recovery and operational readiness. Critical gates can block release independently of an average score. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

### Outcomes

Explain the mechanism and terminology of capstone release review

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

## Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

## Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

## End goal for the pictorial case

Explain capstone release review using the deciding step in this fictional service.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

# 2. Explain and model the mechanism

Release review combines correctness, access, failure recovery and operational readiness. Critical gates can block release independently of an average score.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal. Record each gate separately with versioned evidence.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

### Term · Meaning

**Term:** Release review

**Meaning:** A decision using versioned gate evidence

---

**Term:** Critical gate

**Meaning:** A requirement that cannot be averaged away

---

**Term:** Rollback rehearsal

**Meaning:** A tested recovery of a compatible version set

---

## Capstone release review — evidence trace

### Input and scope · Check or calculation · Conclusion and limit

**Input and scope:** Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested.

**Check or calculation:** Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal.

**Conclusion and limit:** 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

---

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal. Qualification: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

## Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested.

90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

### Thinking move · Teacher prompt

**Thinking move:** Plan

**Teacher prompt:** What is given? What is the question? Which procedure fits these facts?

---

**Thinking move:** Do

**Teacher prompt:** Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

---

**Thinking move:** Check

**Teacher prompt:** Does the output answer the question? Which assumption or limitation prevents a larger claim?

---

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

### **A pictorial worked case: Capstone release review**

Review every mandatory gate. A capstone release needs factual, access and deletion gates to pass.

#### **The facts we will use**

Factual and access checks pass. Deletion fails because a listed backup remains. All three gates are mandatory.

## Capstone release review

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. List evidence

Record two passes and the specific deletion failure.



#### 2. Apply decision rule

Block release; a majority of passes is insufficient.



#### 3. Specify repair

Remove the listed copy and verify it before a fresh review.

### CHANGE ONE THING

Every listed deletion location passes new verification.

Explain the changed result using the matching lesson.

## Read the picture one step at a time

### Step · What happens and why

**Step:** 1. List evidence

**What happens and why:** Record two passes and the specific deletion failure.

---

**Step:** 2. Apply decision rule

**What happens and why:** Block release; a majority of passes is insufficient.

---

### Step: 3. Specify repair

**What happens and why:** Remove the listed copy and verify it before a fresh review.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

### Why this result follows

Release review applies explicit conditions to a specific candidate version. Completed coding is not evidence that all operational obligations are satisfied.

### What this example does not establish

Approval cannot guarantee zero future faults; retain ownership, monitoring and recovery arrangements.

### Change one thing in the pictured case

Change: Every listed deletion location passes new verification.

Prediction: That gate can pass; review the complete current evidence before approving release.

Reason: One repaired gate does not automatically refresh evidence for every other gate.

### Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

## 3. Demonstrate and guide practice

### Time or stage · Teacher action

**Time or stage:** Session 1: 0–7 minutes

**Teacher action:** Retrieve the prerequisite; identify the input, procedure and evidence source.

---

**Time or stage:** 7–18 minutes

**Teacher action:** Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

---

**Time or stage:** 18–32 minutes

**Teacher action:** Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

---

**Time or stage:** 32–45 minutes

**Teacher action:** Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

---

**Time or stage:** Session 2: 0–8 minutes

**Teacher action:** Retrieve the worked reasoning and collect the guided response before discussing it.

---

**Time or stage:** 8–20 minutes

**Teacher action:** Compare a proposed boundary variant with the original case; identify what remains fixed.

---

**Time or stage:** 20–35 minutes

**Teacher action:** Collect W4 independently. Require the procedure trace and the bounded conclusion.

---

**Time or stage:** 35–45 minutes

**Teacher action:** Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

---

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

## Reduce help deliberately

Completion task: Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

## Individual reasoning check

Use the worked case for Capstone release review. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

### **Pictorial practice question**

Apply the three mandatory release gates to the recorded results. Why do two passes not outweigh the deletion failure, and what evidence must follow its repair?

### **Reasoned teacher answer**

Record two passes and the specific deletion failure. Block release; a majority of passes is insufficient. Remove the listed copy and verify it before a fresh review. Changed case: That gate can pass; review the complete current evidence before approving release. One repaired gate does not automatically refresh evidence for every other gate.

Changed-case reasoning: That gate can pass; review the complete current evidence before approving release. One repaired gate does not automatically refresh evidence for every other gate.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

## **4. Run the investigation and diagnose misconceptions**

The worked result establishes every future case: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

### **Match the support to the first error**

**What the response shows · Next teaching action**

**What the response shows:** Missing or misread facts

**Next teaching action:** Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

---

**What the response shows:** Wrong procedure

**Next teaching action:** Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

---

**What the response shows:** Arithmetic or implementation error

**Next teaching action:** Trace intermediate values or lines; preserve the first mismatch and retry that step.

---

**What the response shows:** Correct result without a reason

**Next teaching action:** Ask for a trace and a changed case before marking independent understanding.

---

**What the response shows:** An unsupported wider claim

**Next teaching action:** Ask which supplied evidence supports the claim and which further observation would be needed.

---

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

## 5. Assess and explain the answers

### Guided and exit questions

Guided: 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal. Qualification: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

### W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Release review combines correctness, access, failure recovery and operational

readiness. Critical gates can block release independently of an average score. Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal. Record each gate separately with versioned evidence.

## **W2 Trace the worked case**

Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

## **W3 Audit the limit**

A report omits this qualification: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

## **W4 Apply a new case independently**

Ordinary 27/30 pass; access 1/5 fails; rollback passes; no effects. Decide.

Teacher explanation: 90% ordinary passes, access gate fails. Block release and preserve exact failed case before repair.

## **W5 Design a revealing follow-up**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. Release readiness is scoped to the declared gates and environment; deployment still needs operational checks. The new case should test this particular mechanism rather than merely restate the original result.

## **Independent assessment and fresh retry**

W4: 90% ordinary passes, access gate fails. Block release and preserve exact failed case before repair. Require intermediate reasoning and the stated scope. Fresh retry: Ordinary 19/20, all access pass, one unauthorised send, rollback passes. Expected reasoning: 95% ordinary; side-effect gate fails. Aggregate score cannot override it. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

## Assess independent transfer

Selected case: Ordinary27/30 pass; access1/5 fails; rollback passes; no effects. Decide.

### Selected case answer

Teacher explanation: 90% ordinary passes, access gate fails. Block release and preserve exact failed case before repair.

#### Dimension · Evidence required

**Dimension:** Explanation

**Evidence required:** Names the applicable idea or procedure and ties it to the supplied facts.

---

**Dimension:** Trace and result

**Evidence required:** Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

---

**Dimension:** Limits

**Evidence required:** States the assumptions, missing evidence or conditions under which the result would change.

---

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

### Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

## 6. Connect the project, support and next lesson

For Grounded Learning Service, use this week's independent task as a rehearsal for the final evidence pack: Ordinary27/30 pass; access1/5 fails; rollback passes; no effects. Decide. Keep actual observations separate from expected results, preserve failures, compare a baseline and explain the limits.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism

while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Engineering demonstration and defense. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

## Plan the delayed return

Suggested return points in this level: ai-6/36. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

### Record · Teacher evidence

**Record:** Learner code and date

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Concept and case used; prior exposure

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Explanation / trace / limits

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Support and first repair

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Changed case and delayed outcome

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Next teaching action

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

## Project evidence from this case

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.

# 7. Prepare, teach and assess

Teaching target: Explain the mechanism and terminology of capstone release review

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

### Session · Plan · Resources

**Session:** Session 1 · Understand · 45 min

**Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

Before class, solve the supported practice: Ordinary cases 18/20 pass; access all pass; no effects; rollback not tested. Show the intermediate steps and give the conclusion with its scope.

Reasoned practice answer: Teacher explanation: 90% ordinary threshold met but rollback evidence missing, so release is not ready. Absence of a failure report is not a passed rehearsal.

Check every learner before discussion: Use the worked case for Capstone release review. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Release readiness is scoped to the declared gates and environment; deployment still needs operational checks.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Every listed deletion location passes new verification. Require a prediction and a reason before comparing. Expected result: That gate can pass; review the complete current evidence before approving release. Reason: One repaired gate does not automatically refresh evidence for every other gate.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

### **Criterion · Not yet · With support · Independent**

**Criterion:** Explanation

**Not yet:** Names an answer without a deciding fact

**With support:** Uses a hint to link fact and decision

**Independent:** Explains the deciding fact in own words

---

**Criterion:** Trace or test

**Not yet:** Cannot connect input and result

**With support:** Completes steps with prompts

**Independent:** Traces or tests a changed case accurately

---

**Criterion:** Limits and revision

**Not yet:** Claims more than evidence supports

**With support:** Names a limit after a prompt

**Independent:** States a defensible limit and useful next test

---

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with evidence.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner’s explanation and evidence.

## 8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.