

Reading a research claim

Project: Reproducible AI Research Study

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Explain the mechanism and terminology of reading a research claim

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

A question that evidence can answer

Without opening the old lesson, explain one key idea from A question that evidence can answer. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of a question that evidence can answer

Reference example, not the only acceptable wording: Teacher explanation: A research question identifies an outcome, comparison and conditions that evidence could answer. A broad aspiration needs narrowing before a study. For fictional classroom retrieval, ask whether method B returns more relevant records than lexical baseline A on a reserved judged query set at cutoff3. Define eligible corpus and relevance rules before running.

Two 45-minute sessions. Reading a claim requires its method, data, comparison and uncertainty. Titles and abstracts may omit conditions crucial to interpretation. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Outcomes

Explain the mechanism and terminology of reading a research claim

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

End goal for the pictorial case

Explain reading a research claim using the records and boundaries of this fictional investigation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

Reading a claim requires its method, data, comparison and uncertainty. Titles and abstracts may omit conditions crucial to interpretation.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Separate the claim from supplied evidence. Record dataset, unit, baseline, metric and limitations. Ask whether the statement extends beyond those observations.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Term · Meaning

Term: Claim

Meaning: A statement offered as a conclusion

Term: Evidence scope

Meaning: The conditions represented by observations

Term: Extrapolation

Meaning: Extending beyond measured conditions

Reading a research claim — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: A fictional report says method B is better after 6/8 supported answers versus baseline 5/8 on the same constructed cases.

Check or calculation: Separate the claim from supplied evidence. Record dataset, unit, baseline, metric and limitations. Ask whether the statement extends beyond those observations.

Conclusion and limit: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty. Qualification: A numerical improvement can be real in the sample while the broader claim remains unsupported. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

A fictional report says method B is better after 6/8 supported answers versus baseline 5/8 on the same constructed cases.

B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Reading a research claim

Read a claim with its denominator. A fictional paper headline says a prompt is twice as effective. Its table

reports four correct cases instead of two.

The facts we will use

Baseline: 2/10 correct. New prompt: 4/10 on the same ten cases. Scoring is fixed.

AI ACADEMY / AI-7/2

Correctness on ten shared cases

correct answers out of 10



Bar length shows the supplied value; the marked baseline is zero.

Reading a research claim

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Find the measured outcome

The table counts correct answers, not learning or satisfaction.



2. Calculate both changes

20% → 40% is twice the rate and a 20-percentage-point increase.



3. Check claim scope

These ten cases support a descriptive comparison, not universal doubling.

CHANGE ONE THING

The headline changes to "every learner improves twice as much".

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Find the measured outcome

What happens and why: The table counts correct answers, not learning or satisfaction.

Step: 2. Calculate both changes

What happens and why: 20% → 40% is twice the rate and a 20-percentage-point increase.

Step: 3. Check claim scope

What happens and why: These ten cases support a descriptive comparison, not universal doubling.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A research claim compresses a method and result. Unpack the measured variable, denominator and comparison before accepting the headline.

What this example does not establish

Small case counts leave substantial uncertainty; no significance or causal effect is supplied.

Change one thing in the pictured case

Change: The headline changes to "every learner improves twice as much".

Prediction: That learner claim is unsupported by these answer counts.

Reason: The outcome and experimental unit have changed in the wording without new evidence.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Time or stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Time or stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Time or stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Time or stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Time or stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Time or stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Time or stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Reduce help deliberately

Completion task: A fictional report says method B is better after 6/8 supported answers versus baseline 5/8 on the same constructed cases. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Reading a research claim. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: A numerical improvement can be real in the sample while the broader claim remains unsupported.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Calculate the baseline and new rates for 2/10 and 4/10. Explain both twice the rate and the percentage-point change, and say why neither measures every learner’s improvement.

Reasoned teacher answer

The table counts correct answers, not learning or satisfaction. 20%→40% is twice the rate and a 20-percentage-point increase. These ten cases support a descriptive comparison, not universal doubling. Changed case: That learner claim is unsupported by these answer counts. The outcome and experimental unit have changed in the wording without new evidence.

Changed-case reasoning: That learner claim is unsupported by these answer counts. The outcome and experimental unit have changed in the wording without new evidence.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

The worked result establishes every future case: A numerical improvement can be real in the sample while the broader claim remains unsupported.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty. Qualification: A numerical improvement can be real in the sample while the broader claim remains unsupported. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Reading a claim requires its method, data, comparison and uncertainty. Titles and

abstracts may omit conditions crucial to interpretation. Separate the claim from supplied evidence. Record dataset, unit, baseline, metric and limitations. Ask whether the statement extends beyond those observations.

W2 Trace the worked case

A fictional report says method B is better after 6/8 supported answers versus baseline 5/8 on the same constructed cases. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty.

W3 Audit the limit

A report omits this qualification: A numerical improvement can be real in the sample while the broader claim remains unsupported. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: A numerical improvement can be real in the sample while the broader claim remains unsupported. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

Report claims universal speed after median 2 seconds versus 3 on four local fixtures. Audit scope.

Teacher explanation: Observed median difference 1 second in four local fixtures supports that comparison only; workload, environment and quality must be recorded.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. A numerical improvement can be real in the sample while the broader claim remains unsupported. The new case should test this particular mechanism rather than merely restate the original result.

Independent assessment and fresh retry

W4: Observed median difference 1 second in four local fixtures supports that comparison only; workload, environment and quality must be recorded. Require intermediate reasoning and the stated scope. Fresh retry: Report claims zero errors from ten passing fixtures. Expected reasoning: Ten observed passes do not prove zero population or future errors; retain the tested scope. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Assess independent transfer

Selected case: Report claims universal speed after median² seconds versus³ on four local fixtures. Audit scope.

Selected case answer

Teacher explanation: Observed median difference¹ second in four local fixtures supports that comparison only; workload, environment and quality must be recorded.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

Add a labelled reading a research claim evidence sheet to Reproducible AI Research Study. Show how you can explain the mechanism and terminology of reading a research claim. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Finding primary research. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: ai-7/3, ai-7/5, ai-7/8. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

7. Prepare, teach and assess

Teaching target: Explain the mechanism and terminology of reading a research claim

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: A fictional report says method B is better after 6/8 supported

answers versus baseline 5/8 on the same constructed cases. Show the intermediate steps and give the conclusion with its scope.

Reasoned practice answer: Teacher explanation: B has 75% versus 62.5%, a 12.5-point difference on eight cases. Better in this measured outcome does not establish broader tasks or uncertainty.

Check every learner before discussion: Use the worked case for Reading a research claim. Proposed explanation: "The worked result establishes every future case". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: A numerical improvement can be real in the sample while the broader claim remains unsupported.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: The headline changes to "every learner improves twice as much". Require a prediction and a reason before comparing. Expected result: That learner claim is unsupported by these answer counts. Reason: The outcome and experimental unit have changed in the wording without new evidence.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.

8. Use feedback, labs and repair paths

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding evidence rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual outputs; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as evidence. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.