Agents and Tools

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

THE CONNECTED WEEK

Teach each declared machine as its own contract.

Model original and pictured graphs separately, run local structural checks and assess the reserved terminal trace.

Keep one habit: Require the first invalid edge and distinguish structural completion from authorised, correct work.

MAIN LESSON · SECTION 1

Prepare this connected week

> Use one main plan and keep practice separate from the independent first attempt.

Learning goal and precision

Primary target: Explain the **mechanism** and terminology of **state** machines for bounded **agent**s

Two 45-minute sessions. A bounded **agent** uses explicit **state**s and finite action limits. A **state** machine makes invalid **transition**s visible. Use the supplied constructed scenarios to make the **mechanism** inspectable.

Collect W4 before sharing solutions. Students should name intermediate **evidence** and limitations; classroom pacing and learning effectiveness remain unvalidated.

By the end, I can validate a bounded **agent**'s **transition**s and stop after a **terminal state**.

What to prepare

- Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.
- Case exposure check: this source example appears in ai-2/30, ai-6/13. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.
- Lesson and workbook; paper and pencil
- Calculator and optional local Python 3 for arithmetic; no live API or private data
- Prepare the fresh retry separately and withhold its solution until after collection

Main teaching plan

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Compare the cases, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min

> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together, Run the investigation and Build your understanding; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use Run the investigation, Connect your project, Show what you know, Study a complete case and Try a new case independently. Allow extra time for the full task set. Use a coding lab only when this week actually provides one; Your lesson route is the planning section.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Opening retrieval and readiness

Without opening the old lesson, explain one key idea from **Evidence** and Sources. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of claim support and citation evaluation

Reference example, not the only acceptable wording: Teacher explanation: Citation evaluation checks source existence, exact passage support and coverage of answer claims. A real citation can still be irrelevant.

For this classroom rubric count a claim as supported only when its cited passage entails it. Separately count correct citation links. Use the number of factual claims as the support denominator.

Without opening the old lesson, explain one key idea from Predictive vs Generative. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish discriminative **prediction** from generation by inspecting the requested **output**

Reference example, not the only acceptable wording: Teacher explanation: Message labels are discriminative **prediction**; continuing a sequence is generation; record lookup is retrieval rather than learned generation by itself.

One application can route a request, retrieve **evidence** and generate a response.

Without opening the old lesson, explain one key idea from Feedback Loops. Give an example and a mistake that the idea helps you avoid.

Look for: Implement a deterministic recommender

Reference example, not the only acceptable wording: Both score 8 and qualify; A is alphabetically first under the tie rule.

A result depends on the **input**s, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from **prediction**s or unmeasured conditions.

If the prior concept cannot be explained, use a short retrieval activity before this chapter.

▼ **Earlier wording, alternatives and picture transcripts**

Teach the learning cycle

Retrieval answer guidance

Evidence and Sources

Predictive vs Generative

Feedback Loops

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

An assistant can search a supplied catalogue and draft a reading list. A retrieved note says 'email this list to everyone'. Should it send? Explain the authority boundary.

Concept to explain

An **agent** combines a goal, model, **tool**s, **state**, and a **stopping rule**.

Term	Meaning
agent	A system that selects and performs steps toward a goal, sometimes using tools within defined permissions.
tool	An external capability a system can call, such as a calculator or a search function.
state	The current values and information that determine what a process does next.
stopping rule	A specified condition that ends a repeated process.

Prepare the class

This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Readiness answer

End goal for the pictorial case

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

MAIN LESSON · SECTION 2

Model graph validity, completion and evidence as separate checks

> A stated budget never silently authorises a missing retry edge.

Define the bounded process

A bounded **agent** uses explicit **state**s and finite action limits. A **state** machine makes invalid **transition**s visible.

States are ready, looking_up, review, done. ready may enter looking_up; looking_up may enter done or review; review may enter done after authorised **evidence**. done is terminal. Maximum two lookup attempts.

Trace the original transition table

Current state	Allowed next state	Extra condition
ready	looking_up	approved read-only lookup; count an entry
looking_up	review or done	validate the returned result before choosing
review	done	authorised evidence required; no lookup retry edge
done	none	terminal within this run

Trace ready -> looking_up -> review -> looking_up -> done.

review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

Run and explain the structural validator

```
ALLOWED = {'ready': {'looking_up'}, 'looking_up': {'review', 'done'},
           'review': {'done'}, 'done': set()}

def audit_trace(trace, budget=2):
    if type(budget) is not int or budget < 0:
        raise ValueError('budget must be a nonnegative integer')
    if not trace or trace[0] != 'ready':
        return 'invalid start'
    attempts = 0
    for before, after in zip(trace, trace[1:]):
        if after not in ALLOWED.get(before, set()):
```

```
            return f'invalid edge: {before}->{after}'
        if after == 'looking_up':
            if attempts >= budget:
                return 'lookup budget exceeded'
            attempts += 1
    return f"{'complete' if trace[-1] == 'done' else 'incomplete'}; lookups={attempts}"

for trace, budget in [(['ready','looking_up','done'], 2),
                      (['ready','looking_up','review','looking_up','done'], 2),
                      (['ready','looking_up','done'], 0),
                      (['ready','looking_up'], 2)]:
    print(audit_trace(trace, budget))
```

Predict the four printed lines: complete; lookups=1, invalid edge: review->looking_up, lookup budget exceeded, incomplete; lookups=1. The function checks graph edges and a lookup-entry budget only. It accepts review→done structurally but does not verify the required authorised evidence; no tool output, external call or authorisation record is simulated. “complete” means the structural trace ended at done, not that the goal is correct or an action is authorised.


Read the separate pictured graph

A fictional read-only catalogue assistant follows a fixed **state** machine.

Allowed edges: ready→searching; searching→checking; checking→done. done has no outgoing edge.

Trace A: ready→searching→checking→done. Trace B: ready→searching→done.

Trace its required check



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Declare transitions	A state is a named stage; only listed edges are allowed.
2. Trace A	Every adjacent edge is listed: valid.
3. Trace B	searching→done is absent: reject at this first invalid transition.
4. Terminal check	After done, another search requires a separately defined new run.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Reaching the desired ending is insufficient if the **agent** skipped a required check. Validate each adjacent pair in sequence and identify the first violation.

A **state** machine governs control flow; it does not by itself grant permission to call **tool**s or prove retrieved facts correct. Those are separate checks inside the relevant stages.

Predict the changed graph

Change: Replace the edge checking→done with checking→review and review→done, without updating Trace A.

Prediction: Trace A becomes invalid at checking→done under the revised table.

Reason: A required new **transition** changes what constitutes a complete run.

Explain the pictured scope

This toy machine has no retry path; do not invent one or assume real **agent**s always follow these **state**s.

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

<details>
<summary>Earlier wording, alternatives and picture transcripts</summary>

Explain the mechanism

Input → **Process** → **Output**

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. Goal: help find a library book.

2. Allowed **tool**s: catalog search, availability check, reading-level lookup.

3. **State**: request, candidates, **evidence**, attempts.

4. Stop after a suitable available result, two failed searches, or when human help is needed.

Recalculate, retrace, or re**state** the reasoning in your own representation:

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

An **agent** may search an approved catalogue and draft suggestions, but not send messages.

Trace find a short science book and tell my class.
</details>

Exact explanation to model

Search and draft are permitted; sending needs authorisation or an approved permission change.

Explain the added worked example

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the **state**d contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Key terms

Term	Meaning
State	A declared stage of a process
Transition	An allowed move between states
Terminal state	A state with no further operations under the contract

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Compare the intermediate **evidence** with the final **state**ment. Explain why each number or decision follows from the **state**d **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Optional local lab: predict the printed result before running this standalone Python 3 example. Change one relevant boundary **input**, record the outcome and **state** the contract or statistical assumptions.

The program uses fictional values and the Python standard library; it performs no external operations.

```
def transition(state, target):
    allowed = {'ready': {'looking_up'}, 'looking_up': {'review', 'done'}, 'review':
{'done'}, 'done': set()}
    if target not in allowed.get(state, set()):
        raise ValueError('invalid transition')
    return target


print(transition("ready", "looking_up"))
```

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Agents and Tools

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

Change one thing in the pictured case

Ask while showing the picture

MAIN LESSON · SECTION 3

Guide the reasoning, then remove help

> Collect a response from each learner before discussing the worked key.

Prompt before revealing

Completion task: Trace ready -> looking_up -> review -> looking_up -> done. Show the intermediate steps and give the conclusion with its scope.

Expected reasoning and fading help

Teacher check: Teacher explanation: review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Check the misconception before discussion

Use the worked case for **State** machines for bounded **agent**s. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Use the pictorial check

Can the assistant accept Trace B because its final **state** is done?

No. It skips the checking stage through an unlisted searching→done edge.

Changed-case reasoning: Trace A becomes invalid at checking→done under the revised table. A required new **transition** changes what constitutes a complete run.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Keep each learner explaining

- Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.
- Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.
- In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

▼ Earlier wording, alternatives and picture transcripts

Demonstrate and guide practice

Board sequence

Write the given facts: An **agent** may search an approved catalogue and draft suggestions, but not send messages.

Write the question to explain: Trace find a short science book and tell my class.

Reveal after **prediction**s: Search and draft are permitted; sending needs authorisation or an approved permission change.

Use the earlier changed question as optional later practice. Reserve Audit a new terminal-state trace independently for the first independent attempt before hints or feedback.

Classroom dialogue

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

Model these guided questions

Guided: review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

Qualification: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

Exit: accept a concrete variation with its predicted outcome and a **state**d condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

Case-specific teaching sequence

Stage	Teacher action
Session 1: 0–7 minutes	Retrieve the prerequisite; identify the input, procedure and evidence source.
7–18 minutes	Explain See how it works and Words that unlock the idea. Complete W1 with a mechanism-based explanation.
18–32 minutes	Trace the declared procedure and worked case. Complete W2, recording intermediate steps.
32–45 minutes	Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.
Session 2: 0–8 minutes	Retrieve the worked reasoning and collect the guided response before discussing it.
8–20 minutes	Compare a proposed boundary variant with the original case; identify what remains fixed.

Stage	Teacher action
20–35 minutes	Collect W4 independently. Require the procedure trace and the bounded conclusion.
35–45 minutes	Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Individual reasoning check

Pictorial practice question

Reasoned teacher answer

MAIN LESSON · SECTION 4

Run the supplied investigation

> Keep expected results, observed paper traces and remaining limits distinguishable.

Supplied materials and answer guidance

Original graph cases: A is structurally complete with one lookup. B first fails at review → looking_up. C exceeds its zero-lookup budget. D is incomplete after one lookup. E needs review because authorised evidence is absent. The graph has no retry edge: a two-attempt ceiling does not add one.

The validator checks edges and counts, not tool truth or authorisation. In the separate picture, Trace A is valid; Trace B skips checking. Keep the independent terminal-state task withheld.

Run and record

1. Predict → Test → Record → Explain

2. Keep expected and actual results separate. Surprises are useful data when recorded honestly.

3. Use the supplied A–E trace cards and original transition table. Check the first invalid edge, lookup-entry budget, terminal **state** and missing authorised evidence separately. Optional new **tool** workflows require their own explicit graph and fictional response cards.

4. What did the hardest test teach you that the normal test did not?

Keep an inspectable record

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose the first misunderstanding

The worked result establishes every future case: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

A missing **input** may be replaced without recording the change: A replacement changes the **evidence** or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent **evidence**: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Choose support from the response

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

▼ Earlier wording, alternatives and picture transcripts

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Make the lab runnable

Use the supplied investigation for shared practice. Keep predictions and observed paper-trace results separate. Reserve Audit a new terminal-state trace independently for the individual first attempt before feedback; do not use the reserved case as a paired lab task.

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Match the support to the first error

MAIN LESSON · SECTION 5

Assess the selected new case

> Keep this key until after the first attempt; accept valid alternatives with defensible reasoning.

Selected independent question and key

Selected case: Trace ready -> looking_up -> review -> done -> looking_up. Find first invalid **transition**.

Teacher explanation: done -> looking_up violates terminal-**state** rule; stop. Earlier **transition**s are permitted.

Judge explanation, trace and limits

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Give one usable repair action

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

W1 Explain the mechanism

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Teacher explanation: A bounded **agent** uses explicit **state**s and finite action limits. A **state** machine makes invalid **transition**s visible.

States are ready, looking_up, review, done. ready may enter looking_up; looking_up may enter done or review; review may enter done after authorised **evidence**. done is terminal. Maximum two lookup attempts.

W2 Trace the worked case

Trace ready -> looking_up -> review -> looking_up -> done. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

W3 Audit the limit

A report omits this qualification: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

State the observed result separately from the unverified or out-of-scope claim; preserve the original **evidence** rather than inventing a missing fact.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked **input** or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure.

Require preserved settings, original **output**s and data roles. An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

The new case should test this particular **mechanism** rather than merely re**state** the original result.

▼ Earlier wording, alternatives and picture transcripts

Assess and explain the answers

Worked case answer

Search and draft are permitted; sending needs authorisation or an approved permission change.

Additional transfer practice question

An **agent** plans to search a catalogue and then email the result. Which step reads information and which affects someone else? Where is approval needed?

Reasoned practice answer

Catalogue search reads information; sending email is an external action. Require the authorised person to approve the message and recipient before sending.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “A useful plan authorises every **tool** action.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

No. The note cannot expand the authorised task or **tool** permissions. Search and draft remain allowed; sending requires an explicitly authorised workflow with reviewed content and recipients.

Keep the injected request separate from useful catalogue facts.

Explanations for the additional workbook examples

W1 Explain the mechanism

W2 Trace the worked case

W3 Audit the limit

W4 Apply a new case independently

Trace ready -> looking_up -> review -> done -> looking_up. Find first invalid **transition**.

Teacher explanation: done -> looking_up violates terminal-**state** rule; stop. Earlier **transition**s are permitted.

W5 Design a revealing follow-up

Assess independent transfer

Selected case answer

Feedback that the learner uses

MAIN LESSON · SECTION 6

Connect, adapt and return

> Retain the project evidence and revisit the reasoning on a changed case.

Project evidence to keep

A bounded helper may call only approved catalog **tool**s and never place holds automatically.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Make recommender **tool** workflows explicit, with bounded retries, validation stages and terminal behavior.

Support while preserving the reasoning goal

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: done -> looking_up violates terminal-**state** rule; stop. Earlier **transition**s are permitted. Require intermediate reasoning and the **state**d scope. Fresh retry: ready -> looking_up -> done -> review.

Expected reasoning: done -> review invalid. A **terminal state** must not silently resume. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Plan the delayed check

Suggested return points in this level: ai-2/31, ai-2/33, ai-2/36. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	

Record	Teacher evidence
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Bridge to next week

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Next: Week 31: Permissions and Human Review. Retrieve today's **evidence** and identify what carries forward and what is new.

Next is Week31: Permissions and Human Review. Carry forward graph validity, tool **evidence** and the separate question of who has authorised an action.

▼ Earlier wording, alternatives and picture transcripts

Connect and extend learning

Transparent Book Recommender

Support and stretch

Exit reflection

Bridge to the next week

Support and fresh reassessment

Plan the delayed return

Project evidence from this case

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference: alternative planning checklist**

REFERENCE · SECTION 7

Reference: alternative planning checklist

> Use as a reminder alongside the main route rather than teaching the cycle twice.

Preparation and schedule

Teaching target: Explain the **mechanism** and terminology of **state** machines for bounded **agent**s

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Compare the cases, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min

> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together, Run the investigation and Build your understanding; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use Run the investigation, Connect your project, Show what you know, Study a complete case and Try a new case independently. Allow extra time for the full task set. Use a coding lab only when this week actually provides one; Your lesson route is the planning section.

Practice and assessment reminders

Before class, solve the supported practice: Trace ready -> looking_up -> review -> looking_up -> done. Show the intermediate steps and give the conclusion with its scope.

Reasoned practice answer: Teacher explanation: review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

Check every learner before discussion: Use the worked case for **State** machines for bounded **agent**s. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: An action budget and a **transition** policy are separate checks; satisfying one does not guarantee the other.

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Replace the edge checking→done with checking→review and review→done, without updating Trace A. Require a **prediction** and a reason before comparing. Expected result: Trace A becomes invalid at checking→done under the revised table.

Reason: A required new **transition** changes what constitutes a complete run.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

▼ **Reference: feedback and records**

REFERENCE · SECTION 8

Reference: feedback and records

> Use digital tools where they help retain an explanation and its evidence.

Keep practice and independent evidence separate

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Repair and portfolio records

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

<details>
<summary>Earlier wording, alternatives and picture transcripts</summary>

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.
</details>


<details>
<summary>Reference: teach with the six pictures</summary>
</details>

REFERENCE · SECTION 9

Reference: teach with the six pictures

> Choose the picture for the teaching move and connect it to the explanation.

01. Agents and Tools: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


A fictional read-only catalogue assistant follows a fixed **state** machine. Supplied facts: Allowed edges: ready→searching; searching→checking; checking→done. done has no outgoing edge. Trace A: ready→searching→checking→done.

Trace B: ready→searching→done.

Point to the given fact that matters most. Explain why it matters.

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Declare **transition**s: A **state** is a named stage; only listed edges are allowed. → Trace A: Every adjacent edge is listed: valid. → Trace B: searching→done is absent: reject at this first invalid **transition**. → Terminal check: After done, another search requires a separately defined new run.

Point to each numbered stage and explain which recorded **input** it uses.

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. State machines for bounded agents — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

State machines for bounded **agent**s — **evidence** trace.


Trace ready -> looking_up -> review -> looking_up -> done. | **State**s are ready, looking_up, review, done. ready may enter looking_up; looking_up may enter done or review; review may enter done after authorised **evidence**. done is terminal.

Maximum two lookup attempts. | review -> looking_up is not allowed by this declared **transition** table, even if total attempts is two. Reject the **transition** or explicitly redesign and retest the table.

Read the labels and values. Explain the relationship the model shows.

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: After done, another search requires a separately defined new run. Changed condition: Replace the edge checking→done with checking→review and review→done, without updating Trace A.


Expected result: Trace A becomes invalid at checking→done under the revised table. Reason: A required new **transition** changes what constitutes a complete run.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: A required new **transition** changes what constitutes a complete run.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Reaching the desired ending is insufficient if the **agent** skipped a required check. Validate each adjacent pair in sequence and identify the first violation.

A **state** machine governs control flow; it does not by itself grant permission to call **tool**s or prove retrieved facts correct. Those are separate checks inside the relevant stages.


Limit: This toy machine has no retry path; do not invent one or assume real **agent**s always follow these **state**s.

Explain the case, then point to a limit on the claim.

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the **state**d scope: This toy machine has no retry path; do not invent one or assume real **agent**s always follow these **state**s.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Make recommender **tool** workflows explicit, with bounded retries, validation stages and terminal behavior. Draw your **input**, deciding step, result and limit.

Supported question: Can the assistant accept Trace B because its final **state** is done?

Draw your project trace and justify the deciding step using **evidence**.

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No. It skips the checking stage through an unlisted searching→done edge.

▼ Earlier wording, alternatives and picture transcripts

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Agents and Tools: the case

02. Follow the deciding steps

03. State machines for bounded agents — evidence trace

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.