Project Problem and Success Test

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

THE CONNECTED WEEK

Teach checkable success before code output.

Supply complete records, model concrete expected cases and preserve the separate duration extension.

Keep one habit: Ask whether another learner can reproduce the expected output from the written plan alone.

MAIN LESSON · SECTION 1

Prepare the main lesson and its retained extension

> Use fictional records and schedule separate extension time.

Goal and preparation

Primary target: Define a small application purpose

Teach Week 31 as a two-session **investigation** using fictional data. Plan a fictional activity chooser for a teacher-supervised 20-minute session.

It will validate a small local dataset, exclude over-limit items, rank eligible items using 2 * fun + learning and break ties alphabetically. It will explain the result for human review.

It will not book, message or collect personal student profiles. Assess the three stated outcomes through the independent task, not by copying the worked result.

By the end, I can plan a recommender with **acceptance test**s before writing its selection code.

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Main plan

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Compare the cases, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together, Run the investigation and Build your understanding; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

> **Resources:** Use Run the investigation, Connect your project, Show what you know, Study a complete case and Try a new case independently. Allow extra time for the full task set. Use a coding lab only when this week actually provides one; Your lesson route is the planning section.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full **investigation**, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Retrieval and readiness

Without opening the old lesson, explain one key idea from Permissions and Human Review. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of least privilege and tool **scope**s

Reference example, not the only acceptable wording: Teacher explanation: Least privilege grants only capabilities required by the task. Tool access should include resource and operation **scope**, not merely a broad tool name.

A reporting assistant may lookup public rooms but may not write records, send messages or read teacher notes. Check actor, operation and resource before executing a proposed call.

Without opening the old lesson, explain one key idea from **Evidence** and Sources. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of claim support and citation evaluation

Reference example, not the only acceptable wording: Teacher explanation: Citation evaluation checks source existence, exact passage support and coverage of answer claims. A real citation can still be irrelevant.

For this classroom rubric count a claim as supported only when its cited passage entails it. Separately count correct citation links. Use the number of factual claims as the support denominator.

Without opening the old lesson, explain one key idea from Image and Voice **Pipeline**s. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of speech **pipeline**s and multimodal **evidence**

Reference example, not the only acceptable wording: Teacher explanation: A multimodal **pipeline** may transcribe speech, inspect an image and generate a response.

Errors at one stage can propagate even when later stages run correctly. Track source modality, segment/time references, transcription, interpretation and final claims separately.

Compare conflicting **evidence** without assuming one modality always wins. Ask for clarification when the task needs unresolved information.

Otherwise it would silently violate the stated **requirement**.

▼ Materials and extension planning

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional **input** records from this lesson; no real student identifiers

Apply the connected idea: A reproducible data investigation

Teach Week 30 as a two-session **investigation** using fictional data. Investigate the fictional question: among supplied sessions with valid duration records, what is the mean duration? **Input**s are 10, 0, 20, None and -2 minutes.

Our schema accepts exact integers 0 through 60. The wording deliberately limits the answer to accepted records. Assess the three stated outcomes through the independent task, not by copying the worked result.

Readiness answer

Record the rejection and reason; preserve the raw value for authorized review.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional **input** records from this lesson; no real student identifiers

▼ Earlier wording, alternatives and picture transcripts

Teach the learning cycle

Retrieval answer guidance

Permissions and Human Review

Evidence and Sources

Image and Voice Pipelines

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Specify three **acceptance test**s for a recommender: a normal match, a tied score and no qualifying book. Include expected behaviour before implementation.

Concept to explain

Week 32: Project Problem and Success Test

Term	Meaning
user need	The problem or desired outcome the system is meant to address for a person.
requirement	A behaviour or condition the proposed system must satisfy.
acceptance test	A predefined check that a product satisfies a stated requirement.
scope	The tasks, users, information and actions included within an agreement or design.

Prepare the class

This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Readiness answer

End goal for the pictorial case

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

MAIN LESSON · SECTION 2

Model specification before implementation

> Distinguish the main weighted chooser, pictured interest chooser and duration summary.

State the main purpose and schema

Plan a fictional activity chooser for a teacher-supervised 20-minute session. It will validate a small local dataset, exclude over-limit items, rank eligible items using 2 * fun + learning and break ties alphabetically.

It will explain the result for human review. It will not book, message or collect personal student profiles.

Define fields name, minutes, fun and learning. Require a nonempty text name, integer minutes 0 through 60 and integer ratings 0 through 5. Reject duplicate names because the tie rule uses names as identifiers.

Write cases before implementing so **requirement**s do not drift to fit **output**s.

For this planning contract, integer means an exact integer, excluding Boolean values. Names are unique, case-sensitive identifiers; use simple uppercase A/B/C in supplied tests and ordinary ascending string order. Reject invalid rows with reasons; reject every occurrence of a duplicated name before ranking so input order cannot select a different duplicate. An invalid request is a request error, distinct from a valid request with no eligible items. Record these choices before implementing; a different policy needs its own version and expectations.

Run the configuration example and name its limit

```
requirements = {"limit": 20, "fun_weight": 2,
                "learning_weight": 1, "tie": "name ascending"}
print(requirements["limit"])
print(requirements["tie"])
```

Model complete acceptance cases

Main20-minute chooser: acceptance input	Expected behavior from the contract
A: minutes20,fun3,learning2; B:21,5,5	A eligible score8; B excluded despite score15
A:10,3,2; B:12,2,4; reverse row order too	Both score8; A selected in either order
A:21,3,2 only	No eligible option; do not silently relax the limit
Request limit True	Reject invalid request; do not treat True as1
Two rows both named A	Reject both duplicate-name rows with reasons

> **Write an acceptance case for the duration boundary and one for no eligible option.**


Read the separate pictured contract

A fictional reading-break chooser needs a transparent contract.

Items have id text, minutes integer 0–30, interest integer 0–5. Request limit is integer 0–30.

Eligible if minutes<=limit; score=interest; highest wins; ties choose alphabetically smaller ID; invalid rows excluded and counted.

Trace its equality and tie behavior



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Specify inputs	Validate each row and request; keep rejected-row reasons.
2. Filter and rank	At limit 8: A(time8,interest3), B(9,5), C(6,3). B is ineligible.
3. Expected output	A beats tied C by ID; report A and its score 3.
4. Acceptance cases	Also plan invalid request, no eligible item and equal-score cases.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Planning fixes what success means before code returns an answer. The duration boundary includes equality, and the tie policy prevents accidental list-order dependence.

A complete **output** may include why other rows were excluded. Test expectations should come from the contract rather than copying the first program result.

Predict a lower limit

Change: Reduce the limit from 8 to 5.

Prediction: Return no eligible item.

Reason: All three valid rows take more than five minutes.

Keep the pictured evidence boundary

The supplied interest scores are fictional; the specification does not establish genuine learner preferences.

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

▼ Data extension · Complete summary script and denominator

Investigate the fictional question: among supplied sessions with valid duration records, what is the mean duration? **Input**s are 10, 0, 20, None and -2 minutes. Our schema accepts exact integers 0 through 60.

The wording deliberately limits the answer to accepted records.

```
raw = [10, 0, 20, None, -2]
valid = []
rejected = 0
for value in raw:
    if type(value) is int and 0 <= value <= 60:
        valid.append(value)
    else:
        rejected = rejected + 1
print(len(valid), rejected)
if len(valid) > 0:
    print(sum(valid) / len(valid))
else:
    print("No valid observations")
```

The result is 3 accepted, 2 rejected, and mean 10.0 minutes. A reproducible report states the question, raw **input** version, schema, exclusion reasons, calculation and **scope**.

Someone else should obtain the same result from the same **input**s and rules.

Four accepted values total 60, so mean 15 minutes; still two rejected. Exit: **Input** records/version, schema, excluded rows and reasons, accepted count, calculation and code/configuration version.

▼ Earlier wording, alternatives and picture transcripts

Explain the mechanism

Input → **Process** → **Output**

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. Need: help a reader choose from 12 classroom books.

2. **Requirement**s: use stated preferences; show score; protect privacy.

3. Tests: correct arithmetic; unsuitable hard constraint removed; explanation names **evidence**.

4. Out of **scope**: claiming the objectively ‘best’ book or storing private history.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

A project recommends from ten approved books using genre and length.

Define **acceptance test**s.

Exact explanation to model

Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Explain the added worked example

Key terms

Term	Meaning
Requirement	A statement of behavior the application must provide

Term	Meaning
Acceptance case	An input and expected behavior used to judge a requirement
Non-goal	Something intentionally outside project scope
Prototype	A limited implementation for testing a design

Apply the connected idea: A reproducible data investigation

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.


These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Project Problem and Success Test

The facts we will use



Follow the labelled picture with the matching explanation. Open the vector diagram

Why this result follows

What this example does not establish

Change one thing in the pictured case

Ask while showing the picture

MAIN LESSON · SECTION 3

Guide the main explanation, then fade support

> Collect each learner’s reasoning before revealing a key.

Main completion question and key

Completion task: Give a tie case for A and B with score 8 each and valid durations.

Teacher check: With both eligible, choose A alphabetically regardless of **input** order.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Main individual check

Use the worked case for Planning the application. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: The **scope** is a rule-based **prototype** using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model.

A clear **non-goal** protects students from building an untestable or overly broad project.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial question and changed case

Write an equality test and explain which **requirement** it checks.

Limit 8 with A taking 8 must include A; it checks that time eligibility uses <= rather than <.

Changed-case reasoning: Return no eligible item. All three valid rows take more than five minutes.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Keep learners explaining

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

▼ Extension teaching cycle

Target: Write a reproducible data question

Reserve further sessions for this topic; the 135-minute primary plan does not absorb all added content.

Completion practice: Classify 0, None, -2 and 60 under the schema.

Teacher check: 0 and 60 accepted; None missing/unknown and -2 out of range are rejected.

Individual check: For A reproducible data **investigation**, use its worked case to evaluate this proposed explanation: "A successful run proves the conclusion". Explain the deciding step.

Expected correction: Missing or invalid durations might belong to unusually long sessions. The accepted mean may therefore differ from the full group's mean. Do not make a causal claim from this descriptive **investigation**.

Apply the same support, independent transfer and delayed-review decisions to the named connected-topic workbook tasks.

▼ Earlier wording, alternatives and picture transcripts

Demonstrate and guide practice

Board sequence

Write the given facts: A project recommends from ten approved books using genre and length.

Write the question to explain: Define **acceptance test**s.

Reveal after **prediction**s: Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Use the earlier transfer question as optional practice. Reserve Plan a new chooser independently for the first independent attempt before hints or feedback.

Classroom dialogue

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

Model these guided questions

An otherwise valid 20-minute item qualifies; a 21-minute-only dataset yields no eligible option under limit 20. Exit: Examples: real student profiling, automatic booking or claims of proven learning benefit.

They need separate **evidence**, permissions and **scope**.

Case-specific teaching sequence

Stage	Teacher action
Session 1 start to 7 minutes	Retrieve the prerequisite and explain the purpose in the opening section.
7 to 20 minutes	Read the worked example and diagram; ask learners to trace each step aloud.
20 to 33 minutes	Complete W1 and W2, then compare predictions with observed results.
33 to 45 minutes	Collect the guided prediction before running; discuss a mismatch and its cause.

Stage	Teacher action
Session 2 start to 8 minutes	Retrieve the main rule without showing the previous answer.
8 to 20 minutes	Use W3 to diagnose and repair the stated failure; rerun an earlier case.
20 to 35 minutes	Collect W4 independently, including code or plan, predictions and explanations, before hints.
35 to 45 minutes	Discuss W5 and the exit; use the fresh retry when support was needed.

Teach the connected idea

Stage	Teacher action
Session 1 start to 7 minutes	Retrieve the prerequisite and explain the purpose in the opening section.
7 to 20 minutes	Read the worked example and diagram; ask learners to trace each step aloud.
20 to 33 minutes	Complete W1 and W2, then compare predictions with observed results.
33 to 45 minutes	Collect the guided prediction before running; discuss a mismatch and its cause.
Session 2 start to 8 minutes	Retrieve the main rule without showing the previous answer.
8 to 20 minutes	Use W3 to diagnose and repair the stated failure; rerun an earlier case.
20 to 35 minutes	Collect W4 independently, including code or plan, predictions and explanations, before hints.
35 to 45 minutes	Discuss W5 and the exit; use the fresh retry when support was needed.

Reduce help deliberately

Individual reasoning check

Connected teaching cycle: A reproducible data investigation

Pictorial practice question

Reasoned teacher answer

MAIN LESSON · SECTION 4

Run the supplied main investigation

> Keep the selected independent task out of shared practice.

Supplied records and answer guidance

Main lab: A scores 8 and meets the 20-minute limit. B scores 15 but takes 21 minutes and is ineligible. C scores 8 and qualifies; A wins the name tie. Test order reversal, equality, no match, duplicate-name rejection, Boolean rejection and invalid requests. In the separate picture, limit 8 selects A by ID; limit 5 returns no eligible item.

Duration extension accepts 10, 0, 20: count 3, sum 30, mean 10. Adding 30 gives count 4, sum 60, mean 15. Reserve the 15-minute independent plan.

Predict, investigate and record

1. Predict → Test → Record → Explain
2. Keep expected and actual results separate. Surprises are useful data when recorded honestly.
3. Use the supplied fictional teacher/session card and records. Write measurable requirements, concrete acceptance inputs and expected outcomes before implementation. Peer-review the plan without interviewing or collecting personal reader data.
4. What did the hardest test teach you that the normal test did not?

Keep the evidence

Record	What to capture
Input or evidence	Exact data, instruction or claim

Record	What to capture
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Main misconceptions

A successful run proves the conclusion: The **scope** is a rule-based **prototype** using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model.

A clear **non-goal** protects students from building an untestable or overly broad project.

Matching the example is enough: Require the new W4 case, explicit **prediction**s and an explanation. Fresh retry: plan a 10-minute chooser with boundary 10/11, duplicate-name rejection and an empty-**input** case.

Collect the plan before implementation.

A convenient shortcut preserves meaning: A **requirement** such as make a smart choice cannot be tested precisely. Replace it with a stated score, limit, tie rule and **output** explanation.

If real feedback later changes the policy, record a versioned change rather than rewriting previous **evidence**.

Choose support

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

▼ Extension misconceptions

A successful run proves the conclusion: Missing or invalid durations might belong to unusually long sessions. The accepted mean may therefore differ from the full group's mean.

Do not make a causal claim from this descriptive **investigation**.

Matching the example is enough: Require the new W4 case, explicit **prediction**s and an explanation. Fresh retry: [5, None, 15, -1, 10] gives accepted [5,15,10], 2 rejected and mean 10, with coverage 3 of 5.

A convenient shortcut preserves meaning: Dividing the accepted total 30 by all five records gives 6 and answers no clear observed-duration question.

Use the accepted count for this mean, disclose exclusions, and never describe it as the average for every supplied session.

▼ Earlier wording, alternatives and picture transcripts

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Make the lab runnable

Use the supplied main investigation for shared practice. Reserve Plan a new chooser independently for the individual first attempt. The named extension has separate tasks and feedback.

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Check these misconceptions

Match the support to the first error

MAIN LESSON · SECTION 5

Assess the selected main independent task

> Reveal its key after the first attempt; extension tasks have their own keys.

Selected independent question and key

Selected case: Plan a 15-minute fictional club chooser. Specify schema, score, duration limit, tie rule, invalid-data behavior, **output** and three **acceptance case**s.

Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review.

Judge reasoning and limits

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Give one repair action

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

W1 Name the user need

State the purpose and decision owner of the worked chooser.

Suggest a suitable eligible activity for a teacher-supervised session; the teacher reviews and decides.

W2 Write an acceptance case

Give a tie case for A and B with score 8 each and valid durations.

With both eligible, choose A alphabetically regardless of **input** order.

Choose two individually valid records with unique names A and B, scores 8 each and durations within the limit. Both survive validation and filtering, then tie on score. The name rule selects A in either order.

Require actual record fields so the proposed test can be reproduced, rather than accepting an unexplained winner name.

W3 Repair vague scope

Replace the **requirement** always choose the best activity with a checkable one.

Choose the highest 2 * fun + learning score among valid items within the limit, using alphabetical ties; return no eligible option if none qualify.

W5 State non-goals

Name two capabilities excluded from this **prototype** and explain why.

Examples: real student profiling, automatic booking or claims of proven learning benefit. They need separate **evidence**, permissions and **scope**.

▼ Extension questions and keys

A reproducible data investigation — W1 State the question

Write the worked **investigation** question so its population of records is clear.

What is the mean duration among supplied sessions with valid integer minutes from 0 through 60?

A reproducible data investigation — W2 Trace exclusions

Classify 0, None, -2 and 60 under the schema.

0 and 60 accepted; None missing/unknown and -2 out of range are rejected.

A reproducible data investigation — W3 Repair a denominator

A report divides a valid total of 24 by six supplied rows, though only three are valid. Correct the valid-record mean.

24/3 = 8. Report 3 accepted and 3 rejected; do not use all six as the valid-record denominator.

A reproducible data investigation — W4 Investigate independently

Analyze raw durations [6, 12, None, 0, 70, 18] with the same schema. Report question, accepted list, rejections, mean and one **limitation**.

Accepted [6, 12, 0, 18], 2 rejected, total 36, mean 9. State 4 of 6 accepted; missing/invalid records may differ. Preserve the raw list and rules.

A reproducible data investigation — W5 Support reproduction

A report gives only mean 9. What additional **evidence** lets a peer reproduce it?

Input records/version, schema, excluded rows and reasons, accepted count, calculation and code/configuration version.

▼ Earlier wording, alternatives and picture transcripts

Assess and explain the answers

Worked case answer

Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Additional transfer practice

Define a testable goal for a book recommender serving readers who want short space books. Include a concrete success condition.

Reasoned practice answer

On supplied test preferences, recommend a space book within the stated page limit and explain the matching fields. Include a no-match fallback. Other clear measurable criteria are valid.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “Make it smart is a measurable success test.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

For a normal request, return an existing eligible highest-scoring book with traceable score; for a tie, apply the declared tie policy; for no match, state none found without inventing a title.

Exact fictional catalogue rows and requests must accompany each test.

Explanations for the additional workbook examples

W1 Name the user need

W2 Write an acceptance case

W3 Repair vague scope

W4 Plan independently

Plan a 15-minute fictional club chooser. Specify schema, score, duration limit, tie rule, invalid-data behavior, **output** and three **acceptance case**s.

Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review.

W5 State non-goals

Assess independent transfer

Selected case answer

Feedback that the learner uses

MAIN LESSON · SECTION 6

Connect, support and return

> Keep main and extension assessment evidence distinguishable.

Project record

Keep the decision, **input**, result, explanation and remaining **limitation** in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Retain the Transparent Book Recommender's schema, constraints, score, tie rule and acceptance table as its build specification.

Main support and fresh assessment

Use a one-page **requirement**s card. Extension: trace each **requirement** to a specific **acceptance case** and identify uncovered **requirement**s.

Independent W4 **evidence**: Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review.

Record whether the learner needed no help, a hint or explanation. Fresh retry: plan a 10-minute chooser with boundary 10/11, duplicate-name rejection and an empty-**input** case. Collect the plan before implementation.

Delayed return

Suggested return points in this level: ai-2/33, ai-2/35. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Bridge to next week

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Next: Week 33: Build the Recommender. Retrieve today’s **evidence** and identify what carries forward and what is new.

Next is Week33: Build the Recommender. Reuse the frozen schema, validation policy, score, tie rule and acceptance cases; compare implementation output with independently derived expectations.

▼ Extension support and reassessment

Provide an **investigation** checklist with blank **evidence** fields. Extension: compare median and mean of accepted values and explain what each hides.

Independent W4 **evidence**: Accepted [6, 12, 0, 18], 2 rejected, total 36, mean 9. State 4 of 6 accepted; missing/invalid records may differ. Preserve the raw list and rules.

Record whether the learner needed no help, a hint or explanation. Fresh retry: [5, None, 15, -1, 10] gives accepted [5,15,10], 2 rejected and mean 10, with coverage 3 of 5.

▼ Earlier wording, alternatives and picture transcripts

Connect and extend learning

Transparent Book Recommender

Freeze the brief before building so later choices can be traced to **requirement**s.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Bridge to the next week

Support and fresh reassessment

Readiness and reassessment for A reproducible data investigation

Plan the delayed return

Project evidence from this case

Reference bank and extra practice

Choose the reference that helps your next step.

▼ **Reference · Alternative teaching checklist**

REFERENCE · SECTION 7

Reference · Alternative teaching checklist

> Use as a reminder alongside the main route.

Planning reference

Teaching target: Define a small application purpose

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Use Your mission, Notice the evidence, See how it works, Compare the cases, Words that unlock the idea and Follow a worked example; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min

> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Use Find and repair a mistake, Practise together, Run the investigation and Build your understanding; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use Run the investigation, Connect your project, Show what you know, Study a complete case and Try a new case independently. Allow extra time for the full task set. Use a coding lab only when this week actually provides one; Your lesson route is the planning section.

Before class, solve the supported practice: Give a tie case for A and B with score 8 each and valid durations.

Reasoned practice answer: With both eligible, choose A alphabetically regardless of **input** order.

Check every learner before discussion: Use the worked case for Planning the application. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: The **scope** is a rule-based **prototype** using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model.

A clear **non-goal** protects students from building an untestable or overly broad project.

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Reduce the limit from 8 to 5. Require a **prediction** and a reason before comparing. Expected result: Return no eligible item. Reason: All three valid rows take more than five minutes.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with **evidence**.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

▼ **Reference · Feedback and retained evidence**

REFERENCE · SECTION 8

Reference · Feedback and retained evidence

> Keep supported practice separate from independent evidence.

Record and repair

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and **limitation**s. Progress ticks and quiz selections alone do not establish mastery.

▼ **Earlier wording, alternatives and picture transcripts**

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.


▼ **Reference · Teach with the six pictures**

REFERENCE · SECTION 9

Reference · Teach with the six pictures

> Choose a picture for a specific explanation.

01. Project Problem and Success Test: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


A fictional reading-break chooser needs a transparent contract. Supplied facts: Items have id text, minutes integer 0–30, interest integer 0–5. Request limit is integer 0–30.

Eligible if minutes<=limit; score=interest; highest wins; ties choose alphabetically smaller ID; invalid rows excluded and counted.

Point to the given fact that matters most. Explain why it matters.

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Specify **input**s: Validate each row and request; keep rejected-row reasons. → Filter and rank: At limit 8: A(time8,interest3), B(9,5), C(6,3).

B is ineligible. → Expected **output**: A beats tied C by ID; report A and its score 3. → **Acceptance case**s: Also plan invalid request, no eligible item and equal-score cases.

Point to each numbered stage and explain which recorded **input** it uses.

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Follow the evidence




Follow the labelled picture with the matching explanation. Open the vector diagram

Follow the **evidence**. **Input** | Local fictional records | Validate schema. Decision | Filter then score then tie rule | Explain selected item. **Output** | Suggestion or no eligible item | Teacher reviews

Read the labels and values. Explain the relationship the model shows.

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Also plan invalid request, no eligible item and equal-score cases. Changed condition: Reduce the limit from 8 to 5. Expected result: Return no eligible item.


Reason: All three valid rows take more than five minutes.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: All three valid rows take more than five minutes.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Planning fixes what success means before code returns an answer. The duration boundary includes equality, and the tie policy prevents accidental list-order dependence.

A complete **output** may include why other rows were excluded. Test expectations should come from the contract rather than copying the first program result.


Limit: The supplied interest scores are fictional; the specification does not establish genuine learner preferences.

Explain the case, then point to a limit on the claim.

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated **scope**: The supplied interest scores are fictional; the specification does not establish genuine learner preferences.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Retain the Transparent Book Recommender's schema, constraints, score, tie rule and acceptance table as its build specification. Draw your **input**, deciding step, result and limit.

Supported question: Write an equality test and explain which **requirement** it checks.

Draw your project trace and justify the deciding step using **evidence**.

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: Limit 8 with A taking 8 must include A; it checks that time eligibility uses <= rather than <.

▼ Earlier wording, alternatives and picture transcripts

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Project Problem and Success Test: the case

02. Follow the deciding steps

03. Follow the evidence

04. Change one thing. Trace what follows.

05. Connect the explanation to its limit

06. Make the idea visible in your project

▼ Optional interactive practice and completed work

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.