

Test Diverse Users

Project: Transparent Book Recommender

1. Your mission

Your learning target

I can evaluate across varied cases.

I can report failures with their denominators.

I can separate development evidence from final checks.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Build the Recommender. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Permissions and Human Review. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Prompt Experiments. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

Week 34: Test Diverse Users

Evaluation must include ordinary, edge, and underserved cases.



THINKER MISSION

Run four user profiles; log errors and fairness concerns.

Thinker name and date:

Write or draw your reasoning and evidence.

Readiness for the connected explanation

If final cases guide a code change, are they still untouched evaluation cases?

This week's end goal

By the end, I can evaluate varied case types and prioritise an important failure slice.

2. Notice the evidence

PICTURE STORY

Notice → Predict → Explain

Begin with visible evidence. Do not explain more than the picture and information support.



MYSTERY

The learners must use test diverse users to solve a problem. What information do they have? What decision or calculation do they make? What would count as evidence that it worked?

Three observations (what you can point to):

Write or draw your reasoning and evidence.

My prediction and the clue supporting it:

Write or draw your reasoning and evidence.

A closer explanation


A fictional chooser passes 5 of 6 development checks but fails its only tie case. An overall pass rate can hide that concentrated weakness. Evaluate ordinary, boundary, invalid, empty and tie cases separately, using requirements rather than duplicated versions of one easy example.

3. See how it works

VISUAL MECHANISM

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.



↓



PROCESS

Evaluation must include ordinary, edge, and underserved cases.





OUTPUT

log errors and fairness concerns.

Which stage could fail even when the other two are correct? Explain:

Write or draw your reasoning and evidence.

A closer explanation

```
checks = [{"category": "ordinary", "passed": True},
          {"category": "ordinary", "passed": True},
          {"category": "boundary", "passed": True},
          {"category": "invalid", "passed": True},
          {"category": "empty", "passed": True},
          {"category": "tie", "passed": False}]

passed = 0

for check in checks:
    if check["passed"]:
        passed = passed + 1

print(passed, len(checks))
```

Follow the evidence

Step or case · Evidence · Meaning

Step or case: Overall

Evidence: 5 of 6

Meaning: One failure remains

Step or case: Tie category

Evidence: 0 of 1

Meaning: Known weakness

Step or case: Other categories

Evidence: Limited cases

Meaning: No universal guarantee

Read each row from left to right and connect the evidence to the stated rule.

The script reports 5 and 6. About 83.3 percent of these checks pass, but that is not an accuracy estimate

for all future use. The cases were deliberately chosen, their frequencies are artificial, and each category has few cases.

Look inside the overall result

The six development checks include ordinary, boundary, invalid, empty and tie cases. Five pass, but the only tie case fails. Saying five out of six pass is true; saying the tie rule works is false. Keep both statements visible. A category table helps you choose the next repair. Adding many copies of passing ordinary cases can raise the overall fraction without checking a new condition or fixing the failed requirement.

Connect the picture and the explanation


Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

CASE GALLERY

Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.





BOUNDARY

Near a decision edge

NORMAL CASE: predict and name evidence. BOUNDARY CASE: predict and name evidence.



MISSING

Needed information absent



MISSING INFORMATION: predict and name evidence. TRANSFER CASE: predict and name evidence.

Which case is most likely to reveal a hidden assumption? Why?

Write or draw your reasoning and evidence.

Change one thing in the pictured case

Change: Someone reports only the ordinary slice.

Prediction: The claim becomes 4/4 on ordinary cases, not 100% across all tests.

Reason: Eight nonordinary cases and their failures have been omitted.

5. Words that unlock the idea

VOCABULARY LAB

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

1

TEST PROFILE

constructed user case for
evaluation

2

EDGE CASE

unusual but plausible input

3

UNDERSERVED

receives weaker outcomes
or coverage

4

FAIRNESS CONCERN

evidence of uneven quality
or access

Word · My own example · Not this / boundary

Word: test profile

My own example: A description of the kinds of cases and conditions included in an evaluation.

Not this / boundary: _____

Word: edge case

My own example: An unusual, boundary or difficult input that can reveal a failure hidden by routine

examples.

Not this / boundary: _____

Word: underserved

My own example: Receiving less adequate support or performance than the intended service requires.

Not this / boundary: _____

Word: fairness concern

My own example: A reason to examine whether a system creates unjustified differences in treatment or outcomes.

Not this / boundary: _____

Words used in the closer explanation

Word · Meaning

Word: Evaluation set

Meaning: Cases used to assess a specified version

Word: Failure category

Meaning: A type of scenario where an expected result is missed

Word: Pass rate

Meaning: Passing cases divided by executed cases

Word: Coverage

Meaning: The variety of requirements and conditions tested

6. Follow a worked example

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

WEEK 34 • WORKED EVIDENCE

- 1 Profiles: typical reader; very short-book need; bilingual preference; screen-reader format need.
- 2 Run the same frozen recommender for all four.
- 3 Record expected, actual, score evidence, and issue type.
- 4 Do not average away one group's repeated failure.

1. Profiles: typical reader; very short-book need; bilingual preference; screen-reader format need.
2. Run the same frozen recommender for all four.
3. Record expected, actual, score evidence, and issue type.
4. Do not average away one group's repeated failure.

Recalculate, retrace, or restate the reasoning in your own representation:

Write or draw your reasoning and evidence.

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

A closer explanation

If ten copies of one passing ordinary case are added, what becomes the pass fraction? Does coverage improve?

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Test Diverse Users

A fictional recommender is tested on distinct ordinary, equality, invalid-input and tie cases.

The facts we will use

Recorded full passes: ordinary 4/4; equality 1/3; invalid 2/3; ties 1/2.

Categories are disjoint and every case was run on the same frozen version with the same contract.

Disjoint evaluation categories

	Full passes	Cases run
Ordinary	4	4
Equality	1	3
Invalid	2	3
Ties	1	2

Read a cell using both its row and column labels.

Test Diverse Users

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Total count

Passes $4+1+2+1=8$; cases $4+3+3+2=12$.



2. Overall rate

$8/12 \approx 66.7\%$ full passes.



3. Find weak slices

Equality $1/3$; invalid $2/3$; ties $1/2$; ordinary $4/4$.



4. Prioritise repair

Inspect failed equality traces and any invalid-input safety consequence, not only the total.

CHANGE ONE THING

Someone reports only the ordinary slice.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Total count

What happens and why: Passes $4+1+2+1=8$; cases $4+3+3+2=12$.

Step: 2. Overall rate

What happens and why: $8/12 \approx 66.7\%$ full passes.

Step: 3. Find weak slices

What happens and why: Equality 1/3; invalid 2/3; ties 1/2; ordinary 4/4.

Step: 4. Prioritise repair

What happens and why: Inspect failed equality traces and any invalid-input safety consequence, not only the total.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Varied tests expose behavior an ordinary demonstration misses. The overall result combines disjoint cases once each; overlapping labels would require unique-case accounting. Prioritisation also depends on consequences: a malformed input that triggers an unauthorised action can be more serious than a harmless tie-order failure. Retain each failed case and its expected output.

What this example does not establish

Twelve designed cases describe this test suite, not an unbiased estimate of future usage accuracy.

7. Find and repair a mistake

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, wrong step, or weak evidence.



COMPARE • DIAGNOSE

Weak idea: Good average performance proves every user is served well. Strong move: locate evidence, change one cause, and retest.

Evidence record · Expected · Actual · Likely cause / next test

Evidence record: normal case

Expected: works

Actual: _____

Likely cause / next test: _____

Evidence record: boundary case

Expected: stated rule

Actual: _____

Likely cause / next test: _____

Evidence record: missing input

Expected: safe response

Actual: _____

Likely cause / next test: _____

Evidence record: fresh transfer

Expected: generalizes

Actual: _____

Likely cause / next test: _____

Repair one cause. Why is this repair better than changing several things?

Write or draw your reasoning and evidence.

A closer explanation

For a rule-based chooser, evaluate conformance to its policy separately from whether users find suggestions useful. Neither a pass fraction nor an invented satisfaction score proves educational benefit.

You fix the tie bug using the final tie case. What should the next evaluation report say?

8. Practise together

LOGIC STUDIO

Trace Before You Run

Block code, pseudocode, tables, and diagrams are different ways to expose the same reasoning.



TRACE THE LOGIC

Predict the result. Trace every condition or calculation. Compare expected with actual. Explain the first difference.

SET evidence_record PREDICT expected_result RUN one normal case and one boundary case
COMPARE actual_result with expected_result IF different: locate first cause; change one factor; RETEST
EXPLAIN result, limitation, and next safe step

Trace one input. Which line changes the state or chooses a path?

Write or draw your reasoning and evidence.

A closer explanation

Hiding the tie failure in an average conceals an unmet requirement. Preserve the failed input, expected result, actual result and version. If you repair using it, classify it as development/regression evidence and reserve new final cases.

Practise with less help: Plan coverage

Use workbook W2 for the connected example “Evaluating varied cases”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Evaluating varied cases. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Can these records establish performance for different user groups?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EVIDENCE LAB

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.



PREDICT → TEST → RECORD → EXPLAIN

Create four meaningfully different profiles, predict outcomes, run, classify failures, and compare results by profile rather than only overall.

Create four meaningfully different profiles, predict outcomes, run, classify failures, and compare results by profile rather than only overall.

Test / input · Prediction · Actual · Evidence / calculation · Change or keep?

Test / input: normal

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: boundary

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: missing

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

Test / input: fresh transfer

Prediction: _____

Actual: _____

Evidence / calculation: _____

Change or keep?: _____

What did the hardest test teach you that the normal test did not?

Write or draw your reasoning and evidence.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce evidence without copying the worked example.



MASTERY LADDER

1 Name it • 2 Trace it • 3 Apply it • 4 Challenge it • 5 Explain limits

- 1 • NAME: Define the concept without repeating the textbook.
 - 2 • TRACE: Show the information, state, branch, calculation, or evidence path.
 - 3 • APPLY: Solve a different example independently.
 - 4 • CHALLENGE: Find a boundary case, counterexample, or unfair outcome.
 - 5 • EXPLAIN LIMITS: Say when the result should not be trusted or used alone.
- My strongest evidence of independent understanding:

Write or draw your reasoning and evidence.

11. Connect your project

CUMULATIVE PROJECT

Transparent Book Recommender

Every week adds one inspectable piece. The system must show how it reached a result.



TRANSPARENT BOOK RECOMMENDER

Use the same test record across ordinary, boundary, missing-data, and access-needs cases.

THIS WEEK'S CHECKPOINT Use the same test record across ordinary, boundary, missing-data, and access-needs cases.

SYSTEM MAP Reader need → allowed inputs → transparent rule or score → ranked candidates → explanation → test record → human decision

What will you add, change, or verify in the project this week?

Write or draw your reasoning and evidence.

What should remain under human control?

Write or draw your reasoning and evidence.

RESPONSIBLE DESIGN Collect only necessary information. Show uncertainty and limits. Never confuse a ranking with a fact about a person.

Evidence for your project

Build a recommender evaluation matrix with routine, boundary, missing, invalid and tie cases, then add separately planned user-condition coverage.

12. Show what you know

INDEPENDENT MASTERY PROOF

Explain • Transfer • Test • Defend

Complete this page without copying the worked example. Your reasoning matters more than decoration.



INDEPENDENT PROOF

Run four user profiles; log errors and fairness concerns.

CHALLENGE Run four user profiles; log errors and fairness concerns.

1. My fresh example, trace, calculation, or design:

Write or draw your reasoning and evidence.

2. My evidence that it works (include a boundary or missing-data case):

Write or draw your reasoning and evidence.

3. One limitation, fairness concern, or situation needing human review:

Write or draw your reasoning and evidence.

SELF-CHECK ☐ I explained the mechanism ☐ I used evidence ☐ I tested a fresh case ☐ I named a limitation ☐ I can answer 'why?'

13. Study a complete case

Week 34 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A recommender satisfies 5/6 adventure requests and 3/6 poetry requests.

The question

Compare and investigate.

Worked explanation

Rates are 5/6 and 3/6. Inspect catalogue coverage, labels and scoring; twelve tests do not establish cause.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Compare success for different interests

Evidence or stage · Value or result

Evidence or stage: Adventure requests

Value or result: 5/6

Evidence or stage: Poetry requests

Value or result: 3/6

A recommender satisfies 5/6 adventure requests and 3/6 poetry requests.

Compare and investigate.

Rates are 5/6 and 3/6. Inspect catalogue coverage, labels and scoring; twelve tests do not establish cause.

14. Try a new case independently

Independent case: Evaluate independently

Given ordinary 3/3, boundary 1/2, invalid 2/2 and tie 0/1, compute overall results and prioritize issues.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case

already practised with feedback cannot establish fresh transfer.

Week 34 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

A recommender serves 6 of 6 easy-book requests but 1 of 4 advanced-book requests. Report both results and identify the next test priority.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Use the same test record across ordinary, boundary, missing-data, and access-needs cases.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

The recommender succeeds on 9/10 mystery requests and 2/5 poetry requests. Compute total and separate rates. A team reports only 11/15. Explain what that hides.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.