

Representing inputs as vectors

Project: Image-pattern Network Investigation

1. Your mission

Your learning target

I can encode a record using a fixed feature order and units.

I can distinguish a vector dimension from the number of examples.

I can detect missing values and target leakage before computation.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from ML Builder Expo. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

This week you will practise:

Encode a record using a fixed feature order and units

Distinguish a vector dimension from the number of examples

Detect missing values and target leakage before computation

Retrieve what you already know

A parcel classifier uses width and height to predict a class. Why must its final class label stay outside the input features?

My starting explanation

This week's end goal

By the end, I can explain representing inputs as vectors using a traced example and a stated limitation.

2. Notice the evidence

A neural network receives numbers in a specified order. Before learning how it computes, we need to represent one example without losing the meaning of its fields. A vector is an ordered list: [4, 2] can mean width 4 cm and height 2 cm if that is the declared order. Reversing the two numbers describes a different rectangle under the same schema.

For this fictional parcel investigation, use [width in cm, height in cm]. Width and height must both be present and greater than zero. The vector has dimension 2 because it contains two components. Record IDs identify examples; they do not measure the parcel. The target class is stored separately.

Record · Width and height in cm · Input vector

Record: A

Width and height in cm: 4 and 2

Input vector: [4, 2]

Record: B

Width and height in cm: 2 and 4

Input vector: [2, 4]

Record: C

Width and height in cm: 3 and 3

Input vector: [3, 3]

There are three examples, each with two features. Stacking their vectors makes a table with three rows and two columns. Do not confuse the number of rows with the dimension of one input.

List the given facts and one fact that is not supplied.

3. See how it works

Read fields by name, convert to the declared units, validate, and only then write the vector. Parcel D has width 50 mm and height 30 mm. Because 10 mm equals 1 cm, its encoded vector is [5, 3]. Writing [50, 30] would preserve the numbers while changing the physical meaning by a factor of ten.

```
def encode(width_mm, height_mm):  
    if width_mm is None or height_mm is None:  
        raise ValueError("Missing measurement")  
    if width_mm <= 0 or height_mm <= 0:  
        raise ValueError("Measurements must be positive")  
    return [width_mm / 10, height_mm / 10]  
  
print(encode(50, 30)) # [5.0, 3.0]
```

This short function assumes each supplied value is a number in mm or None for missing. It is a classroom example, not a complete input validator. Trace the conversion before running it. The function represents data; it does not fit a model or predict a class.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases

Compare a familiar case with a changed case

A new record has width 60 mm and height 10 mm. Give its vector in the agreed cm schema, and name one error in [60, 10].

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change: Swap only A's vector order before prediction.

Prediction: The encoded input becomes [7, 2], numerically identical to B's original input.

Reason: Changing coordinate order changes feature meaning even if the numbers are unchanged.

5. Words that unlock the idea

Word · Meaning

Word: Vector

Meaning: An ordered list of numerical components

Word: Component

Meaning: One value at a specified position in a vector

Word: Dimension

Meaning: The number of components in a vector

Word: Schema

Meaning: The recorded feature order, units and validity rules

Use two terms to explain a step in this week's example.

6. Follow a worked example

An input vector keeps an agreed order

Source record · Encoding action · Model input

Source record: D width 50 mm

Encoding action: Divide width by 10

Model input: First component 5

Source record: D height 30 mm

Encoding action: Divide height by 10

Model input: Second component 3

Source record: Schema width then height

Encoding action: Keep named positions

Model input: Vector [5, 3] in cm

Read each row left to right, then assemble the final ordered pair. The schema explains the numbers; the vector alone does not.

Parcel E has width 20 mm and height 70 mm. Encode it and explain why [7, 2] is not the same input under this schema.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Representing inputs as vectors

Encode the same pixel measurements in a fixed vector order.

The facts we will use

Toy image features are [left_brightness, right_brightness], each = 0..10. ImageA has left2, right7; imageB has left7, right2.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Representing inputs as vectors

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Declare coordinate order

Coordinate0 is left brightness; coordinate1 is right brightness.



2. Encode both images

A becomes [2, 7]; B becomes [7, 2]. Their sums match but their spatial patterns differ.



3. Check input contract

Use the same order when training and predicting; record missing measurements rather than guessing.

CHANGE ONE THING

Swap only A's vector order before prediction.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Declare coordinate order

What happens and why: Coordinate0 is left brightness; coordinate1 is right brightness.

Step: 2. Encode both images

What happens and why: A becomes [2, 7]; B becomes [7, 2]. Their sums match but their spatial patterns differ.

Step: 3. Check input contract

What happens and why: Use the same order when training and predicting; record missing measurements rather than guessing.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A vector is an ordered list, so the position of a number carries meaning. Here the first number always means left brightness. Adding the two measurements keeps total brightness but discards which side is brighter. A network receives the representation we give it; it cannot recover a lost distinction just because it has more layers.

What this example does not establish

These two features are simplified measurements, not a complete image representation or evidence of learned vision.

7. Find and repair a mistake

A missing height is unknown, not zero. Under this schema zero is also invalid, so reject the incomplete record and request the measurement. A different project might use a documented training-fitted replacement plus a missingness flag; that would be a different schema that must be applied consistently.

A changed field order must also change every consumer that reads positions. A vector can have the expected length and still be wrong because its order, units or meaning changed. A class label appended as a third component causes target leakage even if the software accepts three values.

Locate the earliest unsupported step

Width is 4 cm and height is missing. A teammate writes [4, 0]. Explain why this is invalid and give the action required by this schema.

State one repair and the checks you would rerun.

8. Practise together

Write A, B and C as ordered pairs from the lesson. State the dimension of each and the shape of the stacked table.

Parcel E has width 20 mm and height 70 mm. Encode it and explain why [7, 2] is not the same input under this schema.

Explain your prediction to a partner before comparing results.

Practise with less help: Convert before encoding

Use workbook W2 for the connected example “Representing inputs as vectors”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Representing inputs as vectors. Proposed explanation: “Order does not matter”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

Why does equal total brightness not make A and B identical inputs? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

Predict, investigate and preserve the evidence

A new record has width 60 mm and height 10 mm. Give its vector in the agreed cm schema, and name one error in [60, 10].

```
def encode(width_mm, height_mm):  
    if width_mm is None or height_mm is None:  
        raise ValueError("Missing measurement")  
    if width_mm <= 0 or height_mm <= 0:  
        raise ValueError("Measurements must be positive")  
    return [width_mm / 10, height_mm / 10]  
  
print(encode(50, 30)) # [5.0, 3.0]
```

Record · Your evidence

Record: Given input and fixed rule

Your evidence: _____

Record: Prediction before checking

Your evidence: _____

Record: Actual result, or “not run”

Your evidence: _____

Record: First mismatch and one explanation

Your evidence: _____

Record: Boundary or missing input and expected response

Your evidence: _____

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

Explain → apply → challenge

Write A, B and C as ordered pairs from the lesson. State the dimension of each and the shape of the stacked table.

Width is 4 cm and height is missing. A teammate writes [4, 0]. Explain why this is invalid and give the action required by this schema.

Two parcels have the same width and height but different material and target class. Explain why adding more examples alone cannot let this deterministic two-feature model tell these two inputs apart.

Explain which evidence supports your conclusion and which claim remains unproved.

11. Connect your project

Add a labelled representing inputs as vectors evidence sheet to Image-pattern Network Investigation. Show how you can encode a record using a fixed feature order and units. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence · Record

Project evidence: Component and version

Record: _____

Project evidence: Inputs permitted at prediction time

Record: _____

Project evidence: Trace and comparison with earlier work

Record: _____

Project evidence: Failure, limit and human review

Record: _____

Evidence for your project

For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

12. Show what you know

Two parcels can share width and height yet differ in material or weight. Their vectors are identical in this representation, so a deterministic model receiving only these features cannot distinguish them. Adding a feature changes the schema and dimension; it does not automatically improve predictions. Keep data splits and evaluation discipline from Grade 8.

Two records both encode as [4, 2] but have different target classes. What can this representation reveal, and what can it not reveal?

Next week, we will multiply each component by a matching weight and add the results. The computation is meaningful only if the feature order stays fixed.

Two parcels have the same width and height but different material and target class. Explain why adding more examples alone cannot let this deterministic two-feature model tell these two inputs apart.

My limited claim and a useful next check

13. Study a complete case

Complete evidence record

An input vector keeps an agreed order

Source record · Encoding action · Model input

Source record: D width 50 mm

Encoding action: Divide width by 10

Model input: First component 5

Source record: D height 30 mm

Encoding action: Divide height by 10

Model input: Second component 3

Source record: Schema width then height

Encoding action: Keep named positions

Model input: Vector [5, 3] in cm

Read each row left to right, then assemble the final ordered pair. The schema explains the numbers; the vector alone does not.

Follow the input through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

14. Try a new case independently

Independent case: Apply a new schema independently

A new toy battery task uses [temperature in degrees C, voltage in V, age in days]. Record K has voltage 5, age 12, temperature 18. Record L has temperature 20, voltage 4, age 0. Encode both; state the vector dimension and table shape. Age zero is valid. The future failure label is also supplied in the data file: should it be appended?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

A new toy battery task uses [temperature in degrees C, voltage in V, age in days]. Record K has voltage 5, age 12, temperature 18. Record L has temperature 20, voltage 4, age 0. Encode both; state the vector dimension and table shape. Age zero is valid. The future failure label is also supplied in the data file: should it be appended?

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.