

Confidence Is Not Correctness

Project: Helpful Classroom Sorter

1. Confidence Is Not Correctness

Teach the learning cycle

Primary target: Distinguish a confidence claim from evidence that a prediction was correct

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Prediction Is Not Fact

Without opening the old lesson, explain one key idea from Prediction Is Not Fact. Give an example and a mistake that the idea helps you avoid.

Look for: Separate a recorded prediction from the observation used to check it

Reference example, not the only acceptable wording: Input height 6 cm; prediction far because 6 is at least 6; observed distance 3 units; observed category near because 3 is below 4; mismatch. Height is available to the model before the trial, while travel distance is measured afterward to check its prediction.

Save New Examples for Testing

Without opening the old lesson, explain one key idea from Save New Examples for Testing. Give an example and a mistake that the idea helps you avoid.

Look for: Separate examples used to choose a model from examples reserved for its final evaluation

Reference example, not the only acceptable wording: Comparing candidates is development. Scoring a frozen model on previously reserved examples is evaluation, provided they did not influence its development. Changing a threshold after reading the test score uses that test information for development of the revision; the same set is no longer independent of that revision.

Debug the Cause

Without opening the old lesson, explain one key idea from Debug the Cause. Give an example and a mistake that the idea helps you avoid.

Look for: Compare expected and observed traces to locate the first difference

Reference example, not the only acceptable wording: Expected trace: 3, 5, 10, 9. First difference is the doubling checkpoint: 10 expected versus 8 observed. The later 8 minus 1 equals 7, so the observed subtraction is consistent with its input. Investigate the earlier step before claiming another fault.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A helper says 'definitely correct' on four answers; only two match the answer key. A cautious helper gives the same four answers. Which is more accurate? What additional evidence would you need to compare confidence quality?

Concept to explain

A system can be very confident and still be wrong.

Term · Meaning

Term: confidence

Meaning: strength assigned to an output by a system

Term: correctness

Meaning: agreement with verified outcome

Term: calibration

Meaning: how well confidence matches observed accuracy

Term: confident error

Meaning: wrong result with strong stated confidence

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Keep confidence, numerical scores and correctness separate. Calibration is introduced as a group comparison, without formal estimation. Small exact matches do not prove calibration. Concept reference: scikit-learn probability calibration documentation at <https://scikit-learn.org/1.8/modules/calibration.html>. All classroom examples here are fictional.

Readiness answer

No. The case is unassessed until adequate outcome evidence is available. The strength of the wording supplies no observed distance.

Separate cards for probability claims and later outcomes

Ten counters to show observed correct and incorrect cases

W4 leaf-sorter records, with one outcome deliberately missing

End goal for the pictorial case

By the end, I can explain why a confidence score is not a guarantee and account for missing outcomes.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT input and model scores

PROCESS rank possible outputs

OUTPUT predicted label plus confidence, later checked for correctness

CORE IDEA A system can be very confident and still be wrong.

UNDER THE HOOD Confidence is model-relative strength, not a calibrated probability of truth unless validated. Distribution shift, bad labels, missing classes, or overfitting can produce high-confidence errors.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE A classifier assigns 95 percent confidence to 'dog' for a toy fox but the verified label is fox.

STEP 1 — OBSERVE input and model scores

STEP 2 — TRACE rank possible outputs

STEP 3 — CONCLUDE predicted label plus confidence, later checked for correctness

MODEL REASONING Confidence and correctness are separate axes. Only verified outcomes establish correctness. Compare many cases to learn whether confidence is trustworthy; one 95 percent value is not proof.

DO NOT OVERCLAIM Avoid presenting a score as an objective certainty when its meaning has not been validated.

What new evidence could change this answer?

Concrete teaching case

A helper confidently labels a blurred dog photo as cat; the clear original shows a dog.

What does this show?

Exact explanation to model

Confidence and correctness differ. A confident error remains wrong. Check evidence, particularly unfamiliar or low-quality inputs.

Explain the added worked example

A prediction can be expressed strongly and still be wrong. Confidence describes a claim about support or likelihood; correctness is checked against evidence. Keep the prediction, the confidence claim and the observed outcome in separate columns. None can replace the others.

A display reading 80 might mean 80 out of 100 points for matching features, an estimated 80 percent chance of a specified event, or something else. Read its definition before interpreting it. The number alone does not tell you which meaning applies. A sentence such as definitely far is not a measured probability.

Ramp1 from Week 17 produced categories using a threshold. It supplied no probability estimates. We must not attach a probability merely because the height is far from that threshold. This week uses fictional forecast records with an explicitly stated probability claim; we are checking those claims, not inventing them for Ramp1.

An 80 percent claim means an estimated chance of 80 out of 100, for the event that was named. Across many relevant cases carrying that claim, a well-calibrated method should be correct about that often. It does not promise exactly eight successes in every ten cases or tell us which cases will fail.

Eight correct out of ten agrees numerically with 80 percent in this small group. Five out of ten is lower. Both are observations worth reporting; neither small group alone establishes how dependable the method will be. Larger relevant checks, independent of model fitting and score adjustment, give a stronger basis for judging the claim.

Key terms

Term · Meaning

Term: Confidence claim

Meaning: A statement or number expressing how strongly a prediction is supported according to a stated method

Term: Correctness

Meaning: Whether a prediction agrees with an adequately established outcome for the task

Term: Probability estimate

Meaning: A numerical estimate of how likely a specified event is

Term: Calibration

Meaning: Agreement between probability estimates and observed frequencies across relevant groups of cases

Term: Score meaning

Meaning: The definition explaining what a reported number measures

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

A predicts far at 90 percent · Verified near · Incorrect despite high confidence

A predicts far at 90 percent: B predicts near at 60 percent

Verified near: Verified near

Incorrect despite high confidence: Correct despite lower confidence

A predicts far at 90 percent: C predicts far at 90 percent

Verified near: Outcome missing

Incorrect despite high confidence: Unassessed

A high-confidence error and a lower-confidence success can occur even when a probability method is useful. One error does not prove that all confidence estimates are worthless, and one success does not validate a method. Keep the original scores and investigate patterns across relevant cases.

Record the task, model version, event being assigned a probability, score definition and evidence used for checking. If outcomes are missing, report that count. Do not quietly remove difficult cases or change the confidence values after reading the answers. Adjustments belong to a new recorded method and need a fresh evaluation.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Confidence Is Not Correctness

A fictional card classifier reports a claimed 80% chance that each chosen label is correct.

The facts we will use


Ten predictions all have score 80%.

Later checks find 7 correct, 2 incorrect and 1 outcome unavailable. The selected cards were not a representative survey.

AI ACADEMY / AI-1/18

Known outcomes and missing evidence

predictions



Bar length shows the supplied value; the marked baseline is zero.

Confidence Is Not Correctness

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Keep scores

Ten chosen labels each carry 80%; this is a claim about uncertainty.



2. Checked outcomes

Seven correct plus two wrong gives nine known outcomes.



3. Report coverage

Observed agreement is 7/9 among checked cards; outcome coverage is 9/10.



4. Retain unknown

The missing result could change the all-ten correct count to 7 or 8.

CHANGE ONE THING

The missing outcome is checked and found incorrect.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Keep scores

What happens and why: Ten chosen labels each carry 80%; this is a claim about uncertainty.

Step: 2. Checked outcomes

What happens and why: Seven correct plus two wrong gives nine known outcomes.

Step: 3. Report coverage

What happens and why: Observed agreement is 7/9 among checked cards; outcome coverage is 9/10.

Step: 4. Retain unknown

What happens and why: The missing result could change the all-ten correct count to 7 or 8.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Do not count the missing outcome as correct or silently remove it from the coverage report. These records allow an all-ten agreement range from 70% to 80%. They do not show that claimed probabilities match checked correctness over many comparable predictions; that requires much more suitable evidence.

What this example does not establish

This small selected set cannot establish that the claimed probabilities match actual correctness or show performance for all future cards.

Change one thing in the pictured case

Change: The missing outcome is checked and found incorrect.

Prediction: All-ten agreement is $7/10=70\%$.

Reason: There are now three wrong labels and no unknown outcomes.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A helper confidently labels a blurred dog photo as cat; the clear original shows a dog.

Write the question to explain: What does this show?

Reveal after predictions: Confidence and correctness differ. A confident error remains wrong. Check evidence, particularly unfamiliar or low-quality inputs.

Keep for an independent attempt: A sorter is very confident that a leaf is a coin, but a person checks and sees a leaf. Which determines correctness: confidence or the checked object? Why?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Each score claims an 80 percent chance that the chosen category is correct. Observed results are eight correct and two incorrect out of ten assessed. This small group matches the claim numerically but cannot guarantee future performance or identify the next result. Exit: confident language is not a defined probability, and repeated wording does not establish correctness; seek relevant outcome evidence and documented score evaluation.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start 0 to 7 minutes

Teacher action: Retrieve the need for an observed outcome before judging correctness.

Stage: 7 to 20 minutes

Teacher action: Contrast a feature-match score, a defined probability estimate and confident wording. Explain each diagram row.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2. Require score meanings and outcome evidence in separate statements.

Stage: 33 to 45 minutes

Teacher action: Use ten counters for W3. Compare the recorded claim with the observed fraction without

turning the fraction into a guarantee.

Stage: Session 2 start 0 to 8 minutes

Teacher action: Retrieve why a high-confidence prediction can be wrong.

Stage: 8 to 23 minutes

Teacher action: Complete the guided group report. Discuss the difference between numerical agreement in a small group and evidence about a wider method.

Stage: 23 to 38 minutes

Teacher action: Collect W4 independently. Check that the missing outcome stays visible and the denominator is seven assessed cases.

Stage: 38 to 45 minutes

Teacher action: Discuss W5 and the exit. End with the evidence needed for a meaningful confidence claim.

Reduce help deliberately

Completion task: Use cases A, B and C from the lesson table. State which is correct, incorrect and unassessed. Explain why ordering them by confidence cannot replace checking their outcomes.

Teacher check: A is incorrect, B correct and C unassessed. The score is a prior claim; the observed category determines agreement for an assessable case. A larger claim does not supply a missing outcome or override a conflicting one.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Confidence and correctness. Proposed explanation: "An 80 point score always means an 80 percent probability". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Read the documented quantity before interpreting it.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step

for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Was the unknown label guaranteed correct because its confidence was 80%?

Reasoned teacher answer

No. An 80% score is not certainty. The new evidence records it as incorrect, and the complete agreement rate is 70%.

Changed-case reasoning: All-ten agreement is $7/10=70\%$. There are now three wrong labels and no unknown outcomes.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Compare confident errors with cautious correct answers.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

CLAIM TO REPAIR Very high confidence guarantees a correct label.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

An 80 point score always means an 80 percent probability: Read the documented quantity before interpreting it.

An 80 percent method must succeed exactly eight times in every ten: A probability describes likelihood; small groups can vary.

A high-confidence error disproves all probabilities: Investigate many relevant cases while preserving individual errors.

A missing outcome can be counted as a failure to finish the fraction: Report assessed results and missing counts separately.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner

restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Confidence and correctness differ. A confident error remains wrong. Check evidence, particularly unfamiliar or low-quality inputs.

Independent question

A sorter is very confident that a leaf is a coin, but a person checks and sees a leaf. Which determines correctness: confidence or the checked object? Why?

Expected independent answer

The checked object determines correctness. Confidence describes the model's score or certainty, which can be misplaced. Keep the incorrect case as evidence for testing.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “Very high confidence guarantees a correct label.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Both are 2/4 accurate because their answers are identical. Certainty language changes no outcome. To compare confidence meaningfully, collect many predictions with defined confidence categories or probabilities and compare their observed success rates; these four cases alone are insufficient.

Explanations for the additional workbook examples

W1 Read the score definition

A card sorter gives a match score of 80 out of 100 points. Its documentation says the score counts weighted feature matches and is not a probability. A learner calls this an 80 percent chance of correctness. Explain the error and write an accurate description.

The learner replaced the documented score meaning with a probability interpretation. Report 80 of 100 feature-match points. To claim a chance of correctness, a defined probability method and relevant outcome evaluation would be needed.

W2 Judge cases using outcomes

Use cases A, B and C from the lesson table. State which is correct, incorrect and unassessed. Explain why ordering them by confidence cannot replace checking their outcomes.

A is incorrect, B correct and C unassessed. The score is a prior claim; the observed category determines agreement for an assessable case. A larger claim does not supply a missing outcome or override a conflicting one.

W3 Interpret a small group carefully

Ten predictions each claim an 80 percent probability that their chosen category is correct. Five later prove correct and five incorrect. State the claimed probability and observed fraction separately. Does this prove every future prediction will be wrong, or that each next prediction has exactly a 50 percent chance? Explain.

Claim 80 percent; observed five correct out of ten, or 50 percent in this group. This group falls below the claim but is small. It proves neither all future failures nor a precisely known 50 percent chance for each next case. More relevant independent evidence is needed.

W4 Audit a different probability claim

A fictional leaf sorter claims a 75 percent probability of correctness for each of eight chosen labels. Later evidence establishes six correct labels, one incorrect label and one missing outcome. A report says six out of eight proves perfect calibration and guarantees the next label. Repair the report, state the assessed and unassessed counts, and describe a better follow-up check.

Seven cases are assessed: six correct and one incorrect; one is unassessed. Report six out of seven assessed alongside the missing count, and preserve the original 75 percent claims. Six out of eight treats the missing outcome as known. The small incomplete group proves neither calibration nor the next label. Seek the missing outcome and evaluate the unchanged method on more relevant reserved cases.

W5 Keep repetition separate from evidence

A learner copies the same 90 percent prediction into ten rows and calls this ten independent tests. No new outcomes were obtained. Explain why the evidence has not grown and propose a useful check.

The rows duplicate one prediction, not ten independently assessed cases. No new outcome evidence was obtained. Preserve the original record, establish its outcome where possible, and gather distinct relevant reserved cases with their own predictions and verified outcomes.

Assess independent transfer

Selected case: A fictional leaf sorter claims a 75 percent probability of correctness for each of eight chosen labels. Later evidence establishes six correct labels, one incorrect label and one missing outcome. A report says six out of eight proves perfect calibration and guarantees the next label. Repair the report, state the assessed and unassessed counts, and describe a better follow-up check.

Selected case answer

Seven cases are assessed: six correct and one incorrect; one is unassessed. Report six out of seven assessed alongside the missing count, and preserve the original 75 percent claims. Six out of eight treats the missing outcome as known. The small incomplete group proves neither calibration nor the next label. Seek the missing outcome and evaluate the unchanged method on more relevant reserved cases.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not

previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Helpful Classroom Sorter

Record both the sorter's confidence wording and the human-confirmed outcome; keep them in separate columns.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 19: Similarity. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use counters and separate headings for claim and outcome. Read 80 percent as 80 out of 100 before comparing fractions. Extension: explain why checking only easy cases might make the confidence method appear more dependable than it is.

W4 requires six of seven assessed, one unassessed, the original 75 percent claim, no calibration guarantee and a relevant follow-up. After support retry ten 80 percent claims with seven correct, two incorrect and one missing: seven of nine assessed and one unassessed, with the same limits.

Week 19 investigates how selected features change similarity and the examples a system considers close.

Plan the delayed return

Suggested return points in this level: ai-1/19, ai-1/21, ai-1/24. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Keep sorter scores, reference outcomes and missingness separately; use review policies instead of treating high scores as facts.