

Fair for Whom?

Project: Helpful Classroom Sorter

1. Fair for Whom?

Teach the learning cycle

Primary target: Compute a correct-out-of-assessed fraction and explain its denominator

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Missing and Unbalanced Examples

Without opening the old lesson, explain one key idea from Missing and Unbalanced Examples. Give an example and a mistake that the idea helps you avoid.

Look for: Name the target collection, selection list and cases actually assessed

Reference example, not the only acceptable wording: The target is all 24 specified cards across four conditions. The sample is the 6 bright-circle cards. Dim circles, bright squares and dim squares are absent. A frame containing only bright-circle IDs excludes every other condition, regardless of how randomly IDs are drawn from it.

Recommendations

Without opening the old lesson, explain one key idea from Recommendations. Give an example and a mistake that the idea helps you avoid.

Look for: Apply eligibility requirements before ranking candidates by preferences

Reference example, not the only acceptable wording: J eligible scores 2; K eligible scores 1; L excluded for Spanish; M excluded because unavailable. Recommend J. Preference matches cannot compensate for failing the English requirement.

Prediction Is Not Fact

Without opening the old lesson, explain one key idea from Prediction Is Not Fact. Give an example and a mistake that the idea helps you avoid.

Look for: Separate a recorded prediction from the observation used to check it

Reference example, not the only acceptable wording: Input height 6 cm; prediction far because 6 is at least 6; observed distance 3 units; observed category near because 3 is below 4; mismatch. Height is available to the model before the trial, while travel distance is measured afterward to check its prediction.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

System A succeeds on 6 of 8 quiet tests and 3 of 4 noisy tests. Is its noisy success rate lower? Show fractions and percentages. What can these small tests not establish?

Concept to explain

Fairness requires checking outcomes for different users and situations.

Term · Meaning

Term: fairness

Meaning: reasoned treatment of outcomes across people and situations

Term: subgroup result

Meaning: performance measured for one relevant group

Term: gap

Meaning: difference between group outcomes

Term: error cost

Meaning: harm or burden caused by a mistake

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Keep the metric definition visible: this lesson measures accuracy among assessed classification outcomes and separately reports unassessed selected cases. It does not teach that missing system outputs should always be removed from every real evaluation; an end-to-end task may define output failure as a failure. Here, the scoring scope and unavailable records are explicit. Fractions compare observed proportions, not certainty or individual confidence.

Readiness answer

Seven are assessed. Report the one unassessed case separately and explain why its outcome is unavailable; do not silently count it as correct or incorrect.

The shared A/B card counts from the lesson and two colours of counters for correct and incorrect outcomes

Paper fraction strips partitioned into 4 and 12 equal parts

The independent X/Y sound counts in W4 and a place to record missing outcomes separately

End goal for the pictorial case

By the end, I can compare group fractions and combine unequal-sized groups correctly.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT test cases grouped by relevant user or condition

PROCESS compare outcomes and error types by group

OUTPUT identify gaps and choose a repair or boundary

CORE IDEA Fairness requires checking outcomes for different users and situations.

UNDER THE HOOD Fairness is context-specific and cannot be established by overall accuracy alone. Compare performance, error costs, access, and remedy across relevant groups while avoiding stereotypes and protecting privacy.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE A voice game may work well overall yet miss more commands from quiet speakers than loud speakers.

STEP 1 — OBSERVE test cases grouped by relevant user or condition

STEP 2 — TRACE compare outcomes and error types by group

STEP 3 — CONCLUDE identify gaps and choose a repair or boundary

MODEL REASONING Report each group's success count and error pattern, not only the total. Improve microphone/process testing with consented varied voices and keep a non-voice control so access does not depend on one input mode.

DO NOT OVERCLAIM Fairness work should reduce burdens without turning group labels into stereotypes.

What new evidence could change this answer?

Concrete teaching case

A voice system succeeds on 8/10 quiet and 4/10 noisy recordings.

Compare and propose the next investigation.

Exact explanation to model

The rates differ. Test more varied recordings under controlled conditions and inspect other factors before claiming a cause.

Explain the added worked example

For this week, accuracy means the number of correctly labelled cases divided by the number of assessed cases. Every assessed case has a system label and a checked reference label, so its result can be judged correct or incorrect. State the system version, cases and scoring rule with the fraction. Cases without an assessable outcome are reported separately.

Two fixed shape-recognition versions, A and B, label the same 12 previously unseen picture cards. Eight cards are bright and four are dim; each has a checked circle or square reference label. Both versions return labels for all 12. A is correct on 8 bright and 1 dim card. B is correct on 6 bright and 2 dim cards.

A therefore has 9 correct out of 12 assessed, written $9/12$. Dividing numerator and denominator by 3 gives $3/4$. Three quarters equals 75 out of 100, or 75%. B has $8/12$, equal to $2/3$. For this comparison keep B as an exact fraction; a rounded percentage is unnecessary.

With the same denominator 12, compare the numerators: 9 is greater than 8. A is correct on one more of these cards. This establishes the ordering on this test under this scoring rule; it does not prove that A will always outperform B on future cards.

To compare fractions with different denominators, rewrite them as equivalent fractions with a common denominator. For example, $3/4$ equals $9/12$ and $2/3$ equals $8/12$. Changing the written denominator does not create new test cases: it only helps compare the proportions.

Key terms

Term · Meaning

Term: Numerator

Meaning: The count above the fraction line; here, assessed correct cases

Term: Denominator

Meaning: The count below the fraction line; here, all assessed cases

Term: Equivalent fractions

Meaning: Different written fractions that represent the same proportion

Term: Accuracy

Meaning: The fraction of assessed classification cases labelled correctly under a stated rule

Term: Aggregate

Meaning: A result formed by combining the counts of several groups

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Bright-card accuracy · $8/8 = 1$ · $6/8 = 3/4$

Bright-card accuracy: Dim-card accuracy

$$8/8 = 1: 1/4$$

$$6/8 = 3/4: 2/4 = 1/2$$

Bright-card accuracy: Combined accuracy

$$8/8 = 1: (8 + 1)/(8 + 4) = 9/12$$

$$6/8 = 3/4: (6 + 2)/(8 + 4) = 8/12$$

The bright group has twice as many assessed cards as the dim group. Each individual card counts once in the combined result, so add correct counts and assessed counts. Do not simply average the two group percentages and call it the all-card accuracy: that would give each group equal weight despite their different sizes.

If the intended task especially needs dim-card performance, inspect that result and gather suitable additional evidence before choosing. An overall leader can still be weaker in a relevant condition. This table alone also does not tell us whether particular mistakes have different consequences. The scoring rule must match the purpose.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Fair for Whom?

A fictional badge reader is evaluated on bright and dim cards with known reference labels.

The facts we will use


Version M is correct on 9 of 10 bright cards and 3 of 6 dim cards.

Version N uses the same cards: 8 of 10 bright and 5 of 6 dim correct.

AI ACADEMY / AI-1/23

Group rates compared on the same cards

percent correct



Bar length shows the supplied value; the marked baseline is zero.

Fair for Whom?

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Bright group

M: $9/10=90\%$; N: $8/10=80\%$.



2. Dim group

M: $3/6=50\%$; N: $5/6\approx 83.3\%$.



3. Combined counts

M: $(9+3)/16=75\%$; N: $(8+5)/16=81.25\%$.



4. Discuss trade-off

N improves total and dim results but loses one bright success.

CHANGE ONE THING

Give bright and dim groups equal weight as an explicitly different metric.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Bright group

What happens and why: M: $9/10=90\%$; N: $8/10=80\%$.

Step: 2. Dim group

What happens and why: M: $3/6=50\%$; N: $5/6\approx 83.3\%$.

Step: 3. Combined counts

What happens and why: $M:(9+3)/16=75\%$; $N:(8+5)/16=81.25\%$.

Step: 4. Discuss trade-off

What happens and why: N improves total and dim results but loses one bright success.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Adding correct counts and denominators weights each tested card once. Averaging 90% and 50% would incorrectly give unequal groups equal size in the all-card rate. The group breakdown reveals a trade-off hidden by the total. Decide what matters with the relevant users rather than announcing that one number proves fairness.

What this example does not establish

Six dim cards supply limited evidence; these descriptive rates do not prove a system is fair for all users.

Change one thing in the pictured case

Change: Give bright and dim groups equal weight as an explicitly different metric.

Prediction: M scores 70%; N scores about 81.7%.

Reason: This averages group rates and is not the original 16-card agreement rate.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A voice system succeeds on 8/10 quiet and 4/10 noisy recordings.

Write the question to explain: Compare and propose the next investigation.

Reveal after predictions: The rates differ. Test more varied recordings under controlled conditions and inspect other factors before claiming a cause.

Keep for an independent attempt: A helper succeeds on 4 of 4 clear voices and 1 of 4 quiet voices. Who is less well served? What evidence should a repair preserve?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

C has 9/10 correct among assessed outcomes, with 2 unassessed out of 12 selected. A has 9/12 across all 12. The assessed sets differ, so recover C's lost results or compare all versions on an explicitly documented common assessed subset using case-level records. A's score on that subset cannot be inferred from the totals. Exit: $6/10 = 60\%$ across cases; averaging 100% and 50% gives 75% with equal weight to the two groups, a different summary.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start 0 to 7 minutes

Teacher action: Retrieve selected versus assessed counts from Week 22.

Stage: 7 to 20 minutes

Teacher action: Model 9 correct and 3 incorrect counters. Explain denominator 12 and complete W1.

Stage: 20 to 33 minutes

Teacher action: Use fraction strips to compare $3/4$ and $2/3$ in twelfths. Trace the diagram.

Stage: 33 to 45 minutes

Teacher action: Complete W2 and discuss the overall and dim-condition leaders.

Stage: Session 2 start 0 to 8 minutes

Teacher action: Retrieve why the incorrect cases stay in the assessed denominator.

Stage: 8 to 23 minutes

Teacher action: Complete the guided C comparison and W3. Keep unknown cases separate and avoid inventing A's subset score.

Stage: 23 to 38 minutes

Teacher action: Collect W4 independently. Require totals, percentages, condition comparisons and a bounded claim.

Stage: 38 to 45 minutes

Teacher action: Complete W5 and the exit. Use counters to show why combined case counts differ from an equal-group average.

Reduce help deliberately

Completion task: Compare A and B on the shared 12-card test and on its bright and dim groups. State the leader in each and explain why the overall result does not imply that one version wins in every condition.

Teacher check: Overall A leads 9/12 to B's 8/12. On bright cards A leads 8/8 to 6/8. On dim cards B leads 2/4 to A's 1/4. The overall count combines unequal groups; A's overall lead does not mean a lead in the dim group or a guarantee for future cards.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Fractions and performance comparisons. Proposed explanation: "Only correct cases belong in the denominator". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: All assessed cases, including errors, belong in the assessed-accuracy denominator.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Which group loses performance under N, and can total improvement erase that fact?

Reasoned teacher answer

Bright drops from 90% to 80%. No; retain the subgroup result alongside the improved total.

Changed-case reasoning: M scores 70%; N scores about 81.7%. This averages group rates and is not the original 16-card agreement rate.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Run a voice-game test for quiet and loud speakers.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

CLAIM TO REPAIR A good result for one group means everyone is served well.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Only correct cases belong in the denominator: All assessed cases, including errors, belong in the assessed-accuracy denominator.

Equivalent fractions mean equal test sizes: The proportions match, but 4 assessed cases are not 100 assessed cases; preserve actual counts.

The overall leader wins in every condition: The lesson's dim group and W4's quiet group provide counterexamples.

Average group percentages to get all-case accuracy: Add correct counts and assessed counts when each individual case is weighted equally.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

The rates differ. Test more varied recordings under controlled conditions and inspect other factors before claiming a cause.

Independent question

A helper succeeds on 4 of 4 clear voices and 1 of 4 quiet voices. Who is less well served? What evidence should a repair preserve?

Expected independent answer

Quiet voices are less well served on these examples. Keep separate counts and test quiet voices after a repair. These small counts flag a concern without proving all users will experience it.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “A good result for one group means everyone is served well.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Both are $\frac{3}{4}=75\%$. Three successes is fewer in count, but not a lower rate. These small samples do not prove equal performance in all quiet and noisy conditions. Collect more varied comparable cases before

making a broad claim.

Explanations for the additional workbook examples

W1 Explain both parts of a performance fraction

For version A in the lesson, write correct and assessed counts, simplify the accuracy fraction and express it as a percentage. Explain what its denominator includes and why $9/9$ would be misleading.

A has 9 correct out of 12 assessed: $9/12 = 3/4 = 75\%$. The denominator includes all 12 judged outcomes, including 3 incorrect ones. Using $9/9$ would exclude the errors and falsely report perfect assessed accuracy.

W2 Compare totals and conditions

Compare A and B on the shared 12-card test and on its bright and dim groups. State the leader in each and explain why the overall result does not imply that one version wins in every condition.

Overall A leads $9/12$ to B's $8/12$. On bright cards A leads $8/8$ to $6/8$. On dim cards B leads $2/4$ to A's $1/4$. The overall count combines unequal groups; A's overall lead does not mean a lead in the dim group or a guarantee for future cards.

W3 Do not hide unassessed outcomes

C has 9 correct and 1 incorrect assessed outcome, with 2 other selected cases unassessed. Write its assessed accuracy and missing count. A reviewer reports $9/12$ as assessed accuracy; another reports 90% on all 12. Explain the problem with each label.

C has $9/10 = 90\%$ assessed accuracy and 2 unassessed outcomes. The denominator 12 includes cases not assessed, so $9/12$ is the fraction of selected cases with verified correct outcomes, not assessed accuracy. Reporting 90% on all 12 incorrectly extends the assessed-subset fraction to missing outcomes.

W4 Compare a new shared sound test

Versions X and Y label the same 20 previously unseen clips: 12 quiet and 8 noisy, with no missing outcomes. X is correct on 10 quiet and 2 noisy clips; Y on 9 quiet and 5 noisy clips. Calculate each combined fraction and percentage, identify the overall leader and compare the leaders within each group. Explain why an overall result cannot guarantee the next clip's outcome.

X has $(10 + 2)/(12 + 8) = 12/20 = 3/5 = 60\%$. Y has $(9 + 5)/20 = 14/20 = 7/10 = 70\%$, so Y leads overall. X leads quiet clips $10/12$ to $9/12$, while Y leads noisy clips $5/8$ to $2/8$. These are observed results on this shared test; they do not determine the outcome of the next clip or show that Y is better in every condition.

W5 Combine counts rather than group percentages

A separate test has 2 correct out of 2 assessed in group P and 4 correct out of 8 assessed in group Q. Calculate combined accuracy as a fraction and percentage. A chart reports 75% by averaging the group percentages. Explain why that is not the accuracy over all assessed cases.

There are 6 correct out of 10 assessed: $6/10 = 3/5 = 60\%$. The unweighted mean of 100% and 50% is 75%, but it treats the two differently sized groups equally. All-case accuracy counts each case once, so the larger group contributes 8 of the 10 cases.

Assess independent transfer

Selected case: Versions X and Y label the same 20 previously unseen clips: 12 quiet and 8 noisy, with no missing outcomes. X is correct on 10 quiet and 2 noisy clips; Y on 9 quiet and 5 noisy clips. Calculate each combined fraction and percentage, identify the overall leader and compare the leaders within each group. Explain why an overall result cannot guarantee the next clip's outcome.

Selected case answer

X has $(10 + 2)/(12 + 8) = 12/20 = 3/5 = 60\%$. Y has $(9 + 5)/20 = 14/20 = 7/10 = 70\%$, so Y leads overall. X leads quiet clips 10/12 to 9/12, while Y leads noisy clips 5/8 to 2/8. These are observed results on this shared test; they do not determine the outcome of the next clip or show that Y is better in every condition.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Helpful Classroom Sorter

Test the sorter across relevant item conditions and users; never infer sensitive identity to create a fairness check.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 24: Privacy by Choosing Less. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use counters and equal-sized fraction strips before percentage notation. Accept exact fractions for group comparisons; rounding is not required. Extension: describe what per-case records are needed to compare A fairly on C's ten assessed cases, and why the group totals cannot recover them.

W4 requires $X \frac{12}{20} = 60\%$, $Y \frac{14}{20} = 70\%$, Y overall, X quiet, Y noisy and no next-case guarantee. After support change Y's noisy correct count to 3: Y becomes $\frac{12}{20} = 60\%$, tying X overall while X still leads quiet and Y still leads noisy. Require the changed conclusion with unchanged denominators.

Week 24 asks which information a task actually needs and how to reduce unnecessary collection and exposure of personal data.

Plan the delayed return

Suggested return points in this level: ai-1/24, ai-1/26, ai-1/29. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier

independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Report sorter outcomes by relevant conditions and record whose failures matter when choosing a revision.