

Prompt Evaluation

Project: Verified Study Buddy

1. Prompt Evaluation

Teach the learning cycle

Primary target: Explain the mechanism and terminology of controlled prompt experiments

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Case exposure check: this source example appears in ai-2/28, ai-3/7, ai-3/9. Reuse a familiar case for

recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Structured Output and Schemas

Without opening the old lesson, explain one key idea from Structured Output and Schemas. Give an example and a mistake that the idea helps you avoid.

Look for: Separate JSON parsing, schema validation and source support checks

Reference example, not the only acceptable wording: Teacher explanation: Parsing establishes grammatical JSON; schema checks enforce fields/types/conditional rules; semantic checks match the claims to sources and domain meaning. None alone establishes all three.

Examples and Rubrics

Without opening the old lesson, explain one key idea from Examples and Rubrics. Give an example and a mistake that the idea helps you avoid.

Look for: Write a prompt specification with observable response criteria

Reference example, not the only acceptable wording: Teacher explanation: Fields status,room,capacity,source_ids. Status supported or needs_review. supported requires matching current approval and current capacity for the same room; no unresolved conflict.

Tokens and Context

Without opening the old lesson, explain one key idea from Tokens and Context. Give an example and a mistake that the idea helps you avoid.

Look for: Account for fixed text, evidence and reserved output under a toy budget

Reference example, not the only acceptable wording: Teacher explanation: $100-20-10-20 = 50$ supplied token units.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

On four shared tasks, A scores 1,1,0,1 and B scores 1,0,1,1. Their totals tie. What should you inspect before choosing? Define a final evaluation step.

Concept to explain

Prompt claims require a fixed test set and repeatable scoring.

Term · Meaning

Term: A/B test

Meaning: A comparison of two versions using a planned assignment of comparable cases and the same outcome measure.

Term: test set

Meaning: Data reserved for evaluating a selected system; final test data must not influence its development.

Term: score

Meaning: A numerical value assigned using a specified rule; it is not automatically a probability.

Term: variance

Meaning: A measure of spread around a mean; informally, variation across repeated results. Specify which meaning is intended.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Two 45-minute sessions. A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Readiness answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

End goal for the pictorial case

By the end, I can evaluate prompts with paired cases and a predeclared mandatory criterion.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Prompt A scores 20/30 across six cases.
2. Prompt B scores 25/30 on the same cases and rubric.
3. B improves evidence but loses one clarity point on long passages.
4. Repeat runs and inspect per-case failures before choosing.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

On five fixed questions, A passes four and B passes three; B looks more attractive.

What conclusion is supported?

Exact explanation to model

A has 4/5 versus B's 3/5 on this set. Appearance is separate. Broaden cases and repeat stochastic trials before generalising.

Explain the added worked example

A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible

explanation as a measured outcome.

Evaluate both prompts on paired cases with fixed model/version, source records, output contract and scoring rubric. Use development results for selection, then reserve new final cases. Score each case rather than counting attractive sentences.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Key terms

Term · Meaning

Term: Paired case

Meaning: The same case evaluated under each compared procedure

Term: Rubric

Meaning: Prespecified criteria for judging an output

Term: Regression

Meaning: A previously passing condition that fails after a change

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results.

P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Prompt Evaluation

A fictional Study Buddy compares two prompts across six development questions.

The facts we will use

A passes cases 1,2,3,4. B passes 1,2,5,6. Cases 5 and 6 require refusing unsupported claims.

Mandatory selection gate: pass both refusal cases. All cases use fixed sources and one common rubric.

AI ACADEMY / AI-3/9

Same total, different mandatory-case results

	Total passes /6	Refusal passes /2
Prompt A	4	0
Prompt B	4	2

Read a cell using both its row and column labels.

Prompt Evaluation

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Paired total

A and B both pass 4/6.



2. Different failures

A alone passes 3,4; B alone passes 5,6.



3. Mandatory slice

A passes 0/2 refusal cases; B passes 2/2.



4. Selection

B clears the declared gate, but its failures 3,4 remain visible.

CHANGE ONE THING

Remove the gate and retain total passes as the only criterion.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Paired total

What happens and why: A and B both pass 4/6.

Step: 2. Different failures

What happens and why: A alone passes 3,4; B alone passes 5,6.

Step: 3. Mandatory slice

What happens and why: A passes 0/2 refusal cases; B passes 2/2.

Step: 4. Selection

What happens and why: B clears the declared gate, but its failures 3,4 remain visible.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Equal totals do not imply equal behavior. The predeclared gate expresses an important requirement instead of choosing a criterion after seeing the result. Selecting B is justified under that rule, not by claiming it is best on every question. After development, freeze the chosen prompt and test new questions, including both ordinary and unsupported cases.

What this example does not establish

Six invented development outcomes do not measure real model performance or prove a gain in student understanding.

Change one thing in the pictured case

Change: Remove the gate and retain total passes as the only criterion.

Prediction: The record is a tie; another predeclared tie policy or further development evidence is needed.

Reason: Both prompts have four passes on six questions.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: On five fixed questions, A passes four and B passes three; B looks more attractive.

Write the question to explain: What conclusion is supported?

Reveal after predictions: A has 4/5 versus B's 3/5 on this set. Appearance is separate. Broaden cases and

repeat stochastic trials before generalising.

Keep for an independent attempt: Prompt A passes 8 of 10 tasks; B passes 9 of 10 but fails the only source-checking task. A source check is mandatory. Which can be accepted as-is?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged. Qualification: Prompt selection on development cases cannot be reported as independent final performance. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Completion task: On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Controlled prompt experiments. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Prompt selection on development cases cannot be reported as independent final performance.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step

for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Why is B's selection defensible here without calling it universally superior?

Reasoned teacher answer

It alone passes both mandatory refusal cases. A is better on cases 3 and 4, which must still be reported.

Changed-case reasoning: The record is a tie; another predeclared tie policy or further development evidence is needed. Both prompts have four passes on six questions.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Freeze six cases, run A and B with one changed variable, score blind with the same rubric, and explain wins and regressions.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

The worked result establishes every future case: Prompt selection on development cases cannot be reported as independent final performance.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed

incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

A has 4/5 versus B's 3/5 on this set. Appearance is separate. Broaden cases and repeat stochastic trials before generalising.

Independent question

Prompt A passes 8 of 10 tasks; B passes 9 of 10 but fails the only source-checking task. A source check is mandatory. Which can be accepted as-is?

Expected independent answer

B fails a required gate despite its higher total. Inspect A's failures against all mandatory criteria; a total alone cannot establish acceptance.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “A higher overall score cancels a mandatory safety or evidence failure.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Both score 3/4, but fail different cases. Inspect mandatory requirements, failure consequences and repeated-run variation. Choose using predefined criteria, then evaluate on fresh cases that did not influence selection; do not select only favourable examples.

Explanations for the additional workbook examples

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings. Evaluate both prompts on paired cases with fixed model/version, source records, output contract and scoring rubric. Use development results for selection, then reserve new final cases. Score each case rather than counting attractive sentences.

W2 Trace the worked case

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

W3 Audit the limit

A report omits this qualification: Prompt selection on development cases cannot be reported as independent final performance. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Prompt selection on development cases cannot be reported as independent final performance. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

On eight paired cases A passes 1–5; B passes 1–4, 6, 7. Special cases are 5 and 8. Compare overall and special-case results; select by total passes.

Teacher explanation: $A=5/8$, $B=6/8$, so select B on development. Special-case passes $A=1/2$, $B=0/2$; the aggregate selection hides a regression requiring review.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. Prompt selection on development cases cannot be reported as independent final

performance. The new case should test this particular mechanism rather than merely restate the original result.

Assess independent transfer

Selected case: Five validation tasks have pass results A:1,1,1,0,0 and B:0,1,0,1,1. Compare performance and explain what is required before choosing a prompt.

Selected case answer

Both pass $3/5=60\%$. A alone passes tasks 1 and 3; B alone passes 4 and 5; both pass 2. Examine task coverage and failure consequences using a declared rubric. Neither is automatically better. Freeze the choice before testing on fresh cases.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Verified Study Buddy

Evaluate Study Buddy prompts on factual, ambiguous, missing-source, and adversarial questions.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

Support and stretch

Provide one short approved passage; separate instruction, input, output and evidence. Stretch: introduce an unsupported claim or conflicting source and validate claim by claim with a fallback.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 10: Image Generation Models. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: $A=5/8$, $B=6/8$, so select B on development. Special-case passes $A=1/2$, $B=0/2$; the aggregate selection hides a regression requiring review. Require intermediate reasoning and the stated scope. Fresh retry: A passes 1–4 of six; B passes 1, 2, 5. Special cases 4 and 6. Compare. Expected reasoning: $A=4/6$, $B=3/6$; special $A=1/2$, $B=0/2$. Preserve both outcomes; no final result supplied. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Next connection: Generation failures and verification. Preserve the current case record and retrieve its evidence boundary before moving on.

Plan the delayed return

Suggested return points in this level: ai-3/10, ai-3/12, ai-3/15. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Use Study Buddy case matrices with explicit priorities, source support gates and fresh final questions.