

Safety Boundaries

Project: Verified Study Buddy

1. Safety Boundaries

Teach the learning cycle

Primary target: Explain the mechanism and terminology of untrusted input boundaries

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Case exposure check: this source example appears in ai-3/31, ai-6/18. Reuse a familiar case for recall or

modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Bias and Representation

Without opening the old lesson, explain one key idea from Bias and Representation. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of representation and bias evaluation

Reference example, not the only acceptable wording: Teacher explanation: Bias evaluation tests defined outcomes across relevant conditions. Group averages can expose differences but cannot alone establish their cause or the correct remedy. Define the task, relevant groups, labels and denominators before comparing. Use fictional, non-identifying records. Evaluate quality and fallback outcomes separately; preserve sample sizes and unresolved explanations.

Privacy by Design

Without opening the old lesson, explain one key idea from Privacy by Design. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of data retention and deletion

Reference example, not the only acceptable wording: Teacher explanation: Retention and deletion cover all declared stores, including caches and logs. Removing a visible row may leave copies elsewhere. Toy policy retains session content for 7 days and deletes it when age is at least 7. Audit metadata may remain for 30 days without content. Track primary storage, cache and backup policy separately.

Quality Rubrics

Without opening the old lesson, explain one key idea from Quality Rubrics. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of system evaluation sets

Reference example, not the only acceptable wording: Teacher explanation: A system evaluation set contains cases with expected behaviour and scoring rules. It should cover retrieval, support, fallback and permissions rather than only easy answerable questions. Record case ID, evidence version, expected claims or fallback, permitted actions and scoring rubric. Separate development from final cases. Aggregate metrics only after checking required conditions individually.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A plant-study assistant is asked for a person's medication dose. Give an appropriate boundary response and explain why a confident generated answer is unsuitable.

Concept to explain

Systems need refusal, warning, escalation, and human-review policies.

Term · Meaning

Term: boundary

Meaning: A dividing condition between categories, actions or allowed behaviours.

Term: refusal

Meaning: A decision not to perform a request because it is outside the system's permitted scope.

Term: escalation

Meaning: Passing a problem or decision to a person or process with appropriate authority or expertise.

Term: safe completion

Meaning: A response that helps with the permitted part of a task while respecting its boundaries.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Two 45-minute sessions. Untrusted input must be treated according to a contract before reaching code, queries or tools. Data that resembles instructions does not acquire execution authority. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Readiness answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

Apply the connected idea: Abstention and clarification

Two 45-minute sessions. Abstention and clarification are valid responses when necessary evidence is missing. Ask for the smallest fact that can resolve the decision. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Readiness answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

End goal for the pictorial case

By the end, I can explain safety boundaries using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Low risk: answer a source-grounded study question.
2. Uncertain risk: warn, ask for context, or request adult help.
3. Disallowed/high consequence: refuse action and offer a safe learning alternative.
4. Log category and preserve human authority for consequential decisions.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

A Study Buddy is asked to decide whether a learner should take medicine.

Set a product boundary.

Exact explanation to model

A classroom study tool should not decide individual treatment. Redirect to a trusted adult or qualified clinician and stay within approved educational content.

Explain the added worked example

Untrusted input must be treated according to a contract before reaching code, queries or tools. Data that resembles instructions does not acquire execution authority.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Key terms

Term · Meaning

Term: Untrusted input

Meaning: Data whose claims or control intent have not been authorised

Term: Full match

Meaning: Validation covering the whole input

Term: Injection boundary

Meaning: A separation preventing data from becoming executable control

Apply the connected idea: Abstention and clarification

Abstention and clarification are valid responses when necessary evidence is missing. Ask for the smallest fact that can resolve the decision.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Separate answerable claims from unresolved ones. Clarify ambiguous input when a user can supply the needed fact; abstain from unsupported conclusions when evidence is unavailable. Define acceptable fallback before evaluation.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Guided: Do not pick the larger or smaller value as established fact. Report the conflict and request the current authoritative register version. Qualification: An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Inputs A1 and delete_all() are supplied to room lookup.

A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Optional local lab: predict the printed result before running this standalone Python 3 example. Change one relevant boundary input, record the outcome and state the contract or statistical assumptions. The program uses fictional values and the Python standard library; it performs no external operations.

```
import re

def validate_identifier(value):

    return type(value) is str and re.fullmatch('[A-Z][0-9]', value) is not
```

None

```
print(validate_identifier("B2"))
```

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Safety Boundaries

Make a strict lookup identifier boundary visible.

The facts we will use

Toy lookup accepts exactly two uppercase ASCII letters followed by one digit. Accepted example: AB7. No trimming or extra characters are allowed.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Safety Boundaries

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Check pattern

AB7 has two permitted letters and one digit, with no extra characters.



2. Reject extra text

AB7; send() violates the exact identifier pattern.



3. Separate authority

Pattern acceptance only allows the next lookup check; it grants no access to restricted records.

CHANGE ONE THING

Change AB7 to Ab7.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Check pattern

What happens and why: AB7 has two permitted letters and one digit, with no extra characters.

Step: 2. Reject extra text

What happens and why: AB7; send() violates the exact identifier pattern.

Step: 3. Separate authority

What happens and why: Pattern acceptance only allows the next lookup check; it grants no access to restricted records.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Pattern acceptance only allows the next lookup check; it grants no access to restricted records. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Strict formatting is one boundary; it does not solve every injection or authorisation problem.

Change one thing in the pictured case

Change: Change AB7 to Ab7.

Prediction: Reject it under the exact uppercase rule.

Reason: Lowercase b fails the declared pattern even though the identifier looks similar.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A Study Buddy is asked to decide whether a learner should take medicine.

Write the question to explain: Set a product boundary.

Reveal after predictions: A classroom study tool should not decide individual treatment. Redirect to a trusted adult or qualified clinician and stay within approved educational content.

Keep for an independent attempt: A study tool is asked to make a high-stakes personal decision outside its learning purpose. What boundary should the response show?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: A1 passes the format; `delete_all()` fails. Neither is executed as code, including any instruction-shaped string. Qualification: A format check does not grant resource access; authorisation follows separately. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Teach the connected idea

Stage · Teacher action

Stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Completion task: Inputs A1 and `delete_all()` are supplied to room lookup. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: A1 passes the format; `delete_all()` fails. Neither is executed as code, including any instruction-shaped string.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Untrusted input boundaries. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: A format check does not grant resource access; authorisation follows separately.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Connected teaching cycle: Abstention and clarification

Target: Explain the mechanism and terminology of abstention and clarification

Reserve further sessions for this topic; the 135-minute primary plan does not absorb all added content.

Completion practice: Approval names room B, but two registers give capacities 8 and 12 with no

precedence rule. The question asks maximum attendance. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: Do not pick the larger or smaller value as established fact. Report the conflict and request the current authoritative register version.

Individual check: For Abstention and clarification, use its worked case to evaluate this proposed explanation: “The worked result establishes every future case”. Explain the deciding step.

Expected correction: An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately.

Apply the same support, independent transfer and delayed-review decisions to the named connected-topic workbook tasks.

Pictorial practice question

If AB7 passes the pattern, may it access teacher-only material? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

Not from pattern validity alone. The server must separately enforce the authenticated user’s access rights. Changed-case check: Reject it under the exact uppercase rule. Lowercase b fails the declared pattern even though the identifier looks similar.

Changed-case reasoning: Reject it under the exact uppercase rule. Lowercase b fails the declared pattern even though the identifier looks similar.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Classify classroom scenarios, write allow/warn/refuse/escalate behavior, and test both over-refusal and unsafe compliance.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

The worked result establishes every future case: A format check does not grant resource access; authorisation follows separately.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Check these misconceptions

The worked result establishes every future case: An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

A classroom study tool should not decide individual treatment. Redirect to a trusted adult or qualified clinician and stay within approved educational content.

Independent question

A study tool is asked to make a high-stakes personal decision outside its learning purpose. What boundary should the response show?

Expected independent answer

Explain the limitation, avoid making the decision, and direct the learner to an appropriate trusted human while offering relevant general educational help.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “A helpful assistant should make every decision the user requests.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

It should not provide an individual dose; direct the user to a trusted adult and qualified healthcare professional and return to approved study content. The tool lacks the authority and context for personal treatment decisions; confidence does not establish suitability.

Explanations for the additional workbook examples

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Untrusted input must be treated according to a contract before reaching code, queries or tools. Data that resembles instructions does not acquire execution authority. For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.

W2 Trace the worked case

Inputs A1 and delete_all() are supplied to room lookup. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

W3 Audit the limit

A report omits this qualification: A format check does not grant resource access; authorisation follows separately. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: A format check does not grant resource access; authorisation follows separately. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

Classify B2, b2, B22 and B2; DROP under the exact format.

Teacher explanation: B2 valid; lowercase, extra digit and injected command text invalid. Validation and safe lookup both apply.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. A format check does not grant resource access; authorisation follows separately. The new case should test this particular mechanism rather than merely restate the original result.

Abstention and clarification — W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Abstention and clarification are valid responses when necessary evidence is missing. Ask for the smallest fact that can resolve the decision. Separate answerable claims from unresolved ones. Clarify ambiguous input when a user can supply the needed fact; abstain from unsupported conclusions when evidence is unavailable. Define acceptable fallback before evaluation.

Abstention and clarification — W2 Trace the worked case

Approval names room B, but two registers give capacities 8 and 12 with no precedence rule. The question asks maximum attendance. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: Do not pick the larger or smaller value as established fact. Report the conflict and request the current authoritative register version.

Abstention and clarification — W3 Audit the limit

A report omits this qualification: An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than

inventing a missing fact.

Abstention and clarification — W4 Apply a new case independently

The request says use the hall, but approved rooms include H1 and H2 with different capacities. No hall ID is given. What question should be asked?

Teacher explanation: Ask which hall ID the request refers to, then match its approval and capacity. Do not guess from the available capacities.

Abstention and clarification — W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. An abstention avoids an unsupported answer but does not automatically make a system useful; evaluate appropriate answers and appropriate fallbacks separately. The new case should test this particular mechanism rather than merely restate the original result.

Assess independent transfer

Selected case: Classify B2, b2, B22 and B2; DROP under the exact format.

Selected case answer

Teacher explanation: B2 valid; lowercase, extra digit and injected command text invalid. Validation and safe lookup both apply.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Verified Study Buddy

Implement risk levels, refusal language, safe alternatives, and teacher-review gates.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Provide one short approved passage; separate instruction, input, output and evidence. Stretch: introduce an unsupported claim or conflicting source and validate claim by claim with a fallback.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 32: Human + AI Workflow. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: B2 valid; lowercase, extra digit and injected command text invalid. Validation and safe lookup both apply. Require intermediate reasoning and the stated scope. Fresh retry: Inputs Z9 and Z9 followed by a newline. Expected reasoning: Z9 valid; extra newline fails exact full-match policy. Do not silently trim

unless specified. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Next connection: Sandboxing and resource limits. Preserve the current case record and retrieve its evidence boundary before moving on.

Readiness and reassessment for Abstention and clarification

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: Ask which hall ID the request refers to, then match its approval and capacity. Do not guess from the available capacities. Require intermediate reasoning and the stated scope. Fresh retry: Two approved labs L1, L2 and user says the lab. Capacity differs. Expected reasoning: Ask for lab ID. A targeted clarification resolves ambiguity; a generic demand for all records is unnecessary. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Plan the delayed return

Suggested return points in this level: ai-3/32, ai-3/34. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Verified Study Buddy, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.