

# Release and rollback

Project: Grounded Learning Service

## 1. Prepare the purpose, prerequisites and materials

### Teach the learning cycle

Primary target: Explain the mechanism and terminology of release and rollback

#### Session · Sequence and minutes · Resources

**Session:** Session 1 · Understand · 45 min

**Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

## Retrieval answer guidance

### Deployment environments

Without opening the old lesson, explain one key idea from Deployment environments. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of deployment environments

Reference example, not the only acceptable wording: Teacher explanation: Development, staging and production are distinct environments with explicit data and credential boundaries. Test configuration must not silently target production. For the classroom mock ENV selects a separate fixture store and secret namespace. Validate allowed environment names. A staging run cannot use production write credentials.

### Caching and stale information

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of caching and stale information

Reference example, not the only acceptable wording: Teacher explanation: Caching reuses results but needs freshness and access-aware keys. A cached answer must not cross role or corpus-version boundaries. Cache key includes query, role, corpus version and procedure version. Entry valid only while  $\text{age} < \text{TTL}$ . At exact TTL it expires. Teacher and student results never share a role-agnostic key.

### Untrusted input boundaries

Without opening the old lesson, explain one key idea from Untrusted input boundaries. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of untrusted input boundaries

Reference example, not the only acceptable wording: Teacher explanation: Untrusted input must be treated according to a contract before reaching code, queries or tools. Data that resembles instructions does not acquire execution authority. For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.

Two 45-minute sessions. Release records bind code, configuration, data schema and evaluation evidence. Rollback requires compatibility with the current stored data. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

### Outcomes

Explain the mechanism and terminology of release and rollback

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

## Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

## Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

## End goal for the pictorial case

Explain release and rollback using the deciding step in this fictional service.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

## 2. Explain and model the mechanism

Release records bind code, configuration, data schema and evaluation evidence. Rollback requires compatibility with the current stored data.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Version v2 writes schema2. Version v1 reads only schema1. A rollback to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

### Term · Meaning

**Term:** Release manifest

**Meaning:** Versions and artifacts included in a release

---

**Term:** Compatibility

**Meaning:** Whether components can correctly use one another's contracts

---

**Term:** Rollback

**Meaning:** Returning to an earlier compatible operating version

---

## Release and rollback — evidence trace

### Input and scope · Check or calculation · Conclusion and limit

**Input and scope:** After deployment v2 creates schema2 records; operator proposes rollback code alone to v1.

**Check or calculation:** Version v2 writes schema2. Version v1 reads only schema1. A rollback to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.

**Conclusion and limit:** Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence.

---

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence. Qualification: A rollback plan needs testing; an available old binary is not sufficient recovery evidence. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

## Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

After deployment v2 creates schema2 records; operator proposes rollback code alone to v1.

Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

### Thinking move · Teacher prompt

**Thinking move:** Plan

**Teacher prompt:** What is given? What is the question? Which procedure fits these facts?

---

**Thinking move:** Do

**Teacher prompt:** Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

---

**Thinking move:** Check

**Teacher prompt:** Does the output answer the question? Which assumption or limitation prevents a larger claim?

---

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

### **A pictorial worked case: Release and rollback**

A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory.

### **The facts we will use**

A passes 8/10 correctness cases. B passes 9/10 but fails one mandatory privacy check.

## Release and rollback

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. Compute quality

Correctness rises from 80% to 90% on these cases.



#### 2. Apply privacy gate

The mandatory failure blocks B's release.



#### 3. Keep recovery ready

Retain the reviewed A version and documented rollback procedure.

### CHANGE ONE THING

Repair B and pass privacy on a fresh reserved case.

Explain the changed result using the matching lesson.

### Read the picture one step at a time

#### Step · What happens and why

**Step:** 1. Compute quality

**What happens and why:** Correctness rises from 80% to 90% on these cases.

---

**Step:** 2. Apply privacy gate

**What happens and why:** The mandatory failure blocks B's release.

---

### Step: 3. Keep recovery ready

**What happens and why:** Retain the reviewed A version and documented rollback procedure.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

### Why this result follows

Release criteria combine benefits and mandatory conditions. Rollback requires known versions and compatible data, not an informal promise.

### What this example does not establish

Rolling back code may not reverse earlier external effects or incompatible data changes.

### Change one thing in the pictured case

Change: Repair B and pass privacy on a fresh reserved case.

Prediction: B may enter the remaining gates; one repair does not approve everything.

Reason: All required release conditions still apply.

### Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

## 3. Demonstrate and guide practice

#### Time or stage · Teacher action

**Time or stage:** Session 1: 0–7 minutes

**Teacher action:** Retrieve the prerequisite; identify the input, procedure and evidence source.

---

**Time or stage:** 7–18 minutes

**Teacher action:** Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

---

**Time or stage:** 18–32 minutes

**Teacher action:** Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

---

**Time or stage:** 32–45 minutes

**Teacher action:** Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

---

**Time or stage:** Session 2: 0–8 minutes

**Teacher action:** Retrieve the worked reasoning and collect the guided response before discussing it.

---

**Time or stage:** 8–20 minutes

**Teacher action:** Compare a proposed boundary variant with the original case; identify what remains fixed.

---

**Time or stage:** 20–35 minutes

**Teacher action:** Collect W4 independently. Require the procedure trace and the bounded conclusion.

---

**Time or stage:** 35–45 minutes

**Teacher action:** Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

---

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

## Reduce help deliberately

Completion task: After deployment v2 creates schema2 records; operator proposes rollback code alone to v1. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

## Individual reasoning check

Use the worked case for Release and rollback. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: A rollback plan needs testing; an available old binary is not sufficient recovery evidence.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

### **Pictorial practice question**

Compute A’s and B’s correctness percentages. Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?

### **Reasoned teacher answer**

Correctness rises from 80% to 90% on these cases. The mandatory failure blocks B’s release. Retain the reviewed A version and documented rollback procedure. Changed case: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Changed-case reasoning: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

## **4. Run the investigation and diagnose misconceptions**

The worked result establishes every future case: A rollback plan needs testing; an available old binary is not sufficient recovery evidence.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

### **Match the support to the first error**

#### **What the response shows · Next teaching action**

**What the response shows:** Missing or misread facts

**Next teaching action:** Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

---

**What the response shows:** Wrong procedure

**Next teaching action:** Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

---

**What the response shows:** Arithmetic or implementation error

**Next teaching action:** Trace intermediate values or lines; preserve the first mismatch and retry that step.

---

**What the response shows:** Correct result without a reason

**Next teaching action:** Ask for a trace and a changed case before marking independent understanding.

---

**What the response shows:** An unsupported wider claim

**Next teaching action:** Ask which supplied evidence supports the claim and which further observation would be needed.

---

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

## 5. Assess and explain the answers

### Guided and exit questions

Guided: Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence. Qualification: A rollback plan needs testing; an available old binary is not sufficient recovery evidence. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

### W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Release records bind code, configuration, data schema and evaluation evidence. Rollback requires compatibility with the current stored data. Version v2 writes schema2. Version v1 reads

only schema1. A rollback to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.

## **W2 Trace the worked case**

After deployment v2 creates schema2 records; operator proposes rollback code alone to v1. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: Code-only rollback is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure evidence.

## **W3 Audit the limit**

A report omits this qualification: A rollback plan needs testing; an available old binary is not sufficient recovery evidence. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: A rollback plan needs testing; an available old binary is not sufficient recovery evidence. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

## **W4 Apply a new case independently**

New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

Teacher explanation: No. Rollback must restore a compatible combination or use a tested adapter. Record all version dependencies.

## **W5 Design a revealing follow-up**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. A rollback plan needs testing; an available old binary is not sufficient recovery evidence. The new case should test this particular mechanism rather than merely restate the original result.

## **Independent assessment and fresh retry**

W4: No. Rollback must restore a compatible combination or use a tested adapter. Record all version dependencies. Require intermediate reasoning and the stated scope. Fresh retry: v3 config uses renamed key; v2 binary cannot read it. Expected reasoning: Binary rollback needs compatible config and validation. Version labels alone do not establish compatibility. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

## Assess independent transfer

Selected case: New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

### Selected case answer

Teacher explanation: No. Rollback must restore a compatible combination or use a tested adapter. Record all version dependencies.

#### Dimension · Evidence required

**Dimension:** Explanation

**Evidence required:** Names the applicable idea or procedure and ties it to the supplied facts.

---

**Dimension:** Trace and result

**Evidence required:** Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

---

**Dimension:** Limits

**Evidence required:** States the assumptions, missing evidence or conditions under which the result would change.

---

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

### Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

## 6. Connect the project, support and next lesson

Add a labelled release and rollback evidence sheet to Grounded Learning Service. Show how you can explain the mechanism and terminology of release and rollback. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Monitoring quality drift. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

## Plan the delayed return

Suggested return points in this level: ai-6/25, ai-6/27, ai-6/30. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

### Record · Teacher evidence

**Record:** Learner code and date

**Teacher evidence:** \_\_\_\_\_  
\_\_\_\_\_

**Record:** Concept and case used; prior exposure

**Teacher evidence:** \_\_\_\_\_  
\_\_\_\_\_

**Record:** Explanation / trace / limits

**Teacher evidence:** \_\_\_\_\_  
\_\_\_\_\_

**Record:** Support and first repair

**Teacher evidence:** \_\_\_\_\_  
\_\_\_\_\_

**Record:** Changed case and delayed outcome

**Teacher evidence:** \_\_\_\_\_  
\_\_\_\_\_

**Record:** Next teaching action

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

### **Project evidence from this case**

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.