

Engineering demonstration and defense

Project: Grounded Learning Service

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Explain the mechanism and terminology of engineering demonstration and defense

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Capstone release review

Without opening the old lesson, explain one key idea from Capstone release review. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of capstone release review

Reference example, not the only acceptable wording: Teacher explanation: Release review combines correctness, access, failure recovery and operational readiness. Critical gates can block release independently of an average score. Toy release requires all access tests, no unauthorised effects, at least 90% ordinary-case pass and a compatible rollback rehearsal. Record each gate separately with versioned evidence.

Capstone service implementation

Without opening the old lesson, explain one key idea from Capstone service implementation. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of capstone service implementation

Reference example, not the only acceptable wording: Teacher explanation: The engineering capstone implements a bounded read-only room service with testable interfaces. Start with a deterministic baseline before optional model wording. Validate request, establish session role, filter sources, lookup matching current records, return supported or review, validate output and log minimised metadata. Keep side-effect tools absent.

Security and privacy review

Without opening the old lesson, explain one key idea from Security and privacy review. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of security and privacy review

Reference example, not the only acceptable wording: Teacher explanation: Security and privacy review checks assets, actors, data flows and permissions against explicit threats. A clean happy path does not test misuse. For the classroom service identify restricted guides, session secrets and student content. Test denied roles, unexpected fields, source injection and minimised logging without real credentials.

Two 45-minute sessions. An engineering defense demonstrates correct operation and bounded failure with an inspectable implementation, tests and runbook. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Outcomes

Explain the mechanism and terminology of engineering demonstration and defense

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

End goal for the pictorial case

Explain engineering demonstration and defense using the deciding step in this fictional service.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

An engineering defense demonstrates correct operation and bounded failure with an inspectable implementation, tests and runbook.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Present requirements, architecture, contracts, permissions, evaluation, resource measurements and recovery. Show one supported case, one legitimate review and one denied operation. State what was mocked and what remains untested.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Term · Meaning

Term: Demonstration scope

Meaning: The conditions actually exercised

Term: Mock boundary

Meaning: The part replaced by controlled simulated behaviour

Term: Operational evidence

Meaning: Records of actual service behaviour and recovery

Engineering demonstration and defense — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: Demo succeeds on three cases using mocked storage. Presenter claims real network reliability and production security.

Check or calculation: Present requirements, architecture, contracts, permissions, evaluation, resource measurements and recovery. Show one supported case, one legitimate review and one denied operation. State what was mocked and what remains untested.

Conclusion and limit: The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary. Qualification: A defense earns credibility through traceable scope and honest failures, not universal guarantees. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Demo succeeds on three cases using mocked storage. Presenter claims real network reliability and production security.

The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Engineering demonstration and defense

Defend one complete service trace. At the demonstration, a challenger asks how a room answer was produced and what the bot cannot do.

The facts we will use

Approved card V7 says club V uses room E. All trusted tools are read-only.

Engineering demonstration and defense

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Show source path

Connect the question to retrieved card V7.



2. Support the claim

Room E follows from V7, not merely fluent wording.



3. Show authority

The service cannot edit rooms or send messages.



4. Name missing evidence

With no approved card, decline to invent a room.

CHANGE ONE THING

The challenger asks the bot to email everyone about room E.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Show source path

What happens and why: Connect the question to retrieved card V7.

Step: 2. Support the claim

What happens and why: Room E follows from V7, not merely fluent wording.

Step: 3. Show authority

What happens and why: The service cannot edit rooms or send messages.

Step: 4. Name missing evidence

What happens and why: With no approved card, decline to invent a room.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A defence links behaviour to evidence and limitations. Demonstrate both a valid answer path and a meaningful refused request.

What this example does not establish

A polished demonstration is not a broad reliability estimate; disclose tested cases, failures and assumptions.

Change one thing in the pictured case

Change: The challenger asks the bot to email everyone about room E.

Prediction: Refuse that operation while retaining the supported room answer.

Reason: Knowing a fact does not grant authority for an external action.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Time or stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Time or stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Time or stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Time or stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Time or stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Time or stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Time or stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Reduce help deliberately

Completion task: Demo succeeds on three cases using mocked storage. Presenter claims real network reliability and production security. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Engineering demonstration and defense. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: A defense earns credibility through traceable scope and honest failures, not universal guarantees.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Locate V7, room E and read-only scope in the demonstration. Which evidence supports the answer, and why must a request to email everyone still be refused?

Reasoned teacher answer

Connect the question to retrieved card V7. Room E follows from V7, not merely fluent wording. The service cannot edit rooms or send messages. With no approved card, decline to invent a room. Changed case: Refuse that operation while retaining the supported room answer. Knowing a fact does not grant authority for an external action.

Changed-case reasoning: Refuse that operation while retaining the supported room answer. Knowing a fact does not grant authority for an external action.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

The worked result establishes every future case: A defense earns credibility through traceable scope and honest failures, not universal guarantees.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected

response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided: The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary. Qualification: A defense earns credibility through traceable scope and honest failures, not universal guarantees. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: An engineering defense demonstrates correct operation and bounded failure with an inspectable implementation, tests and runbook. Present requirements, architecture, contracts, permissions, evaluation, resource measurements and recovery. Show one supported case, one legitimate review and one denied operation. State what was mocked and what remains untested.

W2 Trace the worked case

Demo succeeds on three cases using mocked storage. Presenter claims real network reliability and production security. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: The demo supports the three fixture behaviours only. Real availability, resource limits and broader security remain untested; preserve the mock boundary.

W3 Audit the limit

A report omits this qualification: A defense earns credibility through traceable scope and honest failures, not universal guarantees. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: A defense earns credibility through traceable scope and honest failures, not universal guarantees. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

Defense records 8/10 case passes, no unauthorised calls in those traces and successful local rollback. What can be claimed?

Teacher explanation: 80% over those cases, zero unauthorised calls observed there, and successful specified local recovery. It does not prove zero future violations or production availability.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. A defense earns credibility through traceable scope and honest failures, not universal guarantees. The new case should test this particular mechanism rather than merely restate the original result.

Independent assessment and fresh retry

W4: 80% over those cases, zero unauthorised calls observed there, and successful specified local recovery. It does not prove zero future violations or production availability. Require intermediate reasoning and the stated scope. Fresh retry: Twelve fixtures all pass but no live provider was exercised. Expected reasoning: Claim fixture-contract success 12/12, not live-provider reliability. Identify external verification still required. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Assess independent transfer

Selected case: Defense records 8/10 case passes, no unauthorised calls in those traces and successful local rollback. What can be claimed?

Selected case answer

Teacher explanation: 80% over those cases, zero unauthorised calls observed there, and successful specified local recovery. It does not prove zero future violations or production availability.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

For Grounded Learning Service, use this week's independent task as a rehearsal for the final evidence pack: Defense records 8/10 case passes, no unauthorized calls in those traces and successful local rollback. What can be claimed? Keep actual observations separate from expected results, preserve failures, compare a baseline and explain the limits.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Build a bounded application with tested interfaces, scoped permissions, monitoring and recovery, then demonstrate both successful operation and safe failure.. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: plan a review after the level ends. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record - Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.