

Inspecting failures and anomalies

Project: Reproducible AI Research Study

1. Prepare the purpose, prerequisites and materials

Teach the learning cycle

Primary target: Explain the mechanism and terminology of inspecting failures and anomalies

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Running the primary experiment

Without opening the old lesson, explain one key idea from Running the primary experiment. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of running the primary experiment

Reference example, not the only acceptable wording: Teacher explanation: The primary experiment follows the frozen plan and captures every eligible outcome. Unexpected failures are recorded rather than silently retried away. Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.

Power and resource tradeoffs

Without opening the old lesson, explain one key idea from Power and resource tradeoffs. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of power and resource tradeoffs

Reference example, not the only acceptable wording: Teacher explanation: Power concerns detecting a declared effect under a specified model and test. Planning depends on effect size, variability, unit independence and budget. Use supplied simulation results rather than an unsupported universal sample-size rule. Estimated detection frequency is detections/simulated alternative trials; false positives require null trials separately.

Privacy and data governance

Without opening the old lesson, explain one key idea from Privacy and data governance. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of privacy and data governance

Reference example, not the only acceptable wording: Teacher explanation: Data governance specifies who may use which records, for what purpose and for how long. Coded data can still be reidentifiable. For fictional records separate participant-code table from analysis values; limit access and retention. Remove unnecessary fields and small-group details before a permitted aggregate export.

Two 45-minute sessions. Failure inspection generates explanations to test. An unusual result is not automatically a bad data point. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

Outcomes

Explain the mechanism and terminology of inspecting failures and anomalies

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

Prerequisite answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

End goal for the pictorial case

Explain inspecting failures and anomalies using the records and boundaries of this fictional investigation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain and model the mechanism

Failure inspection generates explanations to test. An unusual result is not automatically a bad data point.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Compare raw outputs, input validity and procedure traces. Correct demonstrable measurement errors with provenance; retain valid unusual observations. Label post-result investigations exploratory.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Term · Meaning

Term: Anomaly

Meaning: An unusual observation requiring investigation

Term: Provenance-backed correction

Meaning: A repair justified by source evidence

Term: Exploratory analysis

Meaning: A follow-up chosen after results

Inspecting failures and anomalies — evidence trace

Input and scope · Check or calculation · Conclusion and limit

Input and scope: Durations 1, 2, 2, 15 seconds are all valid traces. Team deletes 15 as an outlier without a rule.

Check or calculation: Compare raw outputs, input validity and procedure traces. Correct demonstrable measurement errors with provenance; retain valid unusual observations.

Conclusion and limit: The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean5 and median2 reveal different aspects.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Guided: The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean5 and median2 reveal different aspects. Qualification: Post-hoc exclusion based on an unwanted outcome can distort the conclusion. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Durations 1, 2, 2, 15 seconds are all valid traces. Team deletes 15 as an outlier without a rule.

The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean5 and median2 reveal different aspects.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Inspecting failures and anomalies


Inspect an anomaly without erasing it. A timing study records four runs and notices one unusually long duration.

The facts we will use

Durations are 2,2,2,10 seconds. Logs show a source timeout on the fourth run. The plan includes timeouts in reporting.

All four recorded durations

seconds; run 4 includes timeout



Bar length shows the supplied value; the marked baseline is zero.

Inspecting failures and anomalies

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Keep the raw record

The fourth duration remains 10 seconds.



2. Compute summaries

Mean is $16/4=4$ seconds; median is 2 seconds.



3. Investigate the event

Report the timeout evidence and distinguish it from an untested explanation.

CHANGE ONE THING

Delete the 10-second record only because it looks bad.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Keep the raw record

What happens and why: The fourth duration remains 10 seconds.

Step: 2. Compute summaries

What happens and why: Mean is $16/4=4$ seconds; median is 2 seconds.

Step: 3. Investigate the event

What happens and why: Report the timeout evidence and distinguish it from an untested explanation.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

An anomaly invites investigation, not automatic deletion. A slow failure may be part of real service behaviour; the predefined rule determines inclusion.

What this example does not establish

A logged timeout does not identify every underlying cause; report conditions and test explanations.

Change one thing in the pictured case

Change: Delete the 10-second record only because it looks bad.

Prediction: The mean becomes 2 seconds but the selective report violates this plan.

Reason: Observed inconvenient outcomes are not an approved exclusion reason.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Time or stage · Teacher action

Time or stage: Session 1: 0–7 minutes

Teacher action: Retrieve the prerequisite; identify the input, procedure and evidence source.

Time or stage: 7–18 minutes

Teacher action: Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Time or stage: 18–32 minutes

Teacher action: Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

Time or stage: 32–45 minutes

Teacher action: Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Time or stage: Session 2: 0–8 minutes

Teacher action: Retrieve the worked reasoning and collect the guided response before discussing it.

Time or stage: 8–20 minutes

Teacher action: Compare a proposed boundary variant with the original case; identify what remains fixed.

Time or stage: 20–35 minutes

Teacher action: Collect W4 independently. Require the procedure trace and the bounded conclusion.

Time or stage: 35–45 minutes

Teacher action: Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Use the worked example in Sections 3 and 6. Collect a prediction before revealing its result; ask the learner to point to each intermediate fact.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Reduce help deliberately

Completion task: Durations1, 2, 2, 15 seconds are all valid traces. Team deletes15 as an outlier without a rule. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean5 and median2 reveal different aspects.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Inspecting failures and anomalies. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Post-hoc exclusion based on an unwanted outcome can distort the conclusion.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Calculate mean and median for 2,2,2,10. What does the timeout log establish, and why is deleting that inconvenient record incompatible with the stated plan?

Reasoned teacher answer

The fourth duration remains 10 seconds. Mean is $16/4=4$ seconds; median is 2 seconds. Report the timeout evidence and distinguish it from an untested explanation. Changed case: The mean becomes 2 seconds but the selective report violates this plan. Observed inconvenient outcomes are not an approved exclusion reason.

Changed-case reasoning: The mean becomes 2 seconds but the selective report violates this plan. Observed inconvenient outcomes are not an approved exclusion reason.

Collect each learner’s explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the investigation and diagnose misconceptions

The worked result establishes every future case: Post-hoc exclusion based on an unwanted outcome can distort the conclusion.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the evidence ledger. Add a boundary or missing-input case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Guided and exit questions

Guided: The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean5 and median2 reveal different aspects. Qualification: Post-hoc exclusion based on an unwanted outcome can distort the conclusion. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: Failure inspection generates explanations to test. An unusual result is not automatically a bad data point. Compare raw outputs, input validity and procedure traces. Correct

demonstrable measurement errors with provenance; retain valid unusual observations. Label post-result investigations exploratory.

W2 Trace the worked case

Durations 1, 2, 2, 15 seconds are all valid traces. Team deletes 15 as an outlier without a rule. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: The slow valid case must remain in the declared primary analysis. Investigate mechanism separately; mean 5 and median 2 reveal different aspects.

W3 Audit the limit

A report omits this qualification: Post-hoc exclusion based on an unwanted outcome can distort the conclusion. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Post-hoc exclusion based on an unwanted outcome can distort the conclusion. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

W4 Apply a new case independently

Values 2, 3, 4, 20 are valid. Compute mean and median and propose an honest investigation.

Teacher explanation: Mean 7.25, median 3.5. Keep 20; inspect its case/trace for a mechanism rather than silently deleting it.

W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. Post-hoc exclusion based on an unwanted outcome can distort the conclusion. The new case should test this particular mechanism rather than merely restate the original result.

Independent assessment and fresh retry

W4: Mean 7.25, median 3.5. Keep 20; inspect its case/trace for a mechanism rather than silently deleting it. Require intermediate reasoning and the stated scope. Fresh retry: One duration recorded 2000ms among values in seconds. Expected reasoning: Convert documented 2000ms to 2 seconds with provenance; this is a unit correction, not rejection because it looks large. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Assess independent transfer

Selected case: Values 2, 3, 4, 20 are valid. Compute mean and median and propose an honest investigation.

Selected case answer

Teacher explanation: Mean 7.25, median 3.5. Keep 20; inspect its case/trace for a mechanism rather than silently deleting it.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect the project, support and next lesson

Add a labelled inspecting failures and anomalies evidence sheet to Reproducible AI Research Study. Show how you can explain the mechanism and terminology of inspecting failures and anomalies. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism

while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Robustness across conditions. Preserve the current case record and retrieve its evidence boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: ai-7/27, ai-7/29, ai-7/32. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.